


PALAY PRODUCTION SURVEY

January 2008 Round



**CODING
AND
EDITING
GUIDELINES**



Republic of the Philippines
Department of Agriculture
BUREAU OF AGRICULTURAL STATISTICS

I. Introduction

Manual editing is the checking of the responses to the Palay Production Survey (PPS) questionnaire in terms of acceptability and validity. This activity is aimed at improving the quality of data collected by the CDCs and thus, the activity cannot be taken for granted. It involves the checking of the data items based on criteria like consistency with other data items, data ranges, and completeness. Coding, on the other hand is the assigning of numeric codes to data items to facilitate encoding.

The purpose of this guideline is to provide instructions in editing and coding the data from RPS questionnaires.

II. General Instructions

1. Use a ball pen in editing the accomplished questionnaires. For uniformity, use RED pen.
2. Editing aides such as manuals, master list of samples, Philippine Standard Geographic Classification (PSGC), National Seed Industry Council (NSIC), Fertilizer Codes, Pesticides Codes and codes of unit of measure should be at hand before editing/coding starts.
3. Do not erase an entry on the questionnaire. To delete an erroneous entry, cross it out with a single horizontal line and write the correction above the original entry.
4. Ensure that all entries are logical and consistent. Always look for marginal notes or explanations in cases of extreme or missing information. If no such notes are found and entries are inconsistent and/or incomplete, ask for assistance.
5. Write a dash (-) for items that are not applicable to denote that editing was done and that confirmation was made where entry is not necessary.
6. Correct numerical items that are not written in the required number of decimal places by adding leading or trailing zeroes.
7. Make sure that GO TO instructions are followed.
8. Accomplish compilation sheets for items that are required to be compiled e.g. local and common names of fertilizers and inputs and answers to open-ended questions.

III. Specific Instructions

A. Sample Identification

1. Indicate or check the region, province, municipality and barangay codes against those in the PSGC or against the master list of samples.

2. Indicate or check the stratum and replicate codes against those in the list of samples.
3. Indicate or check the household weight against those in the list of samples. The household weight must be in six decimal places. For example, the HH weight of 1.00 must be coded/encoded as 1.000000, a HH weight of 0.50 must be coded as 0.500000 or a HH weight of 0.063 must be coded as 0.063000 and so on.
4. Check the questionnaire sequence number.

B. Sample Particulars

Block B is composed of five (5) rows and twelve (12) columns. Each of the row is occupied by one sample household, represented by the sample farm operator. The entries can be edited horizontally taking one sample household at a time. For each household listed, follow the editing instructions below:

1. Check the Enumeration Area (EA) Code, a two-digit code, followed by the Household Serial Number (HSN) occupying the same column, that is, column 2. The HSN is a three-digit code and must conform to that in the list of samples. These data items are separated by a dash. The EA and the HSN are common to all the pages of the questionnaire.
2. Check the names of the sample farm operators in column 3, which must be reflected in the format - surname followed by the first name. The surname and the first name are separated by comma. In case where the first name appears before the last name, cross it out with a single horizontal line and write the correction above the original entry.
3. Check the indicated sample status code in column 4.
 - If code 10 is indicated there should be an area in columns 9 and 10.
 - If code 20 is indicated, columns 10 – 12 should have no entries.
 - If code 30 is indicated, there may or may not be an area in columns 9 and 10; if no area is written in column 10, check that the rest of the columns are not answered.
 - If code 40, 51 to 55 is indicated, columns 9 to 12 should have no entries.

Next page are the definition and corresponding codes of the household's sample status:

| Sample Status | Definition | Sample Status Code (Column 6) |
|------------------|--|----------------------------------|
| Rice-farming | The sample household operates a farm, whole or part of which is rice area. | 10 |
| Non-rice farming | The sample household operates a farm, which is devoted to commodities other than rice. | 20 |
| Non-farming | The sample household <u>still operates an agricultural land</u> whose aggregate area does not satisfy the survey's operational definition of a farm. Part of this agricultural area may or may not be utilized for rice. | 30 |
| | Farm - a parcel or parcels of land whose aggregate area is at least 1000 square meters used for agricultural purposes | |
| Non-agricultural | The sample household does not operate an agricultural land. | 40 |
| Non-response | Refused to be interviewed | 51 |
| | Temporarily not accessible – sample households that were not accessed due to temporary abnormal circumstances (e.g., area heavily flooded, peace and order problems, etc.) | 52 |
| | Temporarily away / on vacation / not at home – this includes households who are temporarily away and are <u>not expected to be back within the survey period only</u> . Also included are households found to have <u>no qualified respondent to interview after several call backs (at most 3 visits)</u> . | 53 |
| | Transferred residence / resides in another barangay - this covers households who have moved to another barangay | 54 |
| | Unknown / residence cannot be located | 55 |

In addition, the following cases (scenarios) may be useful in checking for the status of the samples:

| Case | Desired Questionnaire Entry (Column 3) | Sample Status Code (Column 6) |
|--|--|---|
| Case 1- Operation of the farm is transferred to another member of the household | Listed operator's name is crossed out and indicated above it is the new operator's name | Rice-farming (code 10), non-rice farming (code 20) or non-farming (code 30) |
| Case 2 - Operation is transferred to a person who is not a member of the same household, but there is still another member of the same house who is an agricultural operator | Listed operator's name is crossed out and indicated above it is the operator member of the household | Rice-farming (code 10), non-rice farming (code 20) or non-farming (code 30) |
| Case 3 - Operation is transferred to a person <u>who is not a member of the same household</u> , and nobody from the same household is an agricultural operator | Listed operator's name | Non-agricultural (code 40) |
| Case 4 – The farm is mortgaged to another person. The listed operator is now considered paid worker but still responsible in the operation and major decision-making. | Listed operator's name | Rice-farming (code 10), non-rice farming (code 20) or non-farming (code 30) |

4. Check the indicated first name of the respondent in column 5 if legibly written.
5. Check the encircled respondent's classification code in column 6. Appropriate codes include:
 1. *household head and operator;*
 2. *operator other than the household head;*
 3. *other knowledgeable member of the household;*

Others may include household members who are not knowledgeable on the farm operation of the household, Barangay Officials, neighbors, etc.

6. If the indicated code in column 4 is any of the numbers 52 – 55, check entries in columns 7 and 8. These columns should have entries.
 - *Check the indicated first name of the informant if legibly written in column 7;*
 - *Only one code must be encircled in column 8, 1 – Barangay/Purok Official, and 2 – Neighbor;*

Note: It is also understood that if columns 7 and 8 have entries, columns 9 to 15 and onwards should have no entries. If entries were found, cross them out with a single horizontal line.

7. Check the total agricultural area in column 9. It must be greater than or equal to the area indicated in column 10. The area must be in four decimal places.
8. Check the indicated total rice farm area in column 10. This refers to the current area devoted to rice including the area of standing crop. It must be noted that all area indications in the questionnaire must always be in four decimal places.
9. Check the encircled code in column 11, 1 for Yes and 0 for No.
 - *If YES (code 1), check if there are entries in column 12 and Blocks C and D (columns 13-74).*
 - *If the answer is NO (code 0), column 11 and Blocks D (columns 13-74) must not have entries. In case columns 12 -174 have entries, change the entry in column 11 to YES (code 1).*
10. If answer in column 11 is YES (code 1), check the indicated code for the type of ecosystem in column 12, i.e., 1 for irrigated, 2 for rainfed and 3 for upland.
 - *If code 1 is encircled, code 1 may appear in columns 13, 31, and 46 provided the rest of the columns have entries.*
 - *If code 2 is encircled, code 2 may also appear in columns 13, 31 and 46 provided the rest of the columns have entries.*
 - *If code 3 is encircled, code 3 may also appear in columns 13, 31, and 46 provided the rest of the columns have entries.*

C. Information on Paddy Rice (Palay) Crop Harvested

Block C contains information on paddy rice such as area, production, irrigation, fertilizer and pesticides. Page 2 of the questionnaire reflects information from columns 13 to 30.

Area, Production and Irrigation Information

1. Check the EA and HSN, these are the same as in the previous page.
2. Check the indicated code for the ecosystem in column 13. The entry is any of the code 1 – 3.
3. Check the two-digit code of the month when the crop was harvested in column 14. The harvest months must be within the reference period of the quarter. Correspondingly, indicate the two-digit month code.
4. Area harvested in column 15 must be in four decimal places. The area harvested must be equal to or less than the total rice farm area indicated in column 10 of page 1.
5. Column 16 is for the total quantity produced, which refers to the household's GROSS PRODUCTION during the reference quarter. Check that the quantity indicated in column 16 must be in one decimal place.
6. Indicate the code of unit of measure in column 17 based on the Codes of Unit of Measure.
7. Check the weight of unit of measure in column 18. It must be in one decimal place.

(NOTE : Weight of local unit must be the same for the production of all ecosystems)

8. Column 19 calls for the planting month code. The planting months must be within the reference period of the quarter. Correspondingly, indicate the two-digit month code.
9. Check the area planted to crop that was harvested in column 20. It must be equal to or greater than the area harvested in column 15. Likewise, it must be equal to or less than the total rice farm area indicated in column 10 of page 1. If there are two or three types of ecosystem indicated in column 13, the sum of the areas should be less than or equal to the area indicated in column 10 of page 1. Check the indicated code for the major type/class of palay seed planted in column 21. If the indicated code is 6 (native), there

- should have no encircled code in column 22. Acceptable codes are 1 – 6.
11. In column 22, check the encircled code for the generation of seeds planted, either code 1 or code 2.
 12. Check the product name of variety planted in column 23 against those in the list of Philippine Seed Board (PSB) / NSIC registered rice varieties, 1994-2005. Check its consistency against that in column 22. And indicate the variety code
 13. Check the encircled code in column 24 for the method of crop establishment. Only one code must be encircled.
 14. Total quantity of seeds used in column 25 must be in one decimal place.
 15. Indicate the code of unit of measure in column 26 based on the Codes of Unit of Measure.
 16. Check the weight of per unit of measure in column 27. It must be in one decimal place.
 17. If the type of ecosystem indicated in column 13 is 1 (irrigated), check the indicated codes/s for the type of irrigation facility in column 28. Multiple codes are acceptable.
 18. If the type of ecosystem indicated in column 13 is 1, check the encircled code in column 29, if the area is actually irrigated or not.
 19. If the type of ecosystem indicated in column 13 is 1 (irrigated) check the indicated code for the adequacy of irrigation water in column 30. Only one code is accepted.

Fertilizer Information

1. Check the EA and HSN, these are the same as in the previous page.
2. Check the indicated code for the ecosystem in column 31.
3. Check the encircled code in column 32 (did you apply fertilizer on the harvested area). Only one code must be encircled.
 - If code 1 is encircled, check the entries in columns 33-45; otherwise, proceed to page 4.
 - If code 0 is encircled and columns 33-45 have entries, change the entry to code 1.
4. The area harvested applied with fertilizer in column 33 must be in four decimal places. It must be equal to or less than the area planted (column 20) and area harvested (column 15).

5. Indicate the code of fertilizer grade in column 34a and 34b using the compilation of Fertilizer Codes that will be provided. Note that for each ecosystem, four (4) major fertilizer grades can be accommodated.
6. Check the number of bags of fertilizer used in columns 35a and 35b. These must be in three decimal places.
7. Indicate the code of other inorganic and organic inputs using the list of fertilizer codes.
8. Check the product name of other inorganic and organic inputs used if legibly written in columns 36 and 41.
9. Check that all quantities of other inorganic inputs and organic inputs applied in columns 39 and 42 are in three decimal places.
- * 10. Indicate the codes of the unit of measure in columns 38 and 43 based on the Codes of Unit of Measure.
11. Check the weight or volume indicated in columns 39 - 40 and 44-45. These must be in three decimal places.

Pesticide Information

1. Check the EA and HSN, these are the same as in the previous page.
2. Check the indicated ecosystem code in column 46.
3. Check the encircled code in column 47 (did you apply pesticide on the harvested area). Only one code must be encircled.
 - If code 1 is encircled, check the entries in columns 48-66; otherwise, proceed to page 5.
 - If code 0 is encircled and columns 48-66 have entries, change the entry to code 1.
4. The area harvested applied with pesticides in column 48 must be in four decimal places. It must be equal to or less than the area planted (column 20) and area harvested (column 15).
5. Indicate that the name of the pesticides in columns 49, 55 and 61 is legibly written.
6. Indicate the single-digit code of pesticides in columns 50, 56 & 62 using:

1 – Insecticides
2 – Herbicide/Weedicide
3 – Fungicide
4 – Rodenticides

5 – Molluscicides
6 – Nematocides
7 – Others

7. All quantities of insecticides, herbicides, fungicides and other pesticides in columns 51, 57, and 63 are in three decimal places.
8. Indicate the codes of the unit of measure in columns 52, 58 and 64 based on the Codes of Unit of Measure.
9. Check the weight or volume indicated in columns 53, 54, 59, 60, 65 and 66. These must be in three decimal places.

D. Paddy Rice (Palay) Utilization and Disposition

This block deals with the breakdown of the sample household's utilization and disposition of the total production during the reference period. All entries in columns 68 – 76 should be consistent with the local unit used in column 17.

If disposition breakdown is given in percentage, it should be converted into its required local unit equivalent using the formula:

$$\text{Disposition (in local unit)} = (\% \text{Disposition}) \times (\text{Total Production for the Period})$$

1. Check the EA and HSN, these are the same as in the previous page.
2. Check the indicated code for ecosystem in column 67.
3. The breakdowns of disposition are reflected in one decimal place (columns 66 - 74).
4. The total of columns 66 – 74 (disposition) must equal to the sum of column 16 of the corresponding ecosystem.

Note: Check that the unit of measure for irrigated, rainfed and upland must be in the same local unit.

5. If inconsistencies are found between the computed total production and disposition, use area harvested/yield per hectare as check variables.

E. Paddy Rice (Palay) Production Forecast

1. Check the encircled code in column 77 (do you have any standing paddy rice (palay) on your farm as of the end of the quarter. Only one code must be encircled.
 - If code 1 (YES) is encircled, columns 78 - 87 must have entries; otherwise proceed to Block F on page 6.
 - If code 0 (NO) is encircled, columns 78 – 87 must not have entries. However, if these columns have entries but the encircled code in column 77 is 0 (NO), change the entry to code 1 (YES).

2. Check the indicated code of ecosystem in column 78.
3. Check the indicated code of the month when crop will be harvested in column 79. The harvest months are indicated above column 79. Indicate the corresponding harvest month code.
4. Check the area to be harvested in column 80. This must be in four decimal places and must be equal to or less than the total rice farm area in column 10 of page 1.
5. Check the total quantity to be produced in column 81, it must be in two decimal place.
6. Indicate the code of the unit of measure used in column 82 based on the Codes of Unit of Measure.
7. Check the weight of unit of measure in column 83, it must be in two decimal place.
8. Check the indicated planting month code in column 84 by referring from the indicated month above column 84. Indicate the corresponding month code.
9. Check the indicated code of the major type / class of palay seed planted in column 85. If the indicated code is 6 (native), there should be no encircled code in column 86.
10. Check the encircled code of the generation of seeds planted in column 86.
11. Check the area planted to crop that will be harvested in column 87. It must be equal to or greater than the area to be harvested in column 80 and must be in four decimal places.

F. Paddy Rice Planting Intentions

1. Check the EA and HSN, these are the same as in the previous page.
2. Check the encircled code in column 88. Only one code must be encircled.
 - If code 1 (YES) is encircled, column 89 and the appropriate sub-blocks in columns 90 – 98 may have entries.
 - If code 0 (NO) is encircled, columns 89 - 98 must not have entries. However, if any these columns have entries but the encircled code in column 88 is 0 (NO), change the answer to code 1 (YES).
3. Check the encircled code/s in column 89. Type of ecosystem accepts multiple answers. Check the appropriate sub-block/s in columns 90 – 98 for consistency.
 - If the encircled code in column 89 is 1, columns 90 – 92 must have entries;

- If the encircled code in column 89 is 2, columns 93 – 95 must have entries;
 - If the encircled code in column 89 is 3, columns 96 – 98 must have entries.
4. Check the encircled planting month codes in columns 90, 93 and 96.
 5. Check the area to be planted in columns 91, 94 and 97. The area reflected in each of these columns must be equal to or less than the total rice farm area in column 10 of page 1. The area must be in four decimal places.
 6. Check the encircled codes of harvest month in columns 92, 95 and 98.

G. Respondent's Assessment of Rice Production

1. Check the EA and HSN, these are the same as in the previous page.
2. Check the encircled code in column 99. If code 1 is encircled, column 100 must not have entry.
3. Check the indicated code in column 100. Acceptable codes are 1, 2, 3, 4, 5, 6 and 7. If the indicated code is 7, compile the answer and submit them to concerned analyst for assigning of codes.

H. Farmers' Participation in Ginintuang Masaganang Ani (Paddy Rice)

1. Check the encircled codes in columns 101 and 102.
2. In the last remaining columns 108 - 110, indicate the codes as follows:

- 01 – Seeds
- 02 – Fertilize
- 03 – Training on Farming Technology
- 04 – Irrigation Facilities
- 05 – Post Harvest Facilities
- 06 – Marketing Assistance
- 07 – Loan
- 08 – Others

NOTE : Compile other program components specified and submit them to the concerned analyst.



.....

RICE VARIETY CODES

PHILIPPINE SEEDBOARD (PSB)/NSIC RICE VARIETIES

| CODE | VARIETY/ECOSYSTEM | LINE DESIGNATION | YEAR APPROVED | BREEDING INSTITUTION |
|------|-------------------------------|-----------------------|---------------|----------------------|
| | Irrigated Lowland | | | |
| 1101 | PSB RC 26H (Magat) | IR64616H | 1994 | IRRI |
| 1102 | PSB RC 76H (Panay) | CRH 05 | 1998 | MONSANTO |
| 1103 | NSIC Rc 114H (Mestizo 2) | IR75207H | 2002 | IRRI |
| 1104 | NSIC Rc 116H (Mestizo 3) | IR75217H | 2002 | IRRI |
| 1105 | NSIC Rc 124H (Mestizo 4) | BIGANTE | 2004 | BAYER |
| 1106 | NSIC Rc 126H (Mestizo 5) | MRH 005 | 2004 | MONSANTO |
| 1107 | NSIC Rc 132H (Mestizo 6) | SL 8 | 2004 | SL Agritech |
| 1201 | PSB RC 2 (Nahalin) | IR32809-26-3-3 | 1991 | IRRI |
| 1202 | PSB RC 4 (Molawin) | IR41985-111-3-2-2 | 1991 | IRRI |
| 1203 | PSB RC 6 (Carranghan) | MRC19390-1215 | 1992 | PHILRICE |
| 1204 | PSB RC 8 (Talavera) | MRC19399-1224 | 1992 | PHILRICE |
| 1205 | PSB RC 10 (Pagsanjan) | IR50404-57-2-2-3 | 1992 | IRRI |
| 1206 | PSB RC 18 (Ala) | IR51672-62-1-1-2-3 | 1994 | IRRI |
| 1207 | PSB RC 20 (Chico) | IR57301-195-3-3 | 1994 | IRRI |
| 1208 | PSB RC 22 (Liliw) | C3098-41-1-1 | 1994 | UPLB |
| 1209 | PSB RC 28 (Agno) | IR56381-139-2-2 | 1995 | IRRI |
| 1210 | PSB RC 30 (Agus) | IR58099-41-2-3 | 1995 | IRRI |
| 1211 | PSB RC 32 (Jaro) | C3563-B-5-1 | 1995 | UPLB |
| 1212 | PSB RC 34 (Burdagol) | BURDAGOL | 1995 | Trad. Variety |
| 1213 | PSB RC 52 (Gandara) | IR59682-132-1-1-2 | 1997 | IRRI |
| 1214 | PSB RC 54 (Abra) | IR60819-34-2-1 | 1997 | IRRI |
| 1215 | PSB RC 56 (Dapitan) | PR23416-34 | 1997 | PHILRICE |
| 1216 | PSB RC 58 (Mayapa) | C2732-10-2-1-1-1 | 1997 | UPLB |
| 1217 | PSB RC 64 (Kabacan) | IR59552-21-3-2-2 | 1997 | IRRI |
| 1218 | PSB RC 66 (Agusan) | PR23426-66 | 1997 | PHILRICE |
| 1219 | PSB RC 72 (Mestizo) | IR68284H | 1997 | IRRI |
| 1220 | PSB RC 74 (Aklan) | C3559-B-18-3-2-1-1 | 1998 | UPLB |
| 1221 | PSB RC 78 (Pampanga) | PR26305-M32 | 2000 | PHILRICE |
| 1222 | PSB RC 80 (Pasig) | IR6141-114-3-2-2-2 | 2000 | IRRI |
| 1223 | PSB RC 82 (Peñaranda) | IR64683-87-2-2-3-3 | 2000 | IRRI |
| 1224 | IR69726-29-1-2-2-(Matatag 2) | IR69726-29-1-2-2-2 | 2001 | IRRI |
| 1225 | NSIC Rc 110 (Tubigan 1) | IR71606-1-1-4-2-3-1-2 | 2002 | IRRI |
| 1226 | NSIC Rc 112 (Tubigan 2) | IR72102-4-159-1-3-3-3 | 2002 | IRRI |
| 1227 | IR73885-1-4-3-2-1 (Matatag 9) | IR73885-1-4-3-2-1-6 | 2002 | IRRI |
| 1228 | NSIC Rc 118 (Matatag 3) | IR68305-18-1-1 | 2003 | IRRI |
| 1229 | NSIC Rc 120 (Matatag 6) | LF-31-28-1 | 2003 | PHILRICE |
| 1230 | NSIC Rc 122 (Angelica) | IR61979-138-1-3-2-3 | 2003 | IRRI |
| 1231 | NSIC Rc 128 (Mabango 1)* | PR26645-B-7 (A) | 2004 | PHILRICE |
| 1232 | NSIC Rc 130 (Tubigan 3) | PR30244-AC-9-1 | 2004 | PHILRICE |
| | *Aromatic | | | |

PHILIPPINE SEEDBOARD.... (Continued)

| CODE | VARIETY/ECOSYSTEM | LINE DESIGNATION | YEAR APPROVED | BREEDING INSTITUTION |
|------|---------------------------------------|-----------------------|---------------|----------------------|
| | Irrigated Lowland (Glutinous) | | | |
| 1233 | UPL Ri 1 | C229-1 | 1977 | UPLB |
| 1234 | BPI Ri 1 | | 1979 | BPI |
| 1235 | IR 65 | IR21015-196-3-1-3 | 1985 | IRRI |
| 1236 | NSIC Rc 13 (Malagkit 1) | C4063-2B-7-1-1 | 2004 | UPLB |
| 1237 | NSIC Rc 15 (Malagkit 2) | PR25965-14-3 | 2004 | PHILRICE |
| 1238 | NSIC Rc 17 (Malagkit 3) | PR25959-3-3-4-4-1 | 2004 | PHILRICE |
| | Saline Prone Irrigated Lowland | | | |
| 1239 | PSB RC 48 (Hagonoy) | IR9884-54-3-IE-PI | 1995 | IRRI |
| 1240 | PSB RC 50 (Bicol) | IR51500-AC11-1 | 1995 | IRRI |
| 1241 | PSB RC 84 (Sipocot) | IR65185-3B-8-3-2 | 2000 | IRRI |
| 1242 | PSB RC 86 (Matnog) | IR65195-3B-2-3 | 2000 | IRRI |
| 1243 | PSB RC 88 (Naga) | IR52713-2B-8-2B-1-2 | 2000 | IRRI |
| 1244 | PSB RC 90 (Buguey) | PR25989-2-4B | 2001 | PHILRICE |
| 1245 | NSIC Rc 106 (Sumilao) | IR61920-3B-22-1-1 | 2001 | IRRI |
| 1246 | NSIC Rc 108 (Anahawan) | PR26008-8-4B | 2001 | PHILRICE |
| | Rainfed Lowland Transplanted | | | |
| 2201 | PSB RC 12 (Caliraya) | C2757-22-1-1-1-1 | 1992 | UPLB |
| 2202 | PSB RC 14 (Rio Grande) | C2764-10-2 | 1992 | UPLB |
| 2203 | PSB RC 36 (Ma-ayon) | ENNANO II | 1995 | Trad. Variety |
| 2204 | PSB RC 38 (Rinara) | RINARA | 1995 | Trad. Variety |
| 2205 | PSB RC 40 (Chayong) | CHAYONG | 1995 | Trad. Variety |
| 2206 | PSB RC 98 (Lian) | C3419-10-1-2 | 2001 | UPLB |
| 2207 | PSB RC 100 (Santiago) | MRC22965-4955 | 2001 | PHILRICE |
| 2208 | PSB RC 102 (Mamburao) | IR54068-B-60-1-3-3 | 2001 | IRRI |
| | Rainfed Dry Seeded | | | |
| 2209 | PSB RC 16 (Ennano) | ENNANO | 1993 | Trad. Variety |
| 2210 | PSB RC 24 (Cagayan) | MRC22095-265 | 1994 | PHILRICE |
| 2211 | PSB RC 42 (Baliwag) | MRC22939-24-2 | 1995 | PHILRICE |
| 2212 | PSB RC 60 (Tugatog) | IR41431-6-1-2-3 | 1997 | IRRI |
| 2213 | PSB RC 62 (Naguilian) | PR23765-23 | 1997 | PHILRICE |
| 2214 | PSB RC 68 (Sagobia) | IR57515-PMI-8-1-1-SRM | 1997 | IRRI |
| 2215 | PSB RC 70 (Bamban) | IR60267-11-2-2-1 | 1997 | IRRI |
| | Cool Elevated | | | |
| 2216 | PSB RC 44 (Gohang) | IR59469-B-B-3-2 | 1995 | IRRI |
| 2217 | PSB RC 46 (Sumadel) | IR25976-12-2-2-2-1-1 | 1995 | IRRI |
| 2218 | PSB RC 92 (Sagada) | IR9202-25-1-3 | 2001 | IRRI |
| 2219 | PSB RC 94 (Hungduan) | IR61336-4B-14-3-2 | 2001 | IRRI |

PHILIPPINE SEEDBOARD.... (Continued)


| CODE | VARIETY/ECOSYSTEM | LINE DESIGNATION | YEAR APPROVED | BREEDING INSTITUTION |
|------|-------------------------------|-----------------------|---------------|----------------------|
| 2220 | PSB RC 96 (Ibulao) | IR61608-3B-20-2-2-1-1 | 2001 | IRRI |
| 2221 | NSIC Rc 104 (Balili) | PR26770-PJ2 | 2001 | PHILRICE |
| | Upland | | | |
| 3201 | PSB RC 1 (Makiling) | IR10147-113-5-1-1-1-5 | 1990 | IRRI |
| 3202 | PSB RC 3 (Giniling Puti) | GINILINGAN PUTI | 1997 | Trad. Variety |
| 3203 | PSB RC 5 (Arayat) | IR47686-30-3-2 | 1997 | IRRI |
| 3204 | PSB RC 7 (Banahaw) | PR23336-10 | 2001 | PHILRICE |
| 3205 | NSIC Rc 9 (Apo) | IR55423-1 | 2001 | IRRI |
| 3206 | NSIC Rc 11 (Canaon) | PR23722-20 | 2001 | PHILRICE |
| 4000 | Others (Fancy Variety) | | | |
| 4201 | Agro | | | |
| 4202 | Allah | | | |
| 4203 | Andrada | | | |
| 4204 | Angelica | | | |
| 4205 | Barad | | | |
| 4206 | Bay 2 | | | |
| 4207 | Benser | | | |
| 4208 | Biniding | | | |
| 4209 | Bugos | | | |
| 4210 | BS1 | | | |
| 4211 | Cabiao | | | |
| 4212 | Calubid | | | |
| 4213 | Cargill | | | |
| 4214 | Chico PBC | | | |
| 4215 | Dinorado | | | |
| 4216 | Dwarf | | | |
| 4217 | Early Senador | | | |
| 4218 | Glutinous | | | |
| 4219 | GT | | | |
| 4220 | Iloilo Rice | | | |
| 4221 | Imelda Rojas | | | |
| 4222 | Kaunyaw | | | |
| 4223 | Kawilihan | | | |
| 4224 | Kiamba 137 | | | |
| 4225 | Kinabalyo | | | |
| 4226 | Kinabesa | | | |
| 4227 | La | | | |
| 4228 | Labang | | | |
| 4229 | Lomo-an | | | |

PHILIPPINE SEEDBOARD.... (Continued)

| CODE | VARIETY/ECOSYSTEM | LINE DESIGNATION | YEAR APPROVED | BREEDING INSTITUTION |
|------|--|------------------|---------------|----------------------|
| 4230 | Macasori | | | |
| 4231 | Magnolia | | | |
| 4232 | Magsiling | | | |
| 4233 | Malagkit Sungsong | | | |
| 4234 | Marlboro | | | |
| 4235 | Milagrosa | | | |
| 4236 | Mimis Japanese Rice | | | |
| 4237 | Nicehand | | | |
| 4238 | Pinalua | | | |
| 4239 | Red Burdagol | | | |
| 4240 | Red 15 | | | |
| 4241 | Red Tunel | | | |
| 4242 | Saigon | | | |
| 4243 | Sampaguita | | | |
| 4244 | Sator | | | |
| 4245 | Selection | | | |
| 4246 | Senador | | | |
| 4247 | Senador Bango | | | |
| 4248 | Siko | | | |
| 4249 | Sinampal | | | |
| 4250 | Sinandomeng | | | |
| 4251 | Sirop | | | |
| 4252 | Super 36 | | | |
| 4253 | Super Rice | | | |
| 4254 | Super Wagwag | | | |
| 4255 | Taiwan Rice | | | |
| 4256 | Thailand Rice | | | |
| 4257 | Valentino | | | |
| 4258 | Waray waray | | | |
| 4259 | World Mission | | | |
| 5000 | Others (Not elsewhere classified) | | | |
| 5001 | 7-TONNER | 5001 | | |
| 5002 | 90-DAYS | 5002 | | |
| 5003 | ASUCENAS | 5003 | | |
| 5003 | AZUCENA | 5003 | | |
| 5004 | B-10 | 5004 | | |
| 5004 | ORAG B10 | 5004 | | |
| 5004 | RED B-10 | 5004 | | |
| 5004 | RED V10 | 5004 | | |
| 5005 | BUS-OK | 5005 | | |
| 5005 | BUS-OK (TONNE) | 5005 | | |

PHILIPPINE SEEDBOARD.... (*Continued*)

| CODE | VARIETY/ECOSYSTEM | LINE DESIGNATION | YEAR APPROVED | BREEDING INSTITUTION |
|------|-------------------|------------------|---------------|----------------------|
| 5005 | BUS-OK 112 72 | 5005 | | |
| 5006 | DINING GRASS | 5006 | | |
| 5007 | DON JUAN | 5007 | | |
| 5007 | GRC DON JUAN I | 5007 | | |
| 5008 | GOOD VARIETY | 5008 | | |
| 5009 | GRT | 5009 | | |
| 5010 | GUYOD | 5010 | | |
| 5011 | IRM 3 | 5011 | | |
| 5012 | M9 | 5012 | | |
| 5013 | MASIPAG | 5013 | | |
| 5014 | PILIT | 5014 | | |
| 5015 | Promising | 5015 | | |
| 5016 | RED TON | 5016 | | |
| 5016 | RED TONNER | 5016 | | |
| 5016 | TON | 5016 | | |
| 5017 | T.R. | 5017 | | |
| 5018 | TISOY | 5018 | | |



Grayscale

LISTS OF FERTILIZERS/CODES

LIST OF FERTILIZERS

| Fertilizer Code | Fertilizer Name | Group Code |
|-----------------|--|------------|
| 1000 | A. INORGANIC FERTILIZERS | |
| 1001 | Agri Saver Liquid Fertilizer (11.5-3.5-1.08) | 4 |
| 1002 | Agri Saver Soil Conditioner (5.95-0.10-0.10) | 4 |
| 1003 | Agri-Booster Foliar Fertilizer | 5 |
| 1004 | Algafer LPF Plus (11-3-4) | 4 |
| 1005 | Algamar Freegrow (0.10-0.20-1.02) | 4 |
| 1006 | Ammonium Phosphate (16-20-0) | 3 |
| 1007 | Ammonium Sulfate (21-0-0) | 2 |
| 1008 | Amway APSA-80 All Purpose Spray Adjuvant | 5 |
| 1009 | Atlas (17-7-17) | 4 |
| 1010 | Atlas Power Grow (26-0-0) | 2 |
| 1011 | Atonik Growth Regulator | 5 |
| 1012 | Biocozyme Foliar Fertilizer | 3 |
| 1013 | Bioearth Rooting Mix (0.3-14-3) | 4 |
| 1014 | Bionature Liquid Fertilizer (2-1-1) | 5 |
| 1015 | Bionic All Purpose Foliar Fertilizer | 5 |
| 1016 | Biotrisol | 4 |
| 1017 | Biozome Micronutrient (S=14.75%, Mg=3.45%) | 4 |
| 1018 | Complexa Fluid (11-4-6) (5-8-10) | 5 |
| 1019 | Complete (14-14-14), (15-15-15), (12-12-12) | 4 |
| 1020 | Complit Zinc Metalate (Zn=1.48%) | 4 |
| 1021 | Crop Bounty RSG (7.4 -4-4.6) | 4 |
| 1022 | Crop Giant (15-15-30) (19-19-19) Foliar | 4 |
| 1023 | Farmate HMZ 2000 Foliar Fert. (3.06-1.43-6) | 4 |
| 1024 | Foliar Plus (20-20-20 + TE) (15-15-30 + TE) | 4 |
| 1025 | Foliara Folia Fertilizer (6.96 -1.38-1.89) | 4 |
| 1026 | Green Bee Liquid (14-10-12) | 4 |
| 1027 | Grow More (20-5-30) (10-50-10) (16-16-16) | 4 |
| 1028 | Growmax (21-21-21) | 4 |
| 1029 | Heavy Grain Foliar (1.48-0.05-1.22) | 4 |
| 1030 | KRS Trace Element Fertilizer | 5 |
| 1031 | Librel Zinc (Zn=14%) | 5 |
| 1032 | Likas Bisa Fertilizer | 5 |
| 1033 | Liquid Chelate Ca Zn | 5 |
| 1034 | Liquid Chelate Calcium Boron | 5 |
| 1035 | Liquid Chelate General Purpose | 5 |
| 1036 | Liquid Chelate Magnesium | 5 |

LIST OF.... (Continued)

| Fertilizer Code | Fertilizer Name | Group Code |
|-----------------|--|------------|
| 1037 | Liquid Chelate Phosphorus | 3 |
| 1038 | Mairol Foliar Fertilizer (14-12-14) | 4 |
| 1039 | Maxigrain Foliar | 5 |
| 1040 | Mega Booster (10-20-30 + TE) | 4 |
| 1041 | Mega F=21 Foliar Fertilizer (21-21-21) | 4 |
| 1042 | Micromate Zinc 200 | 5 |
| 1043 | M-Prove 20-20-20 + TE) | 4 |
| 1044 | Multi K (13-0-46) | 5 |
| 1045 | Multi NPK (12-2-44) | 4 |
| 1046 | Muriate of Potash (0-0-60) | 5 |
| 1047 | MWF Foliar Fertilizer (8.7-5.98-7.10) | 4 |
| 1048 | Nitrofert Foliar Fertilizer | 5 |
| 1049 | Nutra Act Soil Conditioner | 5 |
| 1050 | Nutraphos Super-K | 5 |
| 1051 | Nutriplant AG Foliar (5-3.3-2.6) | 3 |
| 1052 | Osaka Planters (17-0-17) | 5 |
| 1053 | Osmocote (14-14-14) (18-6-12) | 4 |
| 1054 | Osmocote Controlled Release (18-6-12) | 4 |
| 1055 | Petals (20-20-20) | 4 |
| 1056 | Peter's Prof. WSF (20-20-20) (30-10-10) | 4 |
| 1057 | Philphos Fertilizer (10.5-15-15) | 4 |
| 1058 | Prime Foliar Fertilizer (10-5-4) | 4 |
| 1059 | Producers Foliar Fertilizer (9-9-12) | 4 |
| 1060 | Rhizocote Micronutrients | 5 |
| 1061 | Ritz Harvest Plant Growth | 5 |
| 1062 | Siam Balance (20-20-20) | 4 |
| 1063 | Siam Bloom Booster (15-30-15) | 4 |
| 1064 | Siam Fertilizer Fat (10-15-35) | 4 |
| 1065 | Single Superphosphate (0-18-0) | 5 |
| 1066 | Stimulate Yield Spray | 5 |
| 1067 | Sulfate of Potash (0-0-52) | 5 |
| 1068 | Super Harvest Liquid Fertilizer (7.97-3.39-1.14) | 4 |
| 1069 | Union Hikari Liquid Fertilizer | 5 |
| 1070 | Urea (45-0-0), (46-0-0) | 1 |
| 1071 | Urea Superphosphate (20-10-10) | 4 |
| 1072 | Viking Ship (16-16-16) | 4 |
| 1073 | Viking Ship Nitrabor (N=15.5%, B=0.28%) | 5 |


LIST OF.... (Continued)

| Fertilizer Code | Fertilizer Name | Group Code |
|-----------------|--|------------|
| 1074 | Wokozim Foliar Fertilizer | 5 |
| 1075 | Wuxal Super (8-8-6) | 4 |
| 1076 | Xylex (5-18-2) | 4 |
| 1077 | Zinc Sulfate (Zn = 21%) | 5 |
| 1078 | 677 | 5 |
| 1079 | 18 - 46 - 0 | 3 |
| 1080 | 8 - 8 - 8 | 4 |
| 1081 | Agrowel | 5 |
| 1082 | Biofusal | 5 |
| 1083 | Good Harvest | 5 |
| 2000 | B. ORGANIC FERTILIZERS | |
| 2001 | Add Grow Organic | |
| 2002 | Agro Plus Organic Fertilizer | |
| 2003 | Alpha SP Fortified Organic | |
| 2004 | Animal Manure (chicken, horse, cow) | |
| 2005 | Bioearth Organic | |
| 2006 | Bioearth organic | |
| 2008 | Biomix Organic | |
| 2009 | Bio-Synergy Organic Fertilizer | |
| 2010 | Bodega Farm Organic Fertilizer | |
| 2011 | Crop Giant 8-8-8 Organic Fertilizer | |
| 2012 | D & T Compost | |
| 2013 | Engro Liquid Organic Based Biofertilizer | |
| 2014 | Farmers Product Organic Fertilizer | |
| 2015 | Florida Green Gold Organic Based Fertilizer | |
| 2016 | Florida Green Silver Organic Based Fertilizer | |
| 2017 | Golden Harvest Organic Fertilizer | |
| 2018 | Green Acres Organic Fertilizer | |
| 2019 | Green Harvest Organic Fertilizer | |
| 2020 | Greenfield Organic Fertilizer | |
| 2021 | Growing Mix Organic Fertilizer | |
| 2022 | Industrial by Products (e.g., bagasse, molasses) | |
| 2023 | Int'l Bio-range Liquid Organic Based Fertilizer | |
| 2024 | Lakas Ani Bio-organic Fertilizer | |
| 2025 | Manila Organic Fertilizer | |
| 2026 | Nutrismart Organic | |
| 2027 | Organica 2000 Bio-Organic Fertilizer | |

LIST OF.... (Continued)

Item No. 31... 20120

| Fertilizer Code | Fertilizer Name | Group Code |
|--------------------|----------------------------------|---------------|
| 2028 | Pecuaria Bio Organic Fertilizer | |
| 2029 | Pil-Liqfer Organic Based Liquid | |
| 2030 | Pil-Nutri Organic Based Liquid | |
| 2031 | Pil-Solfer Organic Fertilizer | |
| 2032 | Plant Compost | |
| 2033 | Processed Organic Manure | |
| 2034 | Providence Organic Fertilizer | |
| 2035 | Rancap Organica | |
| 2036 | Sagana 100 Organic | |
| 2037 | Saka Organic Fertilizer | |
| 2038 | Sander's Organic Fertilizer | |
| 2039 | Sewage | |
| 2040 | Uncle's Organic Grow Best | |
| 2041 | V-4 Organic Fertilizer | |
| 2042 | Yama-Bym Organic Fertilizer | |
| 2043 | CTE | |
| 2044 | Durab Loom | |
| 2045 | Entrag | |
| 2046 | Kakawati Leaves | |
| 2047 | Murf | |
| 3000 | C. OTHER SOIL AMELIORANTS | |
| 3001 | Lime | |



.....

LISTS OF PESTICIDES/CODES

LIST OF PESTICIDES

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|--------------------------|----------------------|
| 1000 | A. INSECTICIDES | |
| 1001 | Acephate | Acetam 75 SP |
| 1002 | | Compete 75 SP |
| 1003 | | Orthene/Acetam 75 SP |
| 1004 | Acetamiprid | Mosphilan 3 EC |
| 1005 | Alphacypermethrin | Fastac 15 WDG |
| 1006 | | Fastac 250 SC |
| 1007 | Alphacypermethrin + BPMC | Fastac R |
| 1008 | Avermectin | Agrimek 1.8 EC |
| 1009 | Azinphosethyl | Gusathion |
| 1010 | Bacillus Thuringiensis | Dipel WP |
| 1011 | | Halt |
| 1012 | | Xentari WDG |
| 1013 | BetaCypermethrin | Chix 2.5 EC |
| 1014 | BPMC | Carvil 50 EC |
| 1015 | | Diacarb 50 EC |
| 1016 | | Hopicide 50 EC |
| 1017 | | Hopcin 50 EC |
| 1018 | | Hopkill 50 EC |
| 1019 | BPMC + Chlorpyrifos | Alakdan 300 |
| 1020 | Buprofesin | Applaud 10 WP |
| 1021 | Buprofesin + MIPC | Procin 25 WP |
| 1022 | Cadusafos | Apache 100 ME |
| 1023 | Carbaryl | Carbyl 85 S |
| 1024 | | Chopper 85 S |
| 1025 | | Marsbyl 85 WP |
| 1026 | | Ocho 85 WP |
| 1027 | | Provin 85 WP |
| 1028 | | Sevin 50 WP |
| 1029 | | Sevin 85 WP |
| 1030 | | Stix 480 EC |
| 1031 | | Vetox |
| 1032 | | Zacarb 85 WP |
| 1033 | Carbofuran | Biodan 3G |
| 1034 | | Diafurran 10 G |
| 1035 | | Diafurran 3 G |
| 1036 | | Diafurran 5 G |
| 1037 | | Furadan 10G |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|----------------------|--------------------------|
| 1038 | | Furadan 3G |
| 1039 | | Furadan 5G |
| 1040 | | Sanafurran 3G |
| 1041 | Carbosulfan | Advantage 5 G |
| 1042 | | Eltra 200 SC |
| 1043 | | Posse 200 SC |
| 1044 | Cartap | Bolt 50 SP |
| 1045 | | Royal Cartap |
| 1046 | | Vegetox 50 SP |
| 1047 | Cartap Hydrochloride | Agropoint Cartap 50 SP |
| 1048 | | Dimo 50 SP |
| 1049 | | Extreme 50 SP |
| 1050 | | Gemtrak 50 SP |
| 1051 | | Insect Pro 50 SP |
| 1052 | | Instar |
| 1053 | | Leadcorp Cartap |
| 1054 | | Miner 50 SP |
| 1055 | | Padan 50 SP |
| 1056 | Chlorfluazuron | Atabron 5 E |
| 1057 | Chlorphenapyr | Kotetsu 10 SC |
| 1058 | Chlorpyrifos | Brodan |
| 1059 | | Cobra 20 EC |
| 1060 | | Cyren 300 EC |
| 1061 | | Eradex |
| 1062 | | Expert 20 EC |
| 1063 | | Gladiator 75 WDG |
| 1064 | | Iva Pyritiline 20 PE M/B |
| 1065 | | Lorsban 3E |
| 1066 | | Lorsban 40 EC |
| 1067 | | Megarifos 20 EC |
| 1068 | | Paraulod 300 EC |
| 1069 | | Predator EC |
| 1070 | | Pyritilene 20 PE M/B |
| 1071 | | Siga 300 EC |
| 1072 | | Vexter 300 EC |
| 1073 | | X-phos 20 EC |
| 1074 | | X-phos 40 EC |
| 1075 | Chlorpyrifos +BPMC | Bazooka |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|-------------------------------|--------------------------------|
| 1076 | | Brodan 31.5 EC |
| 1077 | | Garote EC |
| 1078 | | Perfek 31.5 EC |
| 1079 | | Supremo EC |
| 1080 | | Trojan 31.5 EC |
| 1081 | | Warrior 31.5 |
| 1082 | Chlorpyrifos +Betacyfluthrin | Rador 262.5 EC |
| 1083 | Chlorpyrifos +Cypermethrin | Blink 275 EC |
| 1084 | | Nurelle D |
| 1085 | | Predator Plus |
| 1086 | Copper, Chrome, Arsenic (CCA) | Celcure A(P) Wood Preservative |
| 1087 | Cyfluthrin | Baythroid 0125 EC |
| 1088 | | Baythroid 050 EC |
| 1089 | Cypermethrin | Ader 5 EC |
| 1090 | | Agro Cypermethrin 5 EC |
| 1091 | | Ambush 5 EC |
| 1092 | | Ammo 5 EC |
| 1093 | | Ancom Cypermethrin 5 EC |
| 1094 | | Aries Super Methrin 5 EC |
| 1095 | | Arrivo 5 EC |
| 1096 | | Arrow 5 EC |
| 1097 | | Attack 5R |
| 1098 | | Ax 5 EC |
| 1099 | | Boxer 5 EC |
| 1100 | | Bugbuster 5 EC |
| 1101 | | Bullet 5 EC |
| 1102 | | Bull's Eye Insecticide |
| 1103 | | Bushwack 5 EC |
| 1104 | | Capture 5 EC |
| 1105 | | Combat 5 EC |
| 1106 | | Cotrin 5 EC |
| 1107 | | Cybest 5 EC |
| 1108 | | Cyclone 5 EC |
| 1109 | | Cymbush 5 EC |
| 1110 | | Cyper-5 |
| 1111 | | Cypermethrin 5 EC |
| 1112 | | Cyperthrin 5 EC |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|-----------------|---------------------------|
| 1113 | | Cypex 50 EC |
| 1114 | | Cypro 5 EC |
| 1115 | | Defensa 5 EC |
| 1116 | | Easy 5 EC |
| 1117 | | Fist 5 EC |
| 1118 | | Flash 5 EC |
| 1119 | | Guardian 5 EC |
| 1120 | | Hi-pher 5 EC |
| 1121 | | Killer 5 EC |
| 1122 | | King 5 EC |
| 1123 | | Kital Stryker 5 EC |
| 1124 | | Knock Out 5 EC |
| 1125 | | Magik 5% EC |
| 1126 | | Magnum 5 EC |
| 1127 | | Marvel 5 EC |
| 1128 | | Maton 5 EC |
| 1129 | | Megathrin 5 EC |
| 1130 | | Model 5 EC |
| 1131 | Cypermethrin | Pestmaster |
| 1132 | | Premium 5 EC |
| 1133 | | Punish X 5.5 EC |
| 1134 | | Rapido 5 EC |
| 1135 | | Ripcord 2.5 Ec |
| 1136 | | Sabedong 5 EC |
| 1137 | | Servwel TKO 50 EC |
| 1138 | | Sherpa 5 EC |
| 1139 | | Smash 5 EC |
| 1140 | | Sniper 5 Ec |
| 1141 | | Spectra 5 EC |
| 1142 | | Star 5 EC |
| 1143 | | Supreme 5 EC |
| 1144 | | Torpedo 5 EC |
| 1145 | | Triplex 50 EC |
| 1146 | | Weapon 5 EC |
| 1147 | | Weisser Cypermethrin 5 EC |
| 1148 | | Winner 5 EC |
| 1149 | | Wiper 5 EC |
| 1150 | | Zoom 5 EC |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|----------------------------|-------------------|
| 1151 | Cyromazine | Trigard 75 WP |
| 1152 | Deltamethrin | Decide 2.5 EC |
| 1153 | | Decis 1% SC |
| 1154 | | Decis 2.5 EC |
| 1156 | | Decis M 2.5 EC |
| 1157 | | Decis R |
| 1158 | | Decis Tab |
| 1159 | | Delmark 2.5 EC |
| 1160 | | Impact 2.5 EC |
| 1161 | | Thesis 2.5 EC |
| 1162 | Deltamethrin + Buprofezin | Stingray 5.625 EC |
| 1163 | Diazinon | Basudin 40 WP |
| 1164 | | Basudin 400 EC |
| 1165 | | Basudin 600 EC |
| 1166 | | Diagran 5G |
| 1167 | | Diazinon 40 EC |
| 1168 | | Diazinon 60 EC |
| 1169 | | Diazinon 600 EC |
| 1170 | | Diazol 40 EC |
| 1171 | | Diazol 60 EC |
| 1172 | | Parafest D 400 EC |
| 1173 | Diazinon + Cypermethrin | Fenom D 225 EC |
| 1174 | Diafenthiuron | Pegasus 250 SC |
| 1175 | Diafenthiuron + Fenoxycarb | Dicare 37.5 WG |
| 1176 | Dimothoate | Cygon |
| 1177 | | Perfekthion 40 EC |
| 1178 | Dichloropropene | Telone II |
| 1179 | Endosulfan | Endosulfan |
| 1180 | | Endox |
| 1181 | | Thiodan |
| 1182 | Ethofenprox | Carancho 2.5 EC |
| 1183 | | Polido 2.5 EC |
| 1184 | | Trebon 10 EC |
| 1185 | | Trebon 10 EW |
| 1186 | | Trefic 20 WP |
| 1187 | | Vectron 10 EW |
| 1188 | | Vectron 20 WP |
| 1189 | Esfenvalerate | Sumi-Alpha 2.5 EC |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|---------------------------|---------------------------|
| 1190 | Fenitrothion | Sumithion 40 WDP |
| 1191 | | Sumithion 50 EC |
| 1192 | Fenthion | Lebaycid 50 EC |
| 1193 | Fenvalerate | Kilpes 3 EC |
| 1194 | | Leadmark 3 EC |
| 1195 | | Sumicidin 3 EC |
| 1196 | Fipronil | Ascend 50 EC |
| 1197 | | Regent 0.3 GR |
| 1198 | Flufenoxuron | Cascade 10 WDC |
| 1199 | Formethanate HCL | Dicarzol 20 SP |
| 1200 | Hydramethylnon | Amdro Ant Bait |
| 1201 | Imidacloprid | Admire 5 WP |
| 1202 | | Confidor 100 SL |
| 1203 | | Confidor 200 SL |
| 1204 | | Gaucho 70 WS |
| 1205 | Imidacloprid + Cyfluthrin | Provado Supra 050 EC |
| 1206 | Indoxacarb | Steward WDG |
| 1207 | Isopropcarb | Etrofolan 50 WP |
| 1208 | Isazofos | Miral 3 G |
| 1209 | Lambdacyhalothrin | 5 Star General |
| 1210 | | Arnis 2.5 EC |
| 1211 | | Bida 2.5 EC |
| 1212 | | Chaku 2.5 EC |
| 1213 | | Karate 2.5 EC |
| 1214 | | Karate w/ Zeon Technology |
| 1215 | | Kriss Ec |
| 1216 | | Master 2.5 EC |
| 1217 | | Terminator 2.5 EC |
| 1218 | Lindane | Lindafor 75 F |
| 1219 | Lufenuron | Match 050 EC |
| 1220 | Malathion | Cythion |
| 1221 | | Drexel Malathion 57 EC |
| 1222 | | Gem Malathion 57 EC |
| 1223 | | Leadcorp Malathion 57 EC |
| 1224 | | Luv Malathion 57 EC |
| 1225 | | Macthion |
| 1226 | | Malathion 57 E Premium |
| 1227 | | Malathion 57 EC |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|-------------------|--------------------------|
| 1228 | | Planters Malathion 57 EC |
| 1229 | | Servwel Malathion 57 EC |
| 1230 | | Unithion |
| 1231 | Methamidophos | Matador 60 SC |
| 1232 | | Tamaron 600 SL |
| 1233 | | Tirador |
| 1234 | Methiocarb | Mesurol 50 WP |
| 1235 | Methomyl | Lannate 40 SP |
| 1236 | | Stimukil Fly Bait |
| 1237 | Methyl Parathion | Folidol |
| 1238 | | Meptox |
| 1239 | | Methion |
| 1240 | | Pencap M |
| 1241 | Mevinphos | Phosdrin |
| 1242 | MIPC | Hytox 50 WP |
| 1243 | | Mipcin 50 WP |
| 1244 | | Zack 50 WP |
| 1245 | Monocrotophos | Azocord |
| 1246 | | Azodrin |
| 1247 | | Nuvacron 300 SCW |
| 1248 | Oxamyl | Vydate L |
| 1249 | Pentoate | Pennant 50 EC |
| 1250 | | Pentox |
| 1251 | Pentoate + BPMC | Vindex Plus |
| 1252 | Permethrin | Cosair 5 EC |
| 1253 | | Pytox 10 EC |
| 1254 | Pirimiphos Methyl | Actellic 25EC |
| 1255 | Profenofos | Selectron 500 EC |
| 1256 | Pymetrozine | Chess 25 WP |
| 1257 | | Chess 50 WG |
| 1258 | Spinosad | Success Naturalyte 25 SC |
| 1259 | Tebufenozide | Mimic 20 F |
| 1260 | Temephos | Abate 500 E |
| 1261 | | Abate SG |
| 1262 | Terbufos | Counter 10 G |
| 1263 | Thiametoxam | Actara 25 WG |
| 1264 | Thiodicard | Larvin 350 FS |
| 1265 | Triazophos | Hercules 20 EC |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|---------------------------------|------------------------|
| 1266 | | Hostathion 20 EC |
| 1267 | Trichlorfon | Dipterex 95 SP |
| 1268 | Aquatin | |
| 1269 | Bagsik | |
| 1270 | Beta bite | |
| 1271 | Boswar | |
| 1272 | Crop Giant | |
| 1273 | Fuerza | |
| 1274 | Fusadan | |
| 1275 | Guso | |
| 1276 | Massive | |
| 2000 | B. HERBICIDES/WEEDICIDES | |
| 2001 | Ametryne | Ametrex 80 WP |
| 2002 | | Ametryne 80 WP |
| 2003 | | Gesapax 500 FW |
| 2004 | | Gesapax 80 WP |
| 2005 | Ametryne + Atrazine | Atramed Combi 80 WP |
| 2006 | | Gesapax Combi 80 WP |
| 2007 | | Tramex Combi 80 WP |
| 2008 | Anilofos + Ethoxysulfuron | Activo 22 SC |
| 2009 | Atrazine | Atrazine 80 WP |
| 2010 | | Contrazine 80 WP |
| 2011 | | Gem Atrazine |
| 2012 | | Gesaprim 80 WP |
| 2013 | | Kital Atrazine |
| 2014 | | Weisser Atrazine 80 WP |
| 2015 | Bentazone | Basagran 48 EC |
| 2016 | | Blockade 480 SL |
| 2017 | Bensulfuron Methyl | Bensul 10 WP |
| 2018 | | Londax WP |
| 2019 | Bispyribac-Sodium | Nominee 100 EC |
| 2020 | | Nominee 100 SC |
| 2021 | Bromacil | Hyvar X |
| 2022 | Butachlor | Ancom Butachlor 60 EC |
| 2023 | | Banner 60 EC |
| 2024 | | Blade 60 EC |
| 2025 | | Butachlor 600 EC |
| 2026 | | Butataf 60 E |

LIST OF (*Continued*)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|---------------------------|---------------------|
| 2027 | | Lambast |
| 2028 | | Machete 5 G |
| 2029 | | Machete EC |
| 2030 | | Machete EC, EN, SG |
| 2031 | | Machete Express |
| 2032 | | Macho 60 EC |
| 2033 | | Mustang |
| 2034 | | Paragras |
| 2035 | | Samurai 60 EC |
| 2036 | | Sonic 60 EC |
| 2037 | | Treflan |
| 2038 | | Uproot 60 EC |
| 2039 | | Weeder 60 Ec |
| 2040 | Butachlor + Propanil | Advance EC |
| 2041 | | Cleanfield EC |
| 2042 | | Eraser 70 EC |
| 2043 | | Forward 700 EC |
| 2044 | | Klik 700 EC |
| 2045 | | Tornado 60 EC |
| 2046 | | Toro |
| 2047 | | Twister 70 EC |
| 2048 | | Twister EC |
| 2049 | | Avante EC |
| 2050 | Butachlor + Safener | Direk 800 |
| 2051 | Butachlor + 2,4D | Rogue EC |
| 2052 | Butralin | Tamex 360 EC |
| 2053 | Carfentrazone-Ethyl | Partner 40 DF |
| 2054 | Cinmethylin | Argold 10 EC |
| 2055 | Cinmethylin + 2,4 D IBE | Argold Plus |
| 2056 | Cinosulfuron + Piperophos | Pipset 35 WP |
| 2057 | Clethodim | Select 120 EC |
| 2058 | Clomazone | Command 3 ME |
| 2059 | Clomazone + Propanil | Command Plus 600 EC |
| 2060 | | Compro 600 EC |
| 2061 | Cyclosulfamuron | Invest 10 WP |
| 2062 | Cyhalofop Butyl | Clincher 100 EC |
| 2063 | Diuron | Diurex 80 WP |
| 2064 | | Diuron 80 WP |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|--|---------------------|
| 2065 | | Drexel Diuron 80 DF |
| 2066 | | Iva Diuron 80 WP |
| 2067 | | Karmex |
| 2068 | | Mastra Diuron 80 WP |
| 2069 | Ethoxysulfuron | Sunrice 15 WDG |
| 2070 | Fenoxyprop P-Ethyl | Ricestar Ec |
| 2071 | | Whips-S 120 EW |
| 2072 | | Whips-S 75 EW |
| 2073 | Fentrazamide + Propanil | Lecspro 44 WP |
| 2074 | Fluasifop | Fusilade |
| 2075 | | Oneicide |
| 2076 | Fluazifop-P-Butyl | Oneicide 15 EC |
| 2077 | Flufenacet | Drago 60 WP |
| 2078 | Glufosinate Ammonium | Basta 15 SL |
| 2079 | Glyphosphate Ammonium Salt | Round-up Max |
| 2080 | Glyphosphate Di-Ammonium Salt | Broncho |
| 2081 | | Power Supratech |
| 2082 | Glyphosphate + Ammonium Sulfate | Spark |
| 2083 | Glyphosate IPA | Asset 48 SL |
| 2084 | | Burndown 160 AS |
| 2085 | | Clearout 41 |
| 2086 | | Clearout 41 Plus |
| 2087 | | Kleen Up 480 AS |
| 2088 | | Power |
| 2089 | | Round-up EW |
| 2090 | | Sigma |
| 2091 | | Slash |
| 2092 | | Smart 480 |
| 2093 | Glyphosate Isopropylamine Salt | Glyphomax |
| 2094 | Glyphosate Monoethanolamine Salt | Round-up Biosorb |
| 2095 | Halosulfuron Methyl | Permit 10 WP |
| 2096 | Haloxyfop-R-Methyl Ester | Gallant Super |
| 2097 | Imazaquin | Image 1.5 LC |
| 2098 | Linuron | Afalon 50 WP |
| 2099 | | Trim 50 WP |
| 2100 | MCPA | Karet |
| 2101 | Metribuzin | Sencor 70 WP |
| 2102 | Metsulfuron Methyl + Chlorimuron Ethyl | Almix 20 WP |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|--------------------------|-------------------------------|
| 2103 | Nitrofen | TOK |
| 2104 | Oxadiargyl | Raft 800 WG |
| 2105 | Oxadiazon | Ronstar 25 EC |
| 2106 | | Ronstar 2G |
| 2107 | Oxyflourfen | Goal 24 EC |
| 2108 | Paraquat Dichloride | Gramoxone 20 AS |
| 2109 | Pendimethalin | Herbadox 33 E |
| 2110 | | Prekill 330 |
| 2111 | Picloram +2,4 D | Tordon 101 Mixture |
| 2112 | Piperophos +2,4 D lbe | Rilof H 500 EC |
| 2113 | Pretilachlor | Sofit 300 EC |
| 2114 | Pretilachlor + Fenclorim | Solnet 500 EC |
| 2115 | Propanil | Stam LV-10 |
| 2116 | Pymetrozine | Chess 25 WP |
| 2117 | | Chess 50 WG |
| 2118 | Quizalofop-P-Ethyl | Assure II EC |
| 2119 | Sethoxydim | Nabu-S |
| 2120 | Thiametoxam | Actara 25 WG |
| 2121 | Thiobencarb | Saturn 60 EC |
| 2122 | | Saturn S |
| 2123 | Thiobencarb + 2,4-D lbe | Grassedge 800 EC |
| 2124 | | Saturn D |
| 2125 | Triclopyr | Garlon 4 |
| 2126 | 2,4-D lbe | 2,4 D Ester 2,4 D Granules |
| 2127 | | Access 2,3 D Ester |
| 2128 | | Gem 2,4 D Ester |
| 2129 | | Luv 2,4 D Ester |
| 2130 | | Servwel 2,4-D Granules |
| 2131 | | Weedkill 2,4 D |
| 2132 | | Weedtrol 40 EC |
| 2133 | | DMA 3.34 LBS/USG |
| 2134 | 2,4-D Amine | 2,4 D Amine 3.34 Lbs/USG |
| 2135 | | 2,4 D Amine 6 Lbs/USG |
| 2136 | | 2,4 D Amine EC |
| 2137 | | Gem 2,4 D Amine |
| 2138 | | Hedonal Liq SL 400 |
| 2139 | | |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|----------------------|---------------------|
| 2140 | | Lead Corp |
| 2141 | | Miracle Amine |
| 2142 | | Servwel 2,4-D Amine |
| 3000 | C. FUNGICIDES | |
| 3001 | Azoxystrobin | Amistar 25 SC |
| 3002 | | Bankit 25 SC |
| 3003 | Benomyl | Benlate 50 WP/OD |
| 3004 | | Procure 50 WP |
| 3005 | Bitertanol | Baycor 300 EC |
| 3006 | Captan | Captan 50 WP |
| 3007 | Carbendazim | Bavistin 50 DF |
| 3008 | Chlorothalonil | Balear 500 SC |
| 3009 | | Banko 720 SC |
| 3010 | | Banko 75 WP |
| 3011 | | Bravo 720 Flo |
| 3012 | | Civil 75 WP |
| 3013 | | Daconil 2787 50 WP |
| 3014 | | Daconil 2787 75 WP |
| 3015 | | Daconil 720 SC |
| 3016 | | Hi-conil F 75 WP |
| 3017 | | Leadonil 500 SC |
| 3018 | | Passport 500 SC |
| 3019 | | Pilarich 500 G/L FP |
| 3020 | | Rover |
| 3021 | | Royanil 75 WP |
| 3022 | | Sentinel 75 WP |
| 3023 | | Shield |
| 3024 | Copper Oxychloride | Cupravit OB 21 |
| 3025 | | Oxychlor 85 WP |
| 3026 | | Superblue 85 WP |
| 3027 | | Vital Blue 85 WP |
| 3028 | | Vitigran Blue 58 WP |
| 3029 | Copper Oxide | Nordox 50 WP |
| 3030 | Copper Hydroxide | Blue Cop 770 WP |
| 3031 | | Champ DP |
| 3032 | | Funguran-OH |
| 3033 | | Hidrocob 77 WP |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|-----------------------------------|-------------------------|
| 3072 | | Dithane M-45 WP |
| 3073 | | Dithane OS 600 |
| 3074 | | Ivazeb 80 WP |
| 3075 | | Kital |
| 3076 | | Manager 80 WP |
| 3077 | | Manzate 200 |
| 3078 | | Manzate 75 DF |
| 3079 | | Parafungus 80 WP |
| 3080 | | Pilarzeb 80 WP |
| 3081 | | Radisson Mancozeb 80 WP |
| 3082 | | Redeem 80 WP |
| 3083 | | Red-out 80 WP |
| 3084 | | Rev 800 WP |
| 3085 | | Savior 80 WP |
| 3086 | | Servwel Mancozeb 80 WP |
| 3087 | | Shotgun-M |
| 3088 | | Tranzeb 455 FC |
| 3089 | | Tranzeb 80 WP |
| 3070 | | Vondozeb 42 EC |
| 3071 | | Vondozeb 75 DF |
| 3072 | | Vondozeb Plus |
| 3073 | Mancozeb + Cymoxanil | Curzate M |
| 3074 | Maneb | Manzeb 80 |
| 3075 | | Trineb 80 WP |
| 3076 | Maneb With Zinc | Vondozeb L |
| 3077 | Metalaxyl | Apron 35 SD |
| 3078 | Metalaxyl + Mancozeb | Ridomil MZ 58 WP |
| 3079 | Metalaxyl-m + Mancozeb | Ridomil Gold MZ 68 WP |
| 3080 | MN-ZN Ethylene Bisdithiocarbamate | Manzeb 80 WP |
| 3081 | Propamocarb HCl | Previcur-N |
| 3082 | | Proplant |
| 3083 | Propiconazole | Bumper 25 EC |
| 3084 | | Sanazole 250 EC |
| 3085 | Propineb | Antracol 70 WG |
| 3086 | | Antracol 70 WP |
| 3087 | Prochloraz | Omega 45 EC |
| 3088 | Prochloraz MN | Trio 50 WP |
| 3089 | Pyrimethanil | Siganex 600 SC |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|--------------------------------|-------------------------------|
| 3090 | Sulfur | Cosavet DF |
| 3091 | | Drexel Sulfa 80 W |
| 3092 | | Microthiol DF |
| 3093 | Tebuconazole | Folicur 250 EC |
| 3094 | | Folicur 430 SC |
| 3095 | Tetramethyl Thiuram Disulphide | Thiram 80 WG |
| 3096 | | Thylate 80 WG |
| 3097 | Thiabendazole | Tecto 45 FW |
| 3099 | Thiabendazole + O-Phenol | Citrus Luster 213 |
| 3099 | Thiophanate Methyl | Armor |
| 3100 | | Fungitox 70 WP |
| 3101 | | Sweep |
| 3102 | | Top 70 WP |
| 3103 | | Topnotch |
| 3104 | | Topsin-M 70 WP |
| 3105 | Triadimefon | Bayleton 25 WP |
| 3106 | Tridemorph | Calixin 75 EC |
| 3107 | Trifloxystrobin | Tega 075 EC |
| 3108 | Triflumizole | Trifmine 30 WP |
| 3109 | Triforine | Saprol EC |
| 4000 | D. RODENTICIDES | |
| 4001 | Brodifacoum | Klerat W/ Bitrex |
| 4002 | Coumatetralyl | Racumin Dust |
| 4003 | Flocoumafen | Storm Wax W/ Bitrex |
| 4004 | Warfarin | Ratoxin P |
| 4005 | | X-Rat 1% P |
| 4006 | Zinc Phosphide | Ratkil Zinc Phospide 80% Bait |
| 4007 | | Zinc Phosphide 80 DP |
| 5000 | E. MOLLUSCICIDES | |
| 5001 | Metaldehyde | Bayonet 6% Pellets |
| 5002 | | Metabait 6% Pellets |
| 5003 | | Porsnail 75 WP |
| 5004 | | Snailkil 6% P |
| 5005 | | Stop 6% Pellets |
| 5006 | | Zetric 6% Pellets |
| 5007 | Niclosamide | Aquadine 25 EC |
| 5008 | | Aquadine 70 WP |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|--------------------------|--------------------|
| 5009 | | Archer 50 WP |
| 5010 | | Baylusicide 250 EC |
| 5011 | | Bulldozer 50 WP |
| 5012 | | Caliber 70 WP |
| 5013 | | Control 250 EC |
| 5014 | | Crusher 250 EC |
| 5015 | | Crusher 70 WP |
| 5016 | | Deadbol |
| 5017 | | Flip 500 WP |
| 5018 | | Gas 250 EC |
| 5019 | | Hit 250 EC |
| 5020 | | Hit WP |
| 5021 | | Kick 25 EC |
| 5022 | | Kick 70 WP |
| 5023 | | Kuhzak 25 EC |
| 5024 | | Kuhzak 70 WP |
| 5025 | | Maso 70 WP |
| 5026 | | Moluxide 250 EC |
| 5027 | | Niclos M |
| 5028 | | Parakuhol 250 EC |
| 5029 | | Robodax 25 EC |
| 5030 | | Snail Champ 25 EC |
| 5031 | | Snail Out 50 WP |
| 5032 | | Speed 25 EC |
| 5033 | | Speed 50 WP |
| 5034 | | Sure 250 EC |
| 5035 | | Surekill 70 WP |
| 5036 | | Swipe 25 Ec |
| 5037 | | Swipe 50 WP |
| 5038 | | Target 25 EC |
| 5039 | | Tiger 25 SC |
| 5040 | | Trap 70 WP |
| 5041 | | Ultimo EC 200 |
| 5042 | | Ultimo EC 225 |
| 5043 | | Visocol 50 WP |
| 5044 | | Wallop 70 WP |
| 5045 | Niclosamide Ethanolamine | Caliber 70 WP |
| 5046 | | Crusher 50 WP |

LIST OF (Continued)

| Pesticide Code | Pesticides Name | Local/Common Name |
|----------------|-----------------------------------|-------------------|
| 5047 | Niclosamide Ethanolamine Salt | Berdugo 50 WP |
| 5048 | | Byluscide 50 WP |
| 5049 | | Byluscide 70 WP |
| 5050 | | Control 70 WP |
| 5051 | | Flip 700 WP |
| 5052 | | Kholuscide 70 WP |
| 5053 | | Net 50 WP |
| 5054 | | Pistol 50 WP |
| 6000 | F. OTHERS NOT ELSEWHERE SPECIFIED | |
| 6001 | Mothiscide | |

Source: Fertilizer and Pesticides Authority



.....

CODES FOR UNITS OF MEASURES

CODES FOR UNITS OF MEASURE

| | | |
|--------------------------------|-----------------------------|--------------------|
| 01 – Bakat | 36 – Petiole | 71 – Litsihan |
| 02 – Bag | 37 – Pieces/Ears/Whole | 72 – Loaf |
| 03 – Basin/ Baniera | 38 – Plastic Bag/Cellophane | 73 – ML/Milliliter |
| 04 – Bale | 39 – Plate / Saucer | 74 – Pan |
| 05 – Basket/ Buslo | 40 – Plot | 75 – Pouch |
| 06 – Box / Case / Pail | 41 – Quintal | 76 – Pulp |
| 07 – Bunch | 42 – Red Bag | 77 – Rapang |
| 08 – Bundle / BDL | 43 – Roll | 78 – Sachet |
| 09 – Caltex/Mobil/Shell/Tabo | 44 – Sack / Cavan | 79 – Saga |
| 10 – Can/Salmon Can / Milk Can | 45 – Sipi | 80 – Slice |
| 11 – Cart | 46 – Stem | 81 – Split |
| 12 – Crate | 47 – Tons | 82 – Stick/Tuhog |
| 13 – Bars | 48 – Bareta | 83 – Strip |
| 14 – Fingers | 49 – Pile/ Tumpok | 84 – Takal |
| 15 – Fruit | 50 – Lamp | 85 – Tapok/ Tapol |
| 16 – Gallon | 51 – Bulk/ Bulto | 86 – Tin |
| 17 – Ganta | 52 – Lamut | 87 – Tray |
| 18 – Hand | 53 – Gipit | 88 – Tuber |
| 19 – Head | 54 – Bukag | 89 – Pounds (lbs.) |
| 20 – Hill | 55 – Bottle | 90 – Quart |
| 21 – Kaing/Tiklis | 56 – Bird | 91 – Pint |
| 22 – Kerosene Can | 57 – Bowl | 92 – 50 ML |
| 23 – Cups | 58 – Bulb/ Cloves | 93 – 100 ML |
| 24 – Kilos | 59 – Chupa | 94 – 500 ML |
| 25 – Lemon Can | 60 – Gayat | 95 – 1000 ML |
| 26 – Liter | 61 – Glass | 96 – Board Foot |
| 27 – Mano | 62 – Grams | 97 - Taro |
| 28 – Nut | 63 – Pack/Balot/Supot | |
| 29 – Pair | 64 – Container | |
| 30 – Pandac | 65 – Cutting | |
| 31 – Panigo/ Paniga | 66 – Dozen | |
| 32 – Pardo | 67 – Pitcher | |
| 33 – Picul | 68 – Balde/ Block | |
| 34 – Per Cake | 69 – Set | |
| 35 – Per Hundred | 70 – Layer | |

Department of Agriculture
BUREAU OF AGRICULTURAL STATISTICS
1184 Ben-Lor Bldg., Quezon Avenue, Quezon City
Telefax: 372-3804

infobas@mozcom.com
URL: <http://bas.gov.ph>