

Table of Contents

1	METADATA.....	1
2	FILTERS	11
3	DWELLING.....	13
4	UTILITIES.....	22
5	DURABLE GOODS.....	35
6	AGRICULTURE	52
7	LIVESTOCK.....	81
8	SUBJECTIVE	102
9	SOCIAL CAPITAL	107
10	SOCIAL ASSISTANCE.....	120
11	REMITTANCES AND OTHER INCOME.....	198
12	INTERVIEW OUTCOME.....	213

 * **1 METADATA** *

 m0_q00 aps identification

```

type: numeric (long)
range: [300011,317921]           units: 1
unique values: 1797             missing .: 0/1797

mean:      308916
std. dev:  5187.31

percentiles:      10%      25%      50%      75%      90%
                  301761   304391   308881   313391   316161
    
```

 m0_q00a check digit

```

type: string (str1)
unique values: 11             missing "": 0/1797

tabulation:  Freq.  Value
              169   "1"
              168   "2"
              162   "3"
              163   "4"
              161   "5"
              157   "6"
              162   "7"
    
```

163 "8"
164 "9"
164 "A"
164 "B"

chid household identifier

type: string (str7)
unique values: 1797 missing "": 0/1797
examples: "3035318"
"3070614"
"3106518"
"3143015"

m0_q01 lsms psu number

type: numeric (int)
range: [1,999] units: 1
unique values: 450 missing .: 0/1797
mean: 276.153
std. dev: 202.287
percentiles: 10% 25% 50% 75% 90%
48 140 272 362 424

m0_q02 lsms hh number

type: numeric (byte)
range: [1,99] units: 1
unique values: 16 missing .: 0/1797
tabulation: Freq. Value
240 1
211 2
185 3
213 4
185 5
215 6
188 7
185 8
99 9
20 10
10 11
6 12
1 13
1 14
37 95
1 99

m0_q04d date of enumeration (day)

type: numeric (byte)
range: [1,31] units: 1
unique values: 31 missing .: 0/1797

tabulation:

Freq.	Value
66	1
51	2
43	3
53	4
32	5
34	6
60	7
39	8
39	9
41	10
41	11
43	12
12	13
45	14
51	15
49	16
78	17
90	18
80	19
72	20
95	21
77	22
67	23
93	24
90	25
68	26
75	27
79	28
54	29
28	30
52	31

m0_q04m date of enumeration (month)

type: numeric (byte)
range: [5,7] units: 1
unique values: 3 missing .: 0/1797

tabulation:

Freq.	Value
842	5
941	6
14	7

m0_q04y date of enumeration (year)

type: numeric (int)

range: [2004,2004] units: 1
unique values: 1 missing .: 0/1797

tabulation: Freq. Value
1797 2004

m0_q05 enumerator code

type: numeric (int)
label: m0_q05

range: [11,183] units: 1
unique values: 41 missing .: 0/1797

examples: 53 abaz kurti
101 fuat kociu
141 fili mecollari
172 lida kikino

m0_q06 supervisor code

type: numeric (int)
label: m0_q06

range: [10,180] units: 10
unique values: 14 missing .: 0/1797

tabulation: Freq. Numeric Label
137 10 mimoza volumi
67 20 bukurie ahmetaj
77 40 mimoza smaja
101 50 dallendyshe kallaverja
123 60 elida prifti
207 90 mehmet basha
72 100 bajram dingozi
133 120 shpresa faria
118 130 fatbardha bejko
148 140 sami mecollari
87 150 elsa bezhani
95 160 luiza hoxha
225 170 eleni petri
207 180 alma gaqi

m0_q07 data entry operator code

type: numeric (byte)

range: [2,8] units: 1
unique values: 5 missing .: 0/1797

tabulation: Freq. Value
331 2
365 3
361 4
380 7

```
-----
m0_q08                                     address status
-----
```

```

      type: numeric (byte)
      label: m0_q08

      range: [1,2]                               units: 1
unique values: 2                               missing .: 0/1797

      tabulation: Freq.   Numeric   Label
                  1726       1   issued address
                  71        2   new address known (albania)

```

```
-----
m0_q09                                     building
-----
```

```

      type: numeric (int)

      range: [1,1230]                             units: 1
unique values: 364                             missing .: 133/1797

      mean: 101.924
      std. dev: 123.498

      percentiles:      10%      25%      50%      75%      90%
                       9        23       62       130      249

```

```
-----
m0_q10                                     entrance
-----
```

```

      type: numeric (byte)

      range: [-1,11]                             units: 1
unique values: 10                             missing .: 133/1797

      tabulation: Freq.   Value
                  1   -1
                  1470  1
                  118  2
                   45  3
                   17  4
                    5  5
                    4  7
                    1  8
                    2  9
                    1  11
                  133  .

```

```
-----
m0_q11                                     floor
-----
```

```

      type: numeric (byte)

      range: [-1,10]                             units: 1
unique values: 10                             missing .: 134/1797

```

```

tabulation: Freq. Value
              1  -1
            1227  1
              163  2
              108  3
               77  4
               72  5
               12  6
                1  7
                1  8
                1 10
             134  .

```

m0_q12

apartment number

```

type: numeric (byte)
range: [-1,19]
unique values: 12
units: 1
missing .: 133/1797

```

```

tabulation: Freq. Value
              1  -1
            1268  1
             222  2
             124  3
              34  4
               4  5
                2  6
                4  7
                2  8
                1 15
                1 16
                1 19
             133  .

```

m0_q13

street

```

type: string (str30)
unique values: 328
missing "": 1377/1797
examples: ""
          ""
          ""
          "29 MARSII"
warning: variable has leading and embedded blanks

```

m0_q14

municipality or comune

```

type: string (str26)
unique values: 290
missing "": 11/1797

```

examples: "FIER"
"KSAMIL"
"POLICAN"
"TIRANE"

warning: variable has leading and embedded blanks

m0_q15 city or village

type: string (str20)

unique values: 363 missing "": 5/1797

examples: "DURRES"
"KERTHNEKA"
"PEZE E MADHE"
"TIRANE"

warning: variable has embedded blanks

m0_distr district name

type: string (str14)

unique values: 37 missing "": 0/1797

examples: "ELBASAN"
"KRUJE"
"POGRADEC"
"TIRANE"

warning: variable has embedded blanks

m0_q16 district code

type: numeric (byte)
label: m0_q16

range: [1,36] units: 1
unique values: 36 missing .: 5/1797

tabulation:	Freq.	Numeric	Label
	79	1	berat
	27	2	bulqize
	8	3	delvine
	14	4	devoll
	50	5	diber
	88	6	durres
	126	7	elbasan
	116	8	fier
	19	9	gramsh
	25	10	gjirokaster
	8	11	has
	42	12	kavaje

7	13	kolonje
85	14	korce
33	15	kruje
27	16	kucove
31	17	kukes
33	18	kurbin
30	19	lezhe
43	20	librazhd
72	21	lushnje
21	22	malesi e madhe
16	23	mallakaster
26	24	mat
14	25	mirdite
19	26	peqin
13	27	permet
42	28	pogradec
18	29	puke
26	30	sarande
13	31	skrapar
104	32	shkoder
21	33	tepelene
390	34	tirane
19	35	tropoje
87	36	vlore
5	.	

m0_q17 phone 1

```

type: string (str10)
unique values: 389          missing "": 1408/1797
examples: ""
           ""
           ""
           "0682182966"
warning: variable has embedded blanks

```

m0_q18 phone 2

```

type: string (str10)
unique values: 80          missing "": 1717/1797
examples: ""
           ""
           ""
           ""

```

m0_date data entry date

```

type: numeric (long)
range: [20040621,20040730]    units: 1

```

unique values: 31

missing .: 0/1797

```

tabulation:  Freq.  Value
              20    20040621
              64    20040622
              70    20040623
              54    20040624
              62    20040625
               2    20040626
              80    20040628
              73    20040629
              79    20040630
              79    20040701
              70    20040702
              72    20040705
              78    20040706
              78    20040707
              70    20040708
              81    20040709
              75    20040712
              76    20040713
              75    20040714
              70    20040715
              70    20040716
              69    20040719
              77    20040720
              56    20040721

              72    20040722
              53    20040723
              31    20040726
              32    20040727
               4    20040728
               3    20040729
               2    20040730

```

m0_time

time de started

```

-----
type: numeric (long)
range: [103,235946]          units: 1
unique values: 1744          missing .: 0/1797

mean: 119934
std. dev: 51673

percentiles:    10%    25%    50%    75%    90%
                70907  92319 104612 130053 212522

```

m0_saved

case saved or normally finished

```

-----
type: numeric (byte)
label: m0_saved

range: [1,1]          units: 1
unique values: 1      missing .: 0/1797

```

tabulation: Freq. Numeric Label
1797 1 case normally written

m0_ver version number

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 0/1797
tabulation: Freq. Value
1797 1

m0_q19 time finished de

type: numeric (long)
range: [43,235943] units: 1
unique values: 1751 missing .: 0/1797
mean: 120137
std. dev: 51833
percentiles: 10% 25% 50% 75% 90%
71105 93339 105726 130638 212949

m0_orhh original household

type: numeric (byte)
label: m0_orhh
range: [0,1] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Numeric Label
39 0 no
1758 1 yes

m0_w2_hh wave 2 hh id

type: string (str7)
unique values: 1758 missing "": 0/1797
examples: "2035811"
"2070211"
"2105418"
"2140317"

* **2 FILTERS** *

m4_q08 any hh member has mobile phone

type: numeric (byte)
label: m4_q08

range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
1131 1 yes
666 2 no

m5b_q01 has any woman in hh given birth last 24 months

type: numeric (byte)
label: m5b_q01

range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
205 1 yes
1592 2 no

m8a_q01 owns any plot of land

type: numeric (byte)
label: m8a_q01

range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
877 1 yes
920 2 no

m8a_q02 anyone in hh owns any plot of land

type: numeric (byte)
label: m8a_q02

range: [1,2] units: 1
unique values: 2 missing .: 920/1797

tabulation: Freq. Numeric Label
876 1 yes
1 2 no

 m8b_q01 any hhm raised livestock or poultry

type: numeric (byte)
 label: m8b_q01

range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	754	1	yes
	1043	2	no

 m8b_q09 accessed land not owned by a hhm to collect fuel wood pasture

type: numeric (byte)
 label: m8b_q09

range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	156	1	yes
	1641	2	no

 m9_q01 hhm borrowed money in past 12 monthhs

type: numeric (byte)
 label: m9_q01

range: [.,.] units: .
 unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

 m9_q02 reason not borrowing

type: numeric (byte)
 label: m9_q02

range: [.,.] units: .
 unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

 m9_q02a lender

type: numeric (byte)


```

label: m2a_q03
range: [1,2] units: 1
unique values: 2 missing .: 72/1797

tabulation: Freq. Numeric Label
              39          1 yes
              1686         2 no
              72           .

```

m2a_q04 dwelling type

```

type: numeric (byte)
label: m2a_q04

range: [1,4] units: 1
unique values: 4 missing .: 1686/1797

tabulation: Freq. Numeric Label
              78          1 single family house
              20          2 dwelling is a building with up
                    to 15 apartments
              12          3 dwellin is a building with more
                    than 15 apartments
              1           4 other
              1686         .

```

m2a_q05 what is the major construction material of the external wall

```

type: numeric (byte)
label: m2a_q05

range: [1,6] units: 1
unique values: 5 missing .: 1686/1797

tabulation: Freq. Numeric Label
              106         1 bricks, stones
              2           2 pre-fabricated
              1           3 wood
              1           4 mud
              1           6 other
              1686         .

```

m2a_q06 building outside appearance

```

type: numeric (byte)
label: m2a_q06

range: [1,3] units: 1
unique values: 3 missing .: 1686/1797

tabulation: Freq. Numeric Label
              58          1 plastered
              24          2 partially plastered

```

29 3 not plastered
1686 .

m2a_q07 condition of dwelling

type: numeric (byte)
label: m2a_q07
range: [1,4] units: 1
unique values: 4 missing .: 1686/1797

tabulation:	Freq.	Numeric	Label
	32	1	very good condition
	70	2	appropriate for living
	2	3	inappropriate for living
	7	4	under construction mostly
	1686	.	

m2a_q08a time of construction

type: numeric (byte)
label: m2a_q08a
range: [2,5] units: 1
unique values: 4 missing .: 1686/1797

tabulation:	Freq.	Numeric	Label
	5	2	1945-1960
	26	3	1961-1980
	24	4	1981-1990
	56	5	after 1990
	1686	.	

m2a_q08b year if after 1990

type: numeric (int)
range: [1992,2004] units: 1
unique values: 12 missing .: 1741/1797

tabulation:	Freq.	Value
	4	1992
	3	1993
	2	1994
	2	1995
	1	1996
	2	1998
	4	1999
	3	2000
	5	2001
	2	2002
	21	2003
	7	2004
	1741	.

m2a_q09 time living in dwelling

type: numeric (byte)
range: [0,37] units: 1
unique values: 20 missing .: 1686/1797

tabulation:

Freq.	Value
61	0
6	1
2	3
4	4
2	5
3	6
4	8
2	9
4	10
1	11
3	12
3	14
2	15
2	18
4	19
4	20
1	25
1	30
1	34
1	37
1686	.

m2a_q10 area of dwelling

type: numeric (byte)
label: m2a_q10
range: [1,7] units: 1
unique values: 6 missing .: 1686/1797

tabulation:

Freq.	Numeric	Label
12	1	less than 40 sqmts
43	2	40-69 sqmts
28	3	70-99 sqmts
20	4	100-130
7	5	mbi 130
1	7	dk-ns
1686	.	

m2a_q11 number of rooms

type: numeric (byte)
range: [1,7] units: 1
unique values: 7 missing .: 1686/1797

```

tabulation:  Freq.  Value
              26    1
              41    2
              29    3
              11    4
               1    5
               2    6
               1    7
            1686  .

```

m2a_q12 rooms used for business

```

          type:  numeric (byte)

          range:  [0,2]                units:  1
unique values:  3                missing .: 1686/1797

          tabulation:  Freq.  Value
                      107    0
                       2    1
                       2    2
                    1686  .

```

m2a_q13 type of toilet

```

          type:  numeric (byte)
          label:  m2a_q13

          range:  [1,4]                units:  1
unique values:  4                missing .: 1686/1797

          tabulation:  Freq.  Numeric  Label
                      85         1  wc inside the house
                       5         2  two or more wc inside
                      11         3  wc outside with piping
                       10         4  wc outside, without piping
                    1686         .

```

m2a_q14a dwelling has separate kitchen

```

          type:  string (str1)

          unique values:  1                missing "": 1696/1797

          tabulation:  Freq.  Value
                      1696  ""
                       101  "X"

```

m2a_q14b dwelling has separate bath-shower

```

          type:  string (str1)

```

unique values: 1 missing "": 1712/1797

tabulation:	Freq.	Value
	1712	" "
	85	"X"

m2a_q14c dwelling has balcony or terrace

type: string (str1)

unique values: 1 missing "": 1713/1797

tabulation:	Freq.	Value
	1713	" "
	84	"X"

m2a_q14d dwelling has pantry

type: string (str1)

unique values: 1 missing "": 1781/1797

tabulation:	Freq.	Value
	1781	" "
	16	"X"

m2a_q14e dwelling has attic

type: string (str1)

unique values: 1 missing "": 1794/1797

tabulation:	Freq.	Value
	1794	" "
	3	"X"

m2a_q14f dwelling has garage

type: string (str1)

unique values: 1 missing "": 1791/1797

tabulation:	Freq.	Value
	1791	" "
	6	"X"

m2a_q14g dwelling has elevator

type: string (str1)

unique values: 1 missing "": 1792/1797
tabulation: Freq. Value
1792 ""
5 "X"

m2a_q15a problem: dwelling too small

type: string (str1)
unique values: 1 missing "": 1769/1797
tabulation: Freq. Value
1769 ""
28 "X"

m2a_q15b problem: dwelling dark

type: string (str1)
unique values: 1 missing "": 1788/1797
tabulation: Freq. Value
1788 ""
9 "X"

m2a_q15c problem: inadequate heating

type: string (str1)
unique values: 1 missing "": 1781/1797
tabulation: Freq. Value
1781 ""
16 "X"

m2a_q15d problem: leaking roof

type: string (str1)
unique values: 1 missing "": 1790/1797
tabulation: Freq. Value
1790 ""
7 "X"

m2a_q15e problem: damp walls, floors or basement

type: string (str1)

```

unique values: 1                               missing "": 1791/1797

  tabulation:  Freq.  Value
                1791  ""
                6    "X"

```

```
-----
m2a_q15f                                     problem: windows/doors in bad condition
-----
```

```

type: string (str1)

unique values: 1                               missing "": 1793/1797

  tabulation:  Freq.  Value
                1793  ""
                4    "X"

```

```
-----
m2a_q15g                                     problem: pollution from industry or traffic
-----
```

```

type: string (str1)

unique values: 1                               missing "": 1777/1797

  tabulation:  Freq.  Value
                1777  ""
                20   "X"

```

```
-----
m2a_q16a                                     distance from nearest primary school
-----
```

```

type: numeric (byte)

range: [2,60]                                units: 1
unique values: 15                            missing .: 1686/1797

  tabulation:  Freq.  Value
                4    2
                1    3
               28    5
                1    6
                3    7
                1    8
               24   10
               13   15
               14   20
                4   25
               13   30
                1   35
                1   40
                1   45
                2   60
            1686  .

```

```
-----
m2a_q16b                                     distance from nearest ambulatory doctor
-----
```

```

type: numeric (int)
range: [2,150]
unique values: 16
units: 1
missing .: 1686/1797

```

```

tabulation: Freq. Value
             4  2
             3  3
            19  5
             3  7
             1  8
            21 10
             1 12
            18 15
            15 20
             3 25
            11 30
             1 35
             2 40
             7 60
             1 90
             1 150
            1686 .

```

```

-----
m2a_q16c                                     distance from nearest bus stop
-----

```

```

type: numeric (byte)
range: [1,90]
unique values: 18
units: 1
missing .: 1686/1797

```

```

tabulation: Freq. Value
             1  1
             9  2
             8  3
             2  4
            23  5
             1  6
             5  7
             1  8
            19 10
             2 12
            12 15
             9 20
             5 25
             8 30
             1 40
             1 50
             3 60
             1 90
            1686 .

```

```

-----
m2a_q17                                     ownership of dwelling
-----

```

```

type: numeric (byte)
label: m2a_q17

```

range: [1,6] units: 1
 unique values: 5 missing .: 1686/1797

tabulation:	Freq.	Numeric	Label
	81	1	owner
	3	2	owner with a mortgage on dwelling
	15	3	rented from a private individual
	11	5	live for free
	1	6	other
	1686	.	

 m2a_q18 method of acquisition

type: numeric (byte)
 label: m2a_q18

range: [1,4] units: 1
 unique values: 4 missing .: 1713/1797

tabulation:	Freq.	Numeric	Label
	22	1	purchased
	48	2	construction
	8	3	inherited
	6	4	privatised according to the law of 1994
	1713	.	

 m2a_q19 legal document of ownership

type: numeric (byte)
 label: m2a_q19

range: [1,7] units: 1
 unique values: 3 missing .: 1713/1797

tabulation:	Freq.	Numeric	Label
	54	1	yes
	25	2	no
	5	7	dk
	1713	.	

 * **4 UTILITIES** *

 m2b_q01 main source of water

type: numeric (byte)
 label: m2b_q01

range: [1,7] units: 1
 unique values: 6 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	1105	1	running water inside the dwelling
	329	2	running water outside the dwelling
	86	3	public tap
	13	4	water truck
	262	5	spring or well
	2	7	other

m2b_q02 continuous water

type: numeric (byte)
label: m2b_q02

range: [1,2] units: 1
unique values: 2 missing .: 277/1797

tabulation:	Freq.	Numeric	Label
	770	1	yes
	750	2	no
	277	.	

m2b_q03 hours per day dwelling received water

type: numeric (byte)

range: [1,24] units: 1
unique values: 17 missing .: 1047/1797

tabulation:	Freq.	Value
	48	1
	124	2
	96	3
	109	4
	59	5
	154	6
	15	7
	58	8
	22	9
	27	10
	9	12
	1	13
	4	15
	10	16
	5	18
	8	20
	1	24
	1047	.

m2b_q04 reason for not having water from public system

type: numeric (byte)
label: m2b_q04

range: [1,6] units: 1
unique values: 5 missing .: 1520/1797

tabulation:	Freq.	Numeric	Label
	176	1	not available
	64	2	broken down/not functioning
	12	4	too expensive
	3	5	poor quality of water
	22	6	other
	1520	.	

m2b_q05 opinion of qualityy of water

type: numeric (byte)
label: m2b_q05

range: [1,3] units: 1
unique values: 3 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	1454	1	good for drinking
	339	2	not good for drinking but good for other uses
	4	3	not good for any other use

m2b_q06 water source used for drinking

type: numeric (byte)
label: m2b_q06

range: [1,8] units: 1
unique values: 7 missing .: 1454/1797

tabulation:	Freq.	Numeric	Label
	35	1	running water inside the dwelling
	19	2	running water outside the dwelling
	54	3	public tap
	40	4	water truck
	59	5	spring or well
	131	7	bottled water
	5	8	other
	1454	.	

m2b_q07 boils water for drinking

type: numeric (byte)
label: m2b_q07

range: [1,2] units: 1
unique values: 2 missing .: 131/1797

tabulation:	Freq.	Numeric	Label
	104	1	yes

1562 2 no
131 .

m2b_q08 distance from source of water

type: numeric (byte)
label: m2b_q08

range: [1,7] units: 1
unique values: 6 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	361	1	less than 5 minutes
	317	2	6-15 minutes
	151	3	16-30 minutes
	69	4	31-60 minutes
	59	5	more than 1 hour
	840	7	don't know

m2b_q09 distance from closest public tap

type: numeric (byte)
label: m2b_q09

range: [1,7] units: 1
unique values: 6 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	245	1	less than 5 minutes
	298	2	6-15 minutes
	151	3	16-30 minutes
	46	4	31-60 minutes
	28	5	more than 1 hour
	1029	7	don't know

m2b_q10 storage tank

type: numeric (byte)
label: m2b_q10

range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	674	1	yes
	1123	2	no

m2b_q11 main source of heating

type: numeric (byte)
label: m2b_q11

range: [1,8] units: 1

unique values: 7 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	237	1	electricity
	950	2	wood
	544	3	gas
	4	4	oil, petrol
	58	6	none /no heating
	2	7	central heating
	2	8	other

m2b_q12a uses electricity for: lighting

type: string (str1)

unique values: 1 missing "": 5/1797

tabulation:	Freq.	Value
	5	" "
	1792	"X"

m2b_q12b uses electricity for: heating-cooling

type: string (str1)

unique values: 1 missing "": 1302/1797

tabulation:	Freq.	Value
	1302	" "
	495	"X"

m2b_q12c uses electricity for: cooking

type: string (str1)

unique values: 1 missing "": 919/1797

tabulation:	Freq.	Value
	919	" "
	878	"X"

m2b_q12d uses electricity for: water heating

type: string (str1)

unique values: 1 missing "": 572/1797

tabulation:	Freq.	Value
	572	" "
	1225	"X"

m2b_q12e uses electricity for: other electrical appliances

```

-----
                type: string (str1)
unique values: 1                               missing "": 83/1797
    tabulation: Freq. Value
                  83  ""
                  1714 "X"
-----
m2b_q12f                none, dwelling had no connection to public electric system
-----

```

```

                type: string (str1), but longest is str0
unique values: 0                               missing "": 1797/1797
    tabulation: Freq. Value
                  1797 ""
-----
m2b_q13                has electricity meter
-----

```

```

                type: numeric (byte)
                label: m2b_q13
    range: [1,3]                               units: 1
unique values: 3                               missing .: 0/1797
    tabulation: Freq. Numeric Label
                  43         1 shared
                  1375       2 individual
                  379         3 no meter
-----

```

```

-----
m2b_q14                families connected to meter
-----
                type: numeric (byte)
    range: [1,5]                               units: 1
unique values: 4                               missing .: 1754/1797
    tabulation: Freq. Value
                  7  1
                  31 2
                   4 3
                   1 5
                  1754 .
-----

```

```

-----
m2b_q15                frequency of electricity cuts
-----
                type: numeric (byte)
                label: m2b_q15
-----

```

range: [1,4] units: 1
unique values: 4 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	140	1	never
	118	2	several times a month
	98	3	several times a week
	1441	4	every day

m2b_q16 hours/day electricity has been cut in last month

type: numeric (byte)

range: [0,19] units: 1
unique values: 19 missing .: 140/1797

tabulation:	Freq.	Value
	1	0
	111	1
	271	2
	329	3
	210	4
	180	5
	208	6
	25	7
	90	8
	11	9
	91	10
	1	11
	46	12
	3	13
	56	14
	4	15
	13	16
	2	18
	5	19
	140	.

m2b_q17 compairson of electricity service

type: numeric (byte)
label: m2b_q17

range: [1,7] units: 1
unique values: 4 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	818	1	improved
	733	2	stayed same
	226	3	worsened
	20	7	don't know

m2b_q18 paid electricity during past 12 months

```

    type: numeric (byte)
    label: m2b_q18

    range: [1,2]
    unique values: 2

    units: 1
    missing .: 0/1797

```

```

tabulation: Freq.  Numeric  Label
             1474      1     yes
             323      2     no

```

m2b_q19 amount of bill

```

    type: numeric (long)
    label: m2b_q19, but 190 nonmissing values are not labeled

    range: [100,1.000e+09]
    unique values: 191

    units: 1
    missing .: 323/1797

```

```

examples: 860
           1500
           2500
           6000

```

m2b_q20 months covered in payment

```

    type: numeric (byte)

    range: [1,10]
    unique values: 6

    units: 1
    missing .: 323/1797

```

```

tabulation: Freq.  Value
             1459   1
              6    2
              6    3
              1    4
              1    6
              1   10
             323   .

```

m2b_q21 main alternative for lighting

```

    type: numeric (byte)
    label: m2b_q21

    range: [1,4]
    unique values: 4

    units: 1
    missing .: 0/1797

```

```

tabulation: Freq.  Numeric  Label
             30      1     generator
             24      2     kerosene lamps
            1735      3     candles for flashlights
              8      4     other

```

m2b_q22 hh uses gas

```

-----
                type: numeric (byte)
                label: m2b_q22

                range: [1,2]                                units: 1
unique values: 2                                           missing .: 0/1797

                tabulation: Freq.   Numeric  Label
                           1084      1      yes
                           713      2      no
-----

m2b_q23a                                           hh uses gas for : lighting
-----

                type: string (str1)

unique values: 1                                           missing "": 1788/1797

                tabulation: Freq.   Value
                           1788     ""
                           9       "X"
-----

m2b_q23b                                           hh uses gas for : heating
-----

                type: string (str1)

unique values: 1                                           missing "": 1161/1797

                tabulation: Freq.   Value
                           1161     ""
                           636     "X"
-----

m2b_q23c                                           hh uses gas for : cooking
-----

                type: string (str1)

unique values: 1                                           missing "": 795/1797

                tabulation: Freq.   Value
                           795     ""
                           1002    "X"
-----

m2b_q23d                                           hh uses gas for : other appliances
-----

                type: string (str1)

unique values: 1                                           missing "": 1792/1797

                tabulation: Freq.   Value
                           1792     ""
                           5       "X"
-----

```

```

m2b_q24                                amount paid in average for gas
-----
      type:  numeric (int)
      range:  [150,10000]
unique values: 39                        units: 10
                                          missing .: 713/1797

      mean:   1166.97
      std. dev: 760.933

      percentiles:      10%      25%      50%      75%      90%
                        500      850      1000     1500     2000

```

```

m2b_q25a                                hh used: firewood
-----
      type:  numeric (byte)
      label:  m2b_q25a

      range:  [1,2]
unique values: 2                        units: 1
                                          missing .: 0/1797

      tabulation:  Freq.   Numeric  Label
                   1032      1     yes
                   765      2     no

```

```

m2b_q25b                                hh used: coal
-----
      type:  numeric (byte)
      label:  m2b_q25b

      range:  [1,2]
unique values: 2                        units: 1
                                          missing .: 0/1797

      tabulation:  Freq.   Numeric  Label
                   2       1     yes
                   1795    2     no

```

```

m2b_q25c                                hh used: oil/kerosene
-----
      type:  numeric (byte)
      label:  m2b_q25c

      range:  [1,2]
unique values: 2                        units: 1
                                          missing .: 0/1797

      tabulation:  Freq.   Numeric  Label
                   7       1     yes
                   1790    2     no

```

```

m2b_q25d                                hh used: diesel fuel
-----
      type:  numeric (byte)

```

label: m2b_q25d
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	9	1	yes
	1788	2	no

m2b_q25e hh used: other

type: numeric (byte)
label: m2b_q25e
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	5	1	yes
	1792	2	no

m2b_q26 hh has phone in dwelling

type: numeric (byte)
label: m2b_q26
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	520	1	yes
	1277	2	no

m2b_q27 hh paid for telephone

type: numeric (byte)
label: m2b_q27
range: [1,2] units: 1
unique values: 2 missing .: 1277/1797

tabulation:	Freq.	Numeric	Label
	509	1	yes
	11	2	no
	1277	.	

m2b_q28 amount of last payment

type: numeric (int)
range: [200,15000] units: 1
unique values: 101 missing .: 1288/1797

```

      mean: 1332.24
    std. dev: 1246.6

percentiles:    10%    25%    50%    75%    90%
                 500    640    1000   1600   2500

```

```
-----
m2b_q29                                           months covered in payment
-----
```

```

      type: numeric (byte)

      range: [1,1]                units: 1
unique values: 1                missing .: 1288/1797

      tabulation: Freq. Value
                  509  1
                  1288 .

```

```
-----
m2b_q30                                           hh owns a pc
-----
```

```

      type: numeric (byte)
      label: m2b_q30

      range: [1,2]                units: 1
unique values: 2                missing .: 0/1797

      tabulation: Freq.  Numeric  Label
                  78      1      yes
                  1719   2      no

```

```
-----
m2b_q31                                           internet connection
-----
```

```

      type: numeric (byte)
      label: m2b_q31

      range: [1,2]                units: 1
unique values: 2                missing .: 1719/1797

      tabulation: Freq.  Numeric  Label
                  21      1      yes
                  57      2      no
                  1719   .

```

```
-----
m2b_q32                                           company of internet service
-----
```

```

      type: numeric (byte)
      label: m2b_q32

      range: [1,4]                units: 1
unique values: 2                missing .: 1776/1797

      tabulation: Freq.  Numeric  Label
                  18      1      albtelekom

```

3 4 other
1776 .

m2b_q33 satisfied with quality of service

type: numeric (byte)
label: m2b_q33
range: [1,2] units: 1
unique values: 2 missing .: 1776/1797

tabulation:	Freq.	Numeric	Label
	13	1	yes
	8	2	no
	1776	.	

m2b_q34 payed internet service

type: numeric (byte)
label: m2b_q34
range: [1,2] units: 1
unique values: 2 missing .: 1776/1797

tabulation:	Freq.	Numeric	Label
	17	1	yes
	4	2	no
	1776	.	

m2b_q35 ammount paid for internet last month

type: numeric (int)
range: [200,8000] units: 100
unique values: 12 missing .: 1780/1797

tabulation:	Freq.	Value
	1	200
	1	300
	1	400
	3	500
	1	900
	2	1000
	1	2100
	1	2400
	3	3000
	1	4000
	1	6000
	1	8000
	1780	.

 * **5 DURABLE GOODS** *

 m2c_q1c101 101 m2c_q1c

type: numeric (byte)
 range: [0,4] units: 1
 unique values: 5 missing .: 0/1797

tabulation:

Freq.	Value
109	0
1527	1
134	2
22	3
5	4

 m2c_q02101 101 m2c_q02

type: numeric (byte)
 label: m2c_q02
 range: [1,2] units: 1
 unique values: 2 missing .: 109/1797

tabulation:

Freq.	Numeric	Label
65	1	yes
1623	2	no
109	.	

 m2c_q03101 101 m2c_q03

type: numeric (byte)
 range: [1,3] units: 1
 unique values: 3 missing .: 1732/1797

tabulation:

Freq.	Value
63	1
1	2
1	3
1732	.

 m2c_q1c102 102 m2c_q1c

type: numeric (byte)
 range: [0,2] units: 1
 unique values: 3 missing .: 0/1797

```

tabulation: Freq. Value
             1698  0
             98   1
             1    2

```

```

-----
m2c_q02102                                     102 m2c_q02
-----

```

```

type: numeric (byte)
label: m2c_q02

range: [2,2]                                units: 1
unique values: 1                            missing .: 1698/1797

```

```

tabulation: Freq.  Numeric  Label
             99      2      no
             1698      .

```

```

-----
m2c_q03102                                     102 m2c_q03
-----

```

```

type: numeric (byte)

range: [.,.]                                units: .
unique values: 0                            missing .: 1797/1797

```

```

tabulation: Freq. Value
             1797  .

```

```

-----
m2c_q1c103                                     103 m2c_q1c
-----

```

```

type: numeric (byte)

range: [0,4]                                units: 1
unique values: 5                            missing .: 0/1797

```

```

tabulation: Freq. Value
             1247  0
             541  1
             6    2
             2    3
             1    4

```

```

-----
m2c_q02103                                     103 m2c_q02
-----

```

```

type: numeric (byte)
label: m2c_q02

range: [1,2]                                units: 1
unique values: 2                            missing .: 1247/1797

```

```

tabulation: Freq.  Numeric  Label
             36      1      yes
             514      2      no
             1247      .

```

m2c_q03103 103 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1761/1797
tabulation: Freq. Value
 36 1
 1761 .

m2c_q1c104 104 m2c_q1c

type: numeric (byte)
range: [0,3] units: 1
unique values: 4 missing .: 0/1797
tabulation: Freq. Value
 724 0
 1056 1
 16 2
 1 3

m2c_q02104 104 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 724/1797
tabulation: Freq. Numeric Label
 36 1 yes
 1037 2 no
 724 .

m2c_q03104 104 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1761/1797
tabulation: Freq. Value
 36 1
 1761 .

m2c_q1c105 105 m2c_q1c

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1797

tabulation: Freq. Value
1729 0
65 1
3 2

m2c_q02105 105 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 1729/1797

tabulation: Freq. Numeric Label
12 1 yes
56 2 no
1729 .

m2c_q03105 105 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1785/1797

tabulation: Freq. Value
12 1
1785 .

m2c_q1c106 106 m2c_q1c

type: numeric (byte)
range: [0,3] units: 1
unique values: 4 missing .: 0/1797

tabulation: Freq. Value
159 0
1618 1
18 2
2 3

m2c_q02106 106 m2c_q02

type: numeric (byte)
label: m2c_q02

range: [1,2] units: 1
unique values: 2 missing .: 159/1797

tabulation:	Freq.	Numeric	Label
	36	1	yes
	1602	2	no
	159	.	

m2c_q03106 106 m2c_q03

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1761/1797

tabulation:	Freq.	Value
	36	1
	1761	.

m2c_q1c107 107 m2c_q1c

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/1797

tabulation:	Freq.	Value
	1775	0
	19	1
	3	2

m2c_q02107 107 m2c_q02

type: numeric (byte)
label: m2c_q02

range: [1,2] units: 1
unique values: 2 missing .: 1775/1797

tabulation:	Freq.	Numeric	Label
	3	1	yes
	19	2	no
	1775	.	

m2c_q03107 107 m2c_q03

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1794/1797

tabulation:	Freq.	Value
	3	1

1794 .

m2c_q1c108 108 m2c_q1c

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1797
tabulation: Freq. Value
743 0
1049 1
5 2

m2c_q02108 108 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 743/1797
tabulation: Freq. Numeric Label
59 1 yes
995 2 no
743 .

m2c_q03108 108 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1738/1797
tabulation: Freq. Value
59 1
1738 .

m2c_q1c109 109 m2c_q1c

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1797
tabulation: Freq. Value
1765 0
31 1
1 2

m2c_q02109 109 m2c_q02

```

type: numeric (byte)
label: m2c_q02

range: [1,2]
unique values: 2

units: 1
missing .: 1765/1797

```

```

tabulation: Freq.   Numeric   Label
              3         1   yes
              29        2   no
             1765         .

```

```

m2c_q03109                                     109 m2c_q03

```

```

type: numeric (byte)

range: [1,1]
unique values: 1

units: 1
missing .: 1794/1797

```

```

tabulation: Freq.   Value
              3         1
             1794         .

```

```

m2c_q1c110                                     110 m2c_q1c

```

```

type: numeric (byte)

range: [0,6]
unique values: 5

units: 1
missing .: 0/1797

```

```

tabulation: Freq.   Value
              510     0
             1266     1
               19     2
                1     3
                1     6

```

```

m2c_q02110                                     110 m2c_q02

```

```

type: numeric (byte)
label: m2c_q02

range: [1,2]
unique values: 2

units: 1
missing .: 510/1797

```

```

tabulation: Freq.   Numeric   Label
              63         1   yes
             1224        2   no
              510         .

```

```

m2c_q03110                                     110 m2c_q03

```

```

type: numeric (byte)

```

range: [1,1] units: 1
unique values: 1 missing .: 1734/1797

tabulation: Freq. Value
63 1
1734 .

m2c_q1c111 111 m2c_q1c

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/1797

tabulation: Freq. Value
1773 0
23 1
1 2

m2c_q02111 111 m2c_q02

type: numeric (byte)
label: m2c_q02

range: [1,2] units: 1
unique values: 2 missing .: 1773/1797

tabulation: Freq. Numeric Label
3 1 yes
21 2 no
1773 .

m2c_q03111 111 m2c_q03

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1794/1797

tabulation: Freq. Value
3 1
1794 .

m2c_q1c112 112 m2c_q1c

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 0/1797

tabulation: Freq. Value
790 0

1004 1
3 2

m2c_q02112 112 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 790/1797

tabulation:	Freq.	Numeric	Label
	13	1	yes
	994	2	no
	790	.	

m2c_q03112 112 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1784/1797

tabulation:	Freq.	Value
	13	1
	1784	.

m2c_q1c113 113 m2c_q1c

type: numeric (byte)
range: [0,3] units: 1
unique values: 4 missing .: 0/1797

tabulation:	Freq.	Value
	1286	0
	502	1
	8	2
	1	3

m2c_q02113 113 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 1286/1797

tabulation:	Freq.	Numeric	Label
	12	1	yes
	499	2	no
	1286	.	

m2c_q03113113 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1785/1797
tabulation: Freq. Value
 12 1
 1785 .

m2c_q1c114114 m2c_q1c

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1797
tabulation: Freq. Value
 1760 0
 35 1
 2 2

m2c_q02114114 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 1760/1797
tabulation: Freq. Numeric Label
 7 1 yes
 30 2 no
 1760 .

m2c_q03114114 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1790/1797
tabulation: Freq. Value
 7 1
 1790 .

m2c_q1c115115 m2c_q1c

type: numeric (byte)

range: [0,3] units: 1
unique values: 4 missing .: 0/1797

tabulation:	Freq.	Value
	1454	0
	339	1
	3	2
	1	3

m2c_q02115 115 m2c_q02

type: numeric (byte)
label: m2c_q02

range: [1,2] units: 1
unique values: 2 missing .: 1454/1797

tabulation:	Freq.	Numeric	Label
	17	1	yes
	326	2	no
	1454	.	

m2c_q03115 115 m2c_q03

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1780/1797

tabulation:	Freq.	Value
	17	1
	1780	.

m2c_q1c116 116 m2c_q1c

type: numeric (byte)

range: [0,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Value
	1706	0
	81	1
	7	2
	2	3
	1	5

m2c_q02116 116 m2c_q02

type: numeric (byte)
label: m2c_q02

range: [1,2] units: 1

43 1
1754 .

m2c_q1c118 118 m2c_q1c

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1797

tabulation: Freq. Value
1701 0
94 1
2 2

m2c_q02118 118 m2c_q02

type: numeric (byte)
label: m2c_q02
range: [1,2] units: 1
unique values: 2 missing .: 1701/1797

tabulation: Freq. Numeric Label
21 1 yes
75 2 no
1701 .

m2c_q03118 118 m2c_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1776/1797

tabulation: Freq. Value
21 1
1776 .

m2c_q1c119 119 m2c_q1c

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 0/1797

tabulation: Freq. Value
1375 0
417 1
5 2

m2c_q02119 119 m2c_q02

```

-----
                type: numeric (byte)
                label: m2c_q02

                range: [1,2]                                units: 1
unique values: 2                                           missing .: 1375/1797

                tabulation: Freq.   Numeric  Label
                           36         1   yes
                           386        2   no
                           1375        .

-----
m2c_q03119                                           119 m2c_q03
-----

                type: numeric (byte)

                range: [1,2]                                units: 1
unique values: 2                                           missing .: 1761/1797

                tabulation: Freq.   Value
                           35        1
                           1         2
                           1761      .

-----
m2c_q1c120                                           120 m2c_q1c
-----

                type: numeric (byte)

                range: [0,5]                                units: 1
unique values: 5                                           missing .: 0/1797

                tabulation: Freq.   Value
                           1483      0
                           292       1
                           19        2
                           2         3
                           1         5

-----
m2c_q02120                                           120 m2c_q02
-----

                type: numeric (byte)
                label: m2c_q02

                range: [1,2]                                units: 1
unique values: 2                                           missing .: 1483/1797

                tabulation: Freq.   Numeric  Label
                           27         1   yes
                           287        2   no
                           1483        .

-----
m2c_q03120                                           120 m2c_q03
-----

```

```

-----
                type: numeric (byte)
                range: [1,1]                units: 1
unique values: 1                missing .: 1770/1797

                tabulation: Freq. Value
                             27  1
                             1770 .
-----

m2c_q1c121                                           121 m2c_q1c
-----

                type: numeric (byte)
                range: [0,2]                units: 1
unique values: 3                missing .: 0/1797

                tabulation: Freq. Value
                             1704  0
                             92   1
                             1    2
-----

m2c_q02121                                           121 m2c_q02
-----

                type: numeric (byte)
                label: m2c_q02
                range: [1,2]                units: 1
unique values: 2                missing .: 1704/1797

                tabulation: Freq.  Numeric Label
                             15     1  yes
                             78     2  no
                             1704   .
-----

m2c_q03121                                           121 m2c_q03
-----

                type: numeric (byte)
                range: [1,1]                units: 1
unique values: 1                missing .: 1782/1797

                tabulation: Freq. Value
                             15  1
                             1782 .
-----

m2c_q1c122                                           122 m2c_q1c
-----

                type: numeric (byte)
                range: [0,4]                units: 1

```



```

tabulation: Freq.  Numeric  Label
              7         1   yes
              41         2   no
              1749        .

```

```
-----
m2c_q03123                                     123 m2c_q03
-----
```

```

type: numeric (byte)

range: [1,1]                                units: 1
unique values: 1                            missing .: 1790/1797

```

```

tabulation: Freq.  Value
              7     1
              1790  .

```

```
-----
m2c_q1c124                                     124 m2c_q1c
-----
```

```

type: numeric (byte)

range: [0,2]                                units: 1
unique values: 3                            missing .: 0/1797

```

```

tabulation: Freq.  Value
              1766  0
               29  1
               2   2

```

```
-----
m2c_q02124                                     124 m2c_q02
-----
```

```

type: numeric (byte)
label: m2c_q02

range: [1,2]                                units: 1
unique values: 2                            missing .: 1766/1797

```

```

tabulation: Freq.  Numeric  Label
              5         1   yes
              26         2   no
              1766        .

```

```
-----
m2c_q03124                                     124 m2c_q03
-----
```

```

type: numeric (byte)

range: [1,1]                                units: 1
unique values: 1                            missing .: 1792/1797

```

```

tabulation: Freq.  Value
              5     1
              1792  .

```

 * **6 AGRICULTURE** *

 m8a_q01 owns any plot of land

type: numeric (byte)
 label: m8a_q01
 range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	877	1	yes
	920	2	no

 m8a_q02 anyone in hh owns any plot of land

type: numeric (byte)
 label: m8a_q02
 range: [1,2] units: 1
 unique values: 2 missing .: 920/1797

tabulation:	Freq.	Numeric	Label
	876	1	yes
	1	2	no
	920	.	

 m8a_q031 1 m8a_q03

type: string (str15)
 unique values: 592 missing "": 921/1797
 examples: ""
 ""
 "BRAKA"
 "NERBREG"
 warning: variable has leading and embedded blanks

 m8a_q041 1 m8a_q04

type: numeric (long)
 range: [30,80000] units: 1
 unique values: 107 missing .: 921/1797
 mean: 4167.31
 std. dev: 5061.4

range: [1,2] units: 1
unique values: 2 missing .: 921/1797

tabulation:	Freq.	Numeric	Label
	869	1	yes
	7	2	no
	921	.	

m8a_q091 1 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [1,6] units: 1
unique values: 6 missing .: 921/1797

tabulation:	Freq.	Numeric	Label
	70	1	purchased
	241	2	inherited
	4	3	received as gift
	3	4	cleared
	549	5	by law nr. 7501
	9	6	other
	921	.	

m8a_q101 1 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,5] units: 1
unique values: 5 missing .: 921/1797

tabulation:	Freq.	Numeric	Label
	768	1	deed
	28	2	sale receipt
	41	3	usufruct
	6	4	other
	33	5	none
	921	.	

m8a_q032 2 m8a_q03

type: string (str15)

unique values: 481 missing "": 1163/1797

examples: ""
""
""
"LIVADH"

warning: variable has embedded blanks

m8a_q042 2 m8a_q04

type: numeric (long)
range: [25,60000] units: 1
unique values: 101 missing .: 1163/1797
mean: 3260.33
std. dev: 4712.44
percentiles: 10% 25% 50% 75% 90%
500 1192 2000 4000 6000

m8a_q052 2 m8a_q05

type: numeric (byte)
label: m8a_q05
range: [1,9] units: 1
unique values: 8 missing .: 1163/1797
tabulation: Freq. Numeric Label
356 1 anual crop land
124 2 multi year crop land
39 3 tree crop land
23 4 vineyard
43 5 uncultivated land
1 6 forest
33 7 pasture
15 9 other
1163 .

m8a_q062 2 m8a_q06

type: numeric (byte)
label: m8a_q06
range: [1,2] units: 1
unique values: 2 missing .: 1240/1797
tabulation: Freq. Numeric Label
312 1 yes
245 2 no
1240 .

m8a_q072 2 m8a_q07

type: numeric (byte)
label: m8a_q07
range: [1,3] units: 1
unique values: 3 missing .: 1163/1797

tabulation:	Freq.	Numeric	Label
	609	1	farmed by hh
	20	2	rent out
	5	3	lent out
	1163	.	

m8a_q082 2 m8a_q08

type: numeric (byte)
label: m8a_q08

range: [1,2] units: 1
unique values: 2 missing .: 1163/1797

tabulation:	Freq.	Numeric	Label
	629	1	yes
	5	2	no
	1163	.	

m8a_q092 2 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [1,6] units: 1
unique values: 6 missing .: 1163/1797

tabulation:	Freq.	Numeric	Label
	27	1	purchased
	145	2	inherited
	3	3	received as gift
	2	4	cleared
	452	5	by law nr. 7501
	5	6	other
	1163	.	

m8a_q102 2 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,5] units: 1
unique values: 5 missing .: 1163/1797

tabulation:	Freq.	Numeric	Label
	569	1	deed
	9	2	sale receipt
	30	3	usufruct
	5	4	other
	21	5	none
	1163	.	

m8a_q033 3 m8a_q03

```

type: string (str15)
unique values: 308 missing "": 1414/1797
examples: ""
          ""
          ""
          "ARA BRAKA"
warning: variable has leading and embedded blanks

```

```
-----
m8a_q043                                                    3 m8a_q04
-----
```

```

type: numeric (long)
range: [40,60000] units: 1
unique values: 76 missing .: 1414/1797
mean: 2942.63
std. dev: 4412.35
percentiles:      10%      25%      50%      75%      90%
                  500      1000     2000     3000     6000

```

```
-----
m8a_q053                                                    3 m8a_q05
-----
```

```

type: numeric (byte)
label: m8a_q05
range: [1,9] units: 1
unique values: 8 missing .: 1414/1797
tabulation: Freq.  Numeric  Label
              197         1  anual crop land
              63         2  multi year crop land
              31         3  tree crop land
              19         4  vineyard
              28         5  uncultivated land
              30         7  pasture
               1         8  pond
              14         9  other
             1414         .

```

```
-----
m8a_q063                                                    3 m8a_q06
-----
```

```

type: numeric (byte)
label: m8a_q06
range: [1,2] units: 1
unique values: 2 missing .: 1473/1797
tabulation: Freq.  Numeric  Label
              148         1  yes
              176         2  no

```

1473 .

m8a_q073 3 m8a_q07

type: numeric (byte)
label: m8a_q07

range: [1,3] units: 1
unique values: 3 missing .: 1414/1797

tabulation: Freq. Numeric Label
368 1 farmed by hh
9 2 rent out
6 3 lent out
1414 .

m8a_q083 3 m8a_q08

type: numeric (byte)
label: m8a_q08

range: [1,2] units: 1
unique values: 2 missing .: 1414/1797

tabulation: Freq. Numeric Label
379 1 yes
4 2 no
1414 .

m8a_q093 3 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [1,6] units: 1
unique values: 5 missing .: 1414/1797

tabulation: Freq. Numeric Label
7 1 purchased
74 2 inherited
1 4 cleared
295 5 by law nr. 7501
6 6 other
1414 .

m8a_q103 3 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,5] units: 1
unique values: 5 missing .: 1414/1797

tabulation:	Freq.	Numeric	Label
	351	1	deed
	3	2	sale receipt
	17	3	usufruct
	3	4	other
	9	5	none
	1414	.	

m8a_q034 4 m8a_q03

```

type: string (str14)
unique values: 175          missing "": 1586/1797
examples: ""
           ""
           ""
           ""
warning: variable has embedded blanks

```

m8a_q044 4 m8a_q04

```

type: numeric (int)
range: [50,20000]          units: 1
unique values: 56          missing .: 1586/1797
mean: 2201.55
std. dev: 2452.77
percentiles:      10%      25%      50%      75%      90%
                  340      800      1500     3000     5000

```

m8a_q054 4 m8a_q05

```

type: numeric (byte)
label: m8a_q05
range: [1,9]              units: 1
unique values: 7          missing .: 1586/1797
tabulation: Freq.      Numeric  Label
             96         1      anual crop land
             23         2      multi year crop land
             30         3      tree crop land
             14         4      vineyard
             24         5      uncultivated land
             11         7      pasture
             13         9      other
             1586        .

```

m8a_q064 4 m8a_q06

```

type: numeric (byte)
label: m8a_q06

range: [1,2]
unique values: 2

units: 1
missing .. 1621/1797

```

```

tabulation: Freq.   Numeric   Label
              61         1   yes
              115        2   no
              1621        .

```

```

m8a_q0744 m8a_q07

```

```

type: numeric (byte)
label: m8a_q07

range: [1,3]
unique values: 3

units: 1
missing .. 1586/1797

```

```

tabulation: Freq.   Numeric   Label
              196         1   farmed by hh
               6         2   rent out
               9         3   lent out
              1586        .

```

```

m8a_q0844 m8a_q08

```

```

type: numeric (byte)
label: m8a_q08

range: [1,2]
unique values: 2

units: 1
missing .. 1586/1797

```

```

tabulation: Freq.   Numeric   Label
              207         1   yes
               4         2   no
              1586        .

```

```

m8a_q0944 m8a_q09

```

```

type: numeric (byte)
label: m8a_q09

range: [1,6]
unique values: 5

units: 1
missing .. 1586/1797

```

```

tabulation: Freq.   Numeric   Label
               5         1   purchased
              30         2   inherited
               1         4   cleared
              168         5   by law nr. 7501
               7         6   other
              1586        .

```

m8a_q104 4 m8a_q10

type: numeric (byte)
label: m8a_q10
range: [1,5] units: 1
unique values: 4 missing .: 1586/1797
tabulation: Freq. Numeric Label
195 1 deed
7 3 usufruct
1 4 other
8 5 none
1586 .

m8a_q035 5 m8a_q03

type: string (str14)
unique values: 98 missing "": 1688/1797
examples: ""
""
""
""
warning: variable has embedded blanks

m8a_q045 5 m8a_q04

type: numeric (long)
range: [60,40000] units: 1
unique values: 50 missing .: 1688/1797
mean: 2576.37
std. dev: 4627.61
percentiles: 10% 25% 50% 75% 90%
300 600 1600 2500 5000

m8a_q055 5 m8a_q05

type: numeric (byte)
label: m8a_q05
range: [1,9] units: 1
unique values: 7 missing .: 1688/1797
tabulation: Freq. Numeric Label
41 1 anual crop land
15 2 multi year crop land
21 3 tree crop land

```

          5      4 vineyard
          11     5 uncultivated land
          12     7 pasture
           4     9 other
        1688     .

```

```
-----
m8a_q0655 m8a_q06
-----
```

```

          type: numeric (byte)
          label: m8a_q06

          range: [1,2]                units: 1
unique values: 2                    missing .: 1711/1797

          tabulation: Freq.  Numeric  Label
                     26      1    yes
                     60      2    no
                     1711     .

```

```
-----
m8a_q0755 m8a_q07
-----
```

```

          type: numeric (byte)
          label: m8a_q07

          range: [1,3]                units: 1
unique values: 3                    missing .: 1688/1797

          tabulation: Freq.  Numeric  Label
                     97      1    farmed by hh
                      2      2    rent out
                      10     3    lent out
                     1688     .

```

```
-----
m8a_q0855 m8a_q08
-----
```

```

          type: numeric (byte)
          label: m8a_q08

          range: [1,2]                units: 1
unique values: 2                    missing .: 1688/1797

          tabulation: Freq.  Numeric  Label
                     103     1    yes
                      6      2    no
                     1688     .

```

```
-----
m8a_q0955 m8a_q09
-----
```

```

          type: numeric (byte)
          label: m8a_q09

          range: [1,6]                units: 1
unique values: 4                    missing .: 1688/1797

```

```

tabulation:  Freq.  Numeric  Label
              3      1  purchased
              11     2  inherited
              87     5  by law nr. 7501
              8      6  other
             1688     .

```

```
-----
m8a_q105                                           5 m8a_q10
-----
```

```

      type: numeric (byte)
      label: m8a_q10

      range: [1,5]                                units: 1
unique values: 4                                missing .: 1688/1797

```

```

tabulation:  Freq.  Numeric  Label
              97     1  deed
              8      3  usufruct
              2      4  other
              2      5  none
             1688     .

```

```
-----
m8a_q036                                           6 m8a_q03
-----
```

```

      type: string (str15)

unique values: 53                                missing "": 1740/1797

```

```

examples:  ""
           ""
           ""
           ""

```

```

warning: variable has embedded blanks

```

```
-----
m8a_q046                                           6 m8a_q04
-----
```

```

      type: numeric (long)

      range: [60,90000]                            units: 1
unique values: 36                                missing .: 1740/1797

```

```

tabulation:  Freq.  Value
              2     60
              1     70
              1     80
              1     93
              1    150
              1    250
              2    270
              2    300
              1    400
              1    430
              5    500

```

```

1 520
1 600
1 690
1 700
1 900
6 1000
1 1100
2 1200
2 1300
1 1450
1 1500
1 1800
1 2000
1 2244
1 2560
2 3000
5 4000
1 4500
2 5000
1 5610
1 6000
1 9500
2 10000
1 30000
1 90000
1740 .

```

```

-----
m8a_q0566 m8a_q05
-----

```

```

      type: numeric (byte)
      label: m8a_q05

      range: [1,9]                units: 1
unique values: 7                 missing .: 1740/1797

```

```

tabulation: Freq.  Numeric  Label
              26         1  anual crop land
              4          2  multi year crop land
              12         3  tree crop land
              6          4  vineyard
              5          5  uncultivated land
              3          7  pasture
              1          9  other
              1740        .

```

```

-----
m8a_q0666 m8a_q06
-----

```

```

      type: numeric (byte)
      label: m8a_q06

      range: [1,2]                units: 1
unique values: 2                 missing .: 1748/1797

```

```

tabulation: Freq.  Numeric  Label
              21         1  yes
              28         2  no
              1748        .

```

m8a_q076 6 m8a_q07

type: numeric (byte)
label: m8a_q07

range: [1,3] units: 1
unique values: 3 missing .: 1740/1797

tabulation: Freq. Numeric Label
43 1 farmed by hh
3 2 rent out
11 3 lent out
1740 .

m8a_q086 6 m8a_q08

type: numeric (byte)
label: m8a_q08

range: [1,2] units: 1
unique values: 2 missing .: 1740/1797

tabulation: Freq. Numeric Label
49 1 yes
8 2 no
1740 .

m8a_q096 6 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [1,6] units: 1
unique values: 4 missing .: 1740/1797

tabulation: Freq. Numeric Label
3 1 purchased
3 2 inherited
39 5 by law nr. 7501
12 6 other
1740 .

m8a_q106 6 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,5] units: 1
unique values: 4 missing .: 1740/1797

tabulation: Freq. Numeric Label
44 1 deed

```

        6      3 usufruct
        3      4 other
        4      5 none
1740      .

```

m8a_q037

7 m8a_q03

```

type: string (str11)
unique values: 24          missing "": 1773/1797

```

```

tabulation: Freq. Value
1773      ""
1         "63"
1         "BUGONEC"
1         "DERVISHE"
1         "FERMA"
1         "FUSHA"
1         "GURISHTE"
1         "KARAKACIA"
1         "KISHA"
1         "KOPLIKU"
1         "LUME"
1         "NIKOKACIA"
1         "PASUROPOSHT"
1         "PERTEJ"

1         "PULARIA"
1         "RAHA"
1         "SELISHTA"
1         "SHKEMBI"
1         "SHPIA"
1         "SHULLARE"
1         "STOJKA"
1         "TOPCIE"
1         "URA E VEJIT"
1         "VARIZAJ"
1         "ZABANA"

```

warning: variable has embedded blanks

m8a_q047

7 m8a_q04

```

type: numeric (int)
range: [60,8000]          units: 1
unique values: 18        missing .: 1773/1797

```

```

tabulation: Freq. Value
1          60
1         200
1         240
1         300
1         406
2         500
1         570
2         600

```

```

1 700
1 800
2 1000
1 1090
3 1500
1 1650
1 2000
1 3000
1 5700
2 8000
1773 .

```

```
m8a_q0577 m8a_q05
```

```

type: numeric (byte)
label: m8a_q05

range: [1,7] units: 1
unique values: 6 missing .: 1773/1797

tabulation: Freq. Numeric Label
             15         1 anual crop land
              3         2 multi year crop land
              2         3 tree crop land
              2         4 vineyard
              1         5 uncultivated land
              1         7 pasture
            1773         .

```

```
m8a_q0677 m8a_q06
```

```

type: numeric (byte)
label: m8a_q06

range: [1,2] units: 1
unique values: 2 missing .: 1775/1797

tabulation: Freq. Numeric Label
             9         1 yes
            13         2 no
            1775         .

```

```
m8a_q0777 m8a_q07
```

```

type: numeric (byte)
label: m8a_q07

range: [1,3] units: 1
unique values: 2 missing .: 1773/1797

tabulation: Freq. Numeric Label
             19         1 farmed by hh
              5         3 lent out
            1773         .

```

m8a_q087 7 m8a_q08

type: numeric (byte)
label: m8a_q08

range: [1,2] units: 1
unique values: 2 missing .: 1773/1797

tabulation:	Freq.	Numeric	Label
	21	1	yes
	3	2	no
	1773	.	

m8a_q097 7 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [1,6] units: 1
unique values: 3 missing .: 1773/1797

tabulation:	Freq.	Numeric	Label
	2	1	purchased
	18	5	by law nr. 7501
	4	6	other
	1773	.	

m8a_q107 7 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,3] units: 1
unique values: 2 missing .: 1773/1797

tabulation:	Freq.	Numeric	Label
	20	1	deed
	4	3	usufruct
	1773	.	

m8a_q038 8 m8a_q03

type: string (str15)

unique values: 10 missing "": 1787/1797

tabulation:	Freq.	Value
	1787	" "
	1	"64"
	1	"BOGA"
	1	"DUMRAVE"
	1	"FRASHER"
	1	"GROPA E MURATIT"

```

1 "KOZARE"
1 "KUSHTONJKE"
1 "NEN KASEM"
1 "SHQOPA"
1 "TURJET"

```

warning: variable has embedded blanks

```
-----
m8a_q0488 m8a_q04
-----
```

```

      type: numeric (long)
      range: [200,80000]           units: 10
unique values: 10                 missing .: 1787/1797

      tabulation: Freq. Value
                  1 200
                  1 280
                  1 730
                  1 1000
                  1 2000
                  1 2010
                  1 4000
                  1 7000
                  1 9000
                  1 80000
                  1787 .

```

```
-----
m8a_q0588 m8a_q05
-----
```

```

      type: numeric (byte)
      label: m8a_q05
      range: [1,7]                 units: 1
unique values: 5                 missing .: 1787/1797

      tabulation: Freq. Numeric Label
                  3      1 anual crop land
                  1      2 multi year crop land
                  2      3 tree crop land
                  3      5 uncultivated land
                  1      7 pasture
                  1787 .

```

```
-----
m8a_q0688 m8a_q06
-----
```

```

      type: numeric (byte)
      label: m8a_q06
      range: [1,2]                 units: 1
unique values: 2                 missing .: 1791/1797

      tabulation: Freq. Numeric Label
                  2      1 yes
                  4      2 no

```

1791 .

m8a_q078 8 m8a_q07

type: numeric (byte)
label: m8a_q07

range: [1,3] units: 1
unique values: 2 missing .: 1787/1797

tabulation:	Freq.	Numeric	Label
	7	1	farmed by hh
	3	3	lent out
	1787	.	

m8a_q088 8 m8a_q08

type: numeric (byte)
label: m8a_q08

range: [1,2] units: 1
unique values: 2 missing .: 1787/1797

tabulation:	Freq.	Numeric	Label
	7	1	yes
	3	2	no
	1787	.	

m8a_q098 8 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [1,6] units: 1
unique values: 3 missing .: 1787/1797

tabulation:	Freq.	Numeric	Label
	1	1	purchased
	6	5	by law nr. 7501
	3	6	other
	1787	.	

m8a_q108 8 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,3] units: 1
unique values: 2 missing .: 1787/1797

tabulation:	Freq.	Numeric	Label
	7	1	deed
	3	3	usufruct

1787 .

m8a_q0399 m8a_q03

type: string (str13)
unique values: 8 missing "": 1789/1797

tabulation: Freq. Value
1789 ""
1 "64"
1 "BRESIGJE"
1 "FRASHER"
1 "JANA"
1 "KUSHTONJKE"
1 "KUSHUL"
1 "TE SIMONI."
1 "THANE LUSHNJE"

warning: variable has embedded blanks

m8a_q0499 m8a_q04

type: numeric (long)
range: [300,40000] units: 100
unique values: 6 missing .: 1789/1797

tabulation: Freq. Value
3 300
1 700
1 3000
1 4000
1 20000
1 40000
1789 .

m8a_q0599 m8a_q05

type: numeric (byte)
label: m8a_q05
range: [1,7] units: 1
unique values: 3 missing .: 1789/1797

tabulation: Freq. Numeric Label
6 1 anual crop land
1 3 tree crop land
1 7 pasture
1789 .

m8a_q0699 m8a_q06

```

type: numeric (byte)
label: m8a_q06

range: [1,2]
unique values: 2

units: 1
missing .: 1790/1797

```

```

tabulation: Freq.   Numeric   Label
              4           1   yes
              3           2   no
            1790           .

```

```

m8a_q0799 m8a_q07

```

```

type: numeric (byte)
label: m8a_q07

range: [1,3]
unique values: 2

units: 1
missing .: 1789/1797

```

```

tabulation: Freq.   Numeric   Label
              4           1   farmed by hh
              4           3   lent out
            1789           .

```

```

m8a_q0899 m8a_q08

```

```

type: numeric (byte)
label: m8a_q08

range: [1,2]
unique values: 2

units: 1
missing .: 1789/1797

```

```

tabulation: Freq.   Numeric   Label
              4           1   yes
              4           2   no
            1789           .

```

```

m8a_q0999 m8a_q09

```

```

type: numeric (byte)
label: m8a_q09

range: [1,6]
unique values: 3

units: 1
missing .: 1789/1797

```

```

tabulation: Freq.   Numeric   Label
              2           1   purchased
              3           5   by law nr. 7501
              3           6   other
            1789           .

```

```

m8a_q1099 m8a_q10

```

```

type: numeric (byte)
label: m8a_q10

range: [1,4]
unique values: 3

units: 1
missing .: 1789/1797

```

```

tabulation: Freq.  Numeric  Label
              5          1  deed
              2          3  usufruct
              1          4  other
            1789          .

```

```
-----
m8a_q0310                                                    10 m8a_q03
-----
```

```

type: string (str6)

unique values: 2

missing "": 1795/1797

```

```

tabulation: Freq.  Value
              1795  ""
              1    "64"
              1  "KLLAPA"

```

```
-----
m8a_q0410                                                    10 m8a_q04
-----
```

```

type: numeric (int)

range: [840,4700]
unique values: 2

units: 10
missing .: 1795/1797

```

```

tabulation: Freq.  Value
              1    840
              1   4700
            1795  .

```

```
-----
m8a_q0510                                                    10 m8a_q05
-----
```

```

type: numeric (byte)
label: m8a_q05

range: [1,1]
unique values: 1

units: 1
missing .: 1795/1797

```

```

tabulation: Freq.  Numeric  Label
              2          1  anual crop land
            1795          .

```

```
-----
m8a_q0610                                                    10 m8a_q06
-----
```

```

type: numeric (byte)
label: m8a_q06

range: [1,2]

units: 1

```

unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	1	yes
	1	2	no
	1795	.	

 m8a_q0710 10 m8a_q07

type: numeric (byte)
 label: m8a_q07

range: [1,3] units: 1
 unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	1	farmed by hh
	1	3	lent out
	1795	.	

 m8a_q0810 10 m8a_q08

type: numeric (byte)
 label: m8a_q08

range: [1,2] units: 1
 unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	1	yes
	1	2	no
	1795	.	

 m8a_q0910 10 m8a_q09

type: numeric (byte)
 label: m8a_q09

range: [5,6] units: 1
 unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	5	by law nr. 7501
	1	6	other
	1795	.	

 m8a_q1010 10 m8a_q10

type: numeric (byte)
 label: m8a_q10

range: [1,3] units: 1
 unique values: 2 missing .: 1795/1797

```

tabulation: Freq.  Numeric  Label
              1          1  deed
              1          3  usufruct
            1795          .

```

```

m8a_q031111 m8a_q03

```

```

type: string (str5)
unique values: 2missing "": 1795/1797

```

```

tabulation: Freq.  Value
              1795  ""
              1     "60"
              1    "TJERA"

```

```

m8a_q041111 m8a_q04

```

```

type: numeric (int)
range: [680,31200]units: 10
unique values: 2missing .: 1795/1797

```

```

tabulation: Freq.  Value
              1     680
              1    31200
            1795  .

```

```

m8a_q051111 m8a_q05

```

```

type: numeric (byte)
label: m8a_q05
range: [1,1]units: 1
unique values: 1missing .: 1795/1797

```

```

tabulation: Freq.  Numeric  Label
              2          1  anual crop land
            1795          .

```

```

m8a_q061111 m8a_q06

```

```

type: numeric (byte)
label: m8a_q06
range: [1,1]units: 1
unique values: 1missing .: 1795/1797

```

```

tabulation: Freq.  Numeric  Label
              2          1  yes
            1795          .

```

m8a_q0711 11 m8a_q07

type: numeric (byte)
label: m8a_q07

range: [1,3] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Numeric Label
 1 1 farmed by hh
 1 3 lent out
 1795 .

m8a_q0811 11 m8a_q08

type: numeric (byte)
label: m8a_q08

range: [1,2] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Numeric Label
 1 1 yes
 1 2 no
 1795 .

m8a_q0911 11 m8a_q09

type: numeric (byte)
label: m8a_q09

range: [5,6] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Numeric Label
 1 5 by law nr. 7501
 1 6 other
 1795 .

m8a_q1011 11 m8a_q10

type: numeric (byte)
label: m8a_q10

range: [1,3] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Numeric Label
 1 1 deed
 1 3 usufruct
 1795 .

m8a_q11 number of plots

type: numeric (byte)
range: [0,11] units: 1
unique values: 6 missing .: 920/1797

tabulation: Freq. Value
789 0
66 1
14 2
6 3
1 6
1 11
920 .

m8a_q12 area of plots

type: numeric (long)
range: [500,200000] units: 100
unique values: 36 missing .: 1709/1797

tabulation: Freq. Value
2 500
3 1000
2 1200
1 1400
2 1500
10 2000
2 2500
1 2600
1 2800
13 3000
1 3500
1 3900
8 4000
3 5000
1 5300
1 5400
1 5500
6 6000
1 6500
1 7000
4 8000
1 8800
1 9500
6 10000
2 12000
1 14500
2 20000
1 21000
2 24000
1 25800
1 27400
1 45000
1 70000

```

      1 70100
      1 120000
      1 200000
1709 .

```

```
-----
m8a_q13                                     difficulty for buying land
-----
```

```

      type: numeric (byte)
      label: m8a_q13

      range: [1,7]                               units: 1

unique values: 7                               missing .: 920/1797

```

```

tabulation: Freq.  Numeric  Label
             282      1  don't know
             120      2  very easy
              72      3  relatively easy
             114      4  easy
             132      5  rather difficult
             143      6  very difficult
              14      7  impossible
             920      .

```

```
-----
m8a_q14                                     plot number
-----
```

```

      type: numeric (byte)

      range: [1,1]                               units: 1

unique values: 1                               missing .: 920/1797

```

```

tabulation: Freq.  Value
             877  1
             920  .

```

```
-----
m8a_q14a                                    first most serious problem for buying land
-----
```

```

      type: numeric (byte)
      label: m8a_q14a

      range: [1,7]                               units: 1

unique values: 7                               missing .: 1508/1797

```

```

tabulation: Freq.  Numeric  Label
             70      1  people unwilling to sell
             47      2  legal procedures complicated
              7      3  no land with clear titles
              7      4  determinig if conflicts over
                    ownership
             22      5  difficult to find land free of
                    disputes
             115     6  land too expensive
              21      7  other
            1508     .

```

m8a_q14b second most serious problem for buying land

type: numeric (byte)
label: m8a_q14b
range: [1,7] units: 1
unique values: 7 missing .: 1615/1797

tabulation:	Freq.	Numeric	Label
	29	1	people unwilling to sell
	27	2	legal procedures complicated
	13	3	no land with clear titles
	18	4	determining if conflicts over ownership
	40	5	difficult to find land free of disputes
	45	6	land too expensive
	10	7	other
	1615	.	

m8a_q15 difficulty for selling land

type: numeric (byte)
label: m8a_q15
range: [1,7] units: 1
unique values: 7 missing .: 920/1797

tabulation:	Freq.	Numeric	Label
	321	1	don't know
	106	2	very easy
	86	3	relatively easy
	126	4	easy
	88	5	rather difficult
	136	6	very difficult
	14	7	impossible
	920	.	

m8a_q16a first most serious problem for selling

type: numeric (byte)
label: m8a_q16a
range: [1,7] units: 1
unique values: 7 missing .: 1559/1797

tabulation:	Freq.	Numeric	Label
	29	1	people unwilling to buy
	42	2	legal procedures
	9	3	owner does not have clear title
	10	4	conflicts over land ownership
	24	5	people afraid there will be disputes
	59	6	buyer does not want to pay

```

        65      7  enough
    1559      .  other

```

```

-----
m8a_q16b                                second most serious problem for selling
-----

```

```

    type: numeric (byte)
    label: m8a_q16b

```

```

    range: [1,7]                units: 1
unique values: 7                missing .: 1669/1797

```

```

tabulation:  Freq.  Numeric  Label
              23      1  people unwilling to buy
              29      2  legal procedures
              13      3  owner does not have clear title
              15      4  conflicts over land ownership
              24      5  people afraid there will be
                   disputes
              19      6  buyer does not want to pay
                   enough
              5       7  other
    1669      .

```

 * **7 LIVESTOCK** *

 m8b_q01 any hhm raised livestock or poultry

type: numeric (byte)
 label: m8b_q01

range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	754	1	yes
	1043	2	no

 m8b_q09 accesed land not owned by a hhm to collect fuel wood pasture

type: numeric (byte)
 label: m8b_q09

range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	156	1	yes
	1641	2	no

 m8b_q021 1 m8b_q02

type: numeric (byte)
 label: m8b_q02

range: [1,2] units: 1
 unique values: 2 missing .: 1043/1797

tabulation:	Freq.	Numeric	Label
	336	1	yes
	418	2	no
	1043	.	

 m8b_q031 1 m8b_q03

type: numeric (byte)

range: [0,4] units: 1
 unique values: 5 missing .: 1461/1797

tabulation:	Freq.	Value
	83	0
	224	1

23 2
4 3
2 4
1461 .

m8b_q041 1 m8b_q04

type: numeric (byte)
range: [0,10] units: 1
unique values: 6 missing .: 1461/1797

tabulation: Freq. Value
132 0
178 1
20 2
4 3
1 4
1 10
1461 .

m8b_q051 1 m8b_q05

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 1461/1797

tabulation: Freq. Value
331 0
3 1
2 2
1461 .

m8b_q061 1 m8b_q06

type: numeric (byte)
range: [0,2] units: 1
unique values: 3 missing .: 1461/1797

tabulation: Freq. Value
299 0
36 1
1 2
1461 .

m8b_q071 1 m8b_q07

type: numeric (byte)
range: [0,8] units: 1

m8b_q042 2 m8b_q04

type: numeric (byte)

range: [0,6] units: 1
unique values: 4 missing .: 1190/1797

tabulation: Freq. Value

518	0
80	1
8	2
1	6
1190	.

m8b_q052 2 m8b_q05

type: numeric (byte)

range: [0,3] units: 1
unique values: 4 missing .: 1190/1797

tabulation: Freq. Value

585	0
20	1
1	2
1	3
1190	.

m8b_q062 2 m8b_q06

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 1190/1797

tabulation: Freq. Value

588	0
19	1
1190	.

m8b_q072 2 m8b_q07

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 1190/1797

tabulation: Freq. Value

601	0
3	1
3	2
1190	.

m8b_q082 2 m8b_q08

type: numeric (byte)
range: [0,10] units: 1
unique values: 5 missing .: 1190/1797

tabulation: Freq. Value

434	0
152	1
18	2
2	3
1	10
1190	.

m8b_q023 3 m8b_q02

type: numeric (byte)
label: m8b_q02
range: [1,2] units: 1
unique values: 2 missing .: 1043/1797

tabulation: Freq. Numeric Label

162	1	yes
592	2	no
1043	.	

m8b_q033 3 m8b_q03

type: numeric (byte)
range: [0,80] units: 1
unique values: 25 missing .: 1635/1797

tabulation: Freq. Value

2	0
9	1
20	2
12	3
8	4
31	5
5	6
7	7
1	8
4	9
20	10
1	11
7	12
2	13
2	14
13	15
1	16
1	18
2	20

```
2 24
1 25
7 30
1 40
2 50
1 80
1635 .
```

m8b_q043

3 m8b_q04

```
type: numeric (byte)
range: [0,60]           units: 1
unique values: 15      missing .: 1635/1797
```

```
tabulation: Freq. Value
             65  0
             15  1
             19  2
             19  3
              5  4
              8  5
              9  6
              5  7
              3  8
              7 10
              2 12
              1 13
              2 20
              1 25
              1 60
            1635 .
```

m8b_q053

3 m8b_q05

```
type: numeric (byte)
range: [0,50]           units: 1
unique values: 6      missing .: 1635/1797
```

```
tabulation: Freq. Value
             154  0
              3  2
              2  3
              1  8
              1 20
              1 50
            1635 .
```

m8b_q063

3 m8b_q06

```
type: numeric (byte)
range: [0,8]           units: 1
```

unique values: 9

missing .: 1635/1797

```
tabulation: Freq. Value
             52  0
             28  1
             34  2
             31  3
              7  4
              7  5
              1  6
              1  7
              1  8
            1635 .
```

m8b_q073

3 m8b_q07

type: numeric (byte)

range: [0,5]
unique values: 6

units: 1
missing .: 1635/1797

```
tabulation: Freq. Value
             140  0
             13  1
              4  2
              2  3
              2  4
              1  5
            1635 .
```

m8b_q083

3 m8b_q08

type: numeric (int)

range: [0,102]
unique values: 25

units: 1
missing .: 1635/1797

```
tabulation: Freq. Value
             26  0
              7  1
             22  2
             16  3
              9  4
             17  5
             11  6
             11  7
              5  8
             13 10
              1 11
              1 12
              1 13
              1 14
              6 15
              3 16
              3 17
              1 20
              1 24
```

```

1 27
2 28
1 35
1 40
1 67
1 102
1635 .

```

```

m8b_q0244 m8b_q02

```

```

      type: numeric (byte)
      label: m8b_q02

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 1043/1797

      tabulation: Freq.  Numeric  Label
                   78      1  yes
                   676     2  no
                   1043     .

```

```

m8b_q0344 m8b_q03

```

```

      type: numeric (int)

      range: [0,200]
unique values: 21
                        units: 1
                        missing .: 1719/1797

      tabulation: Freq.  Value
                   1  0
                   5  1
                   8  2
                   9  3
                   1  4
                   8  5
                   4  6

                   2  7
                   3  8
                   7 10
                   1 14
                   3 15
                   11 20
                   6 30
                   2 35
                   2 40
                   1 50
                   1 80
                   1 100
                   1 120
                   1 200
                   1719 .

```

```

m8b_q0444 m8b_q04

```

```

type: numeric (int)
range: [0,350]
unique values: 17
units: 1
missing .: 1719/1797

```

```

tabulation: Freq. Value
             32  0
              7  1
             14  2
              2  3
              1  4
              3  5
              1  6
              2  7
              5 10
              3 15
              1 16
              1 20
              1 25
              2 30
              1 45
              1 65
              1 350
1719 .

```

```

m8b_q0544 m8b_q05

```

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 1719/1797

```

```

tabulation: Freq. Value
             77  0
              1  1
1719 .

```

```

m8b_q0644 m8b_q06

```

```

type: numeric (byte)
range: [0,15]
unique values: 11
units: 1
missing .: 1719/1797

```

```

tabulation: Freq. Value
             28  0
             13  1
             10  2
              8  3
              7  4
              5  5
              1  6
              1  8
              3 10
              1 12
              1 15
1719 .

```

m8b_q074

4 m8b_q07

```
type: numeric (byte)
range: [0,13]          units: 1
unique values: 6      missing .: 1719/1797

tabulation: Freq. Value
             65  0
             6  1
             4  2
             1  4
             1  5
             1 13
            1719 .
```

m8b_q084

4 m8b_q08

```
type: numeric (int)
range: [0,125]        units: 1
unique values: 26    missing .: 1719/1797

tabulation: Freq. Value
             12  0
             6  1
             9  2
             7  3
             4  4
             4  5
             1  6
             2  7
             2  8
             5 10
             3 12
             3 15
             2 16
             1 17
             5 20
             1 24
             1 27
             1 28
             2 30
             1 35
             1 40
             1 50
             1 65
             1 85
             1 120
             1 125
            1719 .
```

m8b_q025

5 m8b_q02

```

type: numeric (byte)
label: m8b_q02

range: [1,2]
unique values: 2

units: 1
missing .: 1043/1797

```

```

tabulation: Freq.  Numeric  Label
              65      1   yes
              689     2   no
              1043     .

```

```

m8b_q0355 m8b_q03

```

```

type: numeric (byte)

range: [0,9]
unique values: 8

units: 1
missing .: 1732/1797

```

```

tabulation: Freq.  Value
              3     0
             34     1
             11     2
             10     3
              4     4
              1     6
              1     7
              1     9
            1732     .

```

```

m8b_q0455 m8b_q04

```

```

type: numeric (byte)

range: [0,20]
unique values: 6

units: 1
missing .: 1732/1797

```

```

tabulation: Freq.  Value
              56     0
               4     1
               2     2
               1     3
               1    10
               1    20
            1732     .

```

```

m8b_q0555 m8b_q05

```

```

type: numeric (byte)

range: [0,6]
unique values: 6

units: 1
missing .: 1732/1797

```

```

tabulation: Freq.  Value
              51     0
               8     1

```

```

      3  2
      1  3
      1  4
      1  6
1732  .

```

```

m8b_q0655 m8b_q06

```

```

      type: numeric (byte)
      range: [0,6]           units: 1
unique values: 6           missing .: 1732/1797

```

```

tabulation: Freq. Value
            27  0
            32  1
             3  2
             1  4
             1  5
             1  6
            1732 .

```

```

m8b_q0755 m8b_q07

```

```

      type: numeric (byte)
      range: [0,6]           units: 1
unique values: 3           missing .: 1732/1797

```

```

tabulation: Freq. Value
            63  0
             1  1
             1  6
            1732 .

```

```

m8b_q0855 m8b_q08

```

```

      type: numeric (byte)
      range: [0,27]          units: 1
unique values: 10          missing .: 1732/1797

```

```

tabulation: Freq. Value
            42  0
             7  1
             4  2
             5  3
             1  4
             2  5
             1  6
             1 10
             1 16
             1 27
            1732 .

```

m8b_q026

6 m8b_q02

```
-----  
type: numeric (byte)  
label: m8b_q02  
  
range: [1,2] units: 1  
unique values: 2 missing .: 1043/1797  
  
tabulation: Freq. Numeric Label  
             646      1 yes  
             108      2 no  
             1043      .
```

m8b_q036

6 m8b_q03

```
-----  
type: numeric (byte)  
  
range: [0,58] units: 1  
unique values: 31 missing .: 1151/1797  
  
tabulation: Freq. Value  
            5 0  
            3 2  
            8 3  
           12 4  
           82 5  
           23 6  
           33 7  
           26 8  
            4 9  
          198 10  
            4 11  
           25 12  
           13 13  
            7 14  
           77 15  
            8 16  
            2 18  
           61 20  
            1 22  
            8 25  
            1 26  
            1 27  
            1 28  
           23 30  
            3 35  
            1 36  
            1 37  
            8 40  
            1 48  
            5 50  
            1 58  
          1151 .
```

m8b_q046

6 m8b_q04

```

type: numeric (byte)
range: [0,60] units: 1
unique values: 15 missing .: 1151/1797

```

```

tabulation: Freq. Value
             561  0
              19  2
              11  3
               7  4
              14  5
               2  6
               3  7
               2  8
              11 10
               4 15
               5 20
               2 25
               3 30
               1 35
               1 60
            1151 .

```

m8b_q056

6 m8b_q05

```

type: numeric (int)
range: [0,110] units: 1
unique values: 13 missing .: 1151/1797

```

```

tabulation: Freq. Value
             615  0
               4  2
               2  3
               5  4
               6  5
               1  6
               2  8
               4 10
               1 15
               3 20
               1 30
               1 50
               1 110
            1151 .

```

m8b_q066

6 m8b_q06

```

type: numeric (byte)
range: [0,90] units: 1
unique values: 22 missing .: 1151/1797

```

```

tabulation: Freq. Value
             96  0
             19  1

```

```

56 2
54 3
52 4
99 5
33 6
26 7
11 8
88 10
3 11
12 12
2 13
1 14
34 15
1 19
43 20
3 25
7 30
1 40
4 50
1 90
1151 .

```

m8b_q076

6 m8b_q07

```

type: numeric (byte)
range: [0,100]
unique values: 31
units: 1
missing .: 1151/1797

```

```

tabulation: Freq. Value
287 0
53 1
66 2
27 3
17 4
44 5
8 6
5 7
8 8
3 9
36 10
1 11
7 12
2 13
2 14
13 15
2 17
1 18
1 19
13 20
1 21
1 22
2 24
4 25
29 30
1 34
1 35
1 36
8 40

```

```

      1  55
      1 100
1151  .

```

```

-----
m8b_q086                                     6 m8b_q08
-----

```

```

      type: numeric (int)
      range: [0,175]
unique values: 50
      units: 1
      missing .: 1151/1797

      mean: 15.6053
      std. dev: 17.2209

      percentiles:      10%      25%      50%      75%      90%
                       0         5         10         22         40

```

```

-----
m8b_q101                                     1 m8b_q10
-----

```

```

      type: numeric (byte)
      label: m8b_q10
      range: [1,2]
unique values: 2
      units: 1
      missing .: 1641/1797

      tabulation: Freq.   Numeric   Label
                  108       1     yes
                   48       2     no
                  1641       .

```

```

-----
m8b_q111                                     1 m8b_q11
-----

```

```

      type: numeric (int)
      range: [2,120]
unique values: 16
      units: 1
      missing .: 1689/1797

      tabulation: Freq.   Value
                  2       2
                  6       5
                  7      10
                   1      13
                   7      15
                  19      20
                   3      25
                  36      30
                   3      35
                   4      40
                   3      45
                   2      50
                  12      60
                   1      70
                   1      90
                   1     120
                  1689  .

```

m8b_q121 1 m8b_q12

type: numeric (byte)
label: m8b_q12
range: [1,5] units: 1
unique values: 5 missing .: 1689/1797

tabulation:	Freq.	Numeric	Label
	34	1	state
	55	2	local govt.
	4	3	family
	12	4	other private
	3	5	private
	1689	.	

m8b_q131 1 m8b_q13

type: numeric (byte)
range: [3,12] units: 1
unique values: 10 missing .: 1689/1797

tabulation:	Freq.	Value
	5	3
	4	4
	7	5
	31	6
	10	7
	25	8
	4	9
	1	10
	1	11
	20	12
	1689	.

m8b_q141 1 m8b_q14

type: numeric (byte)
label: m8b_q14
range: [1,2] units: 1
unique values: 2 missing .: 1689/1797

tabulation:	Freq.	Numeric	Label
	12	1	yes
	96	2	no
	1689	.	

m8b_q151 1 m8b_q15

type: numeric (int)

range: [1000,15000] units: 1000
unique values: 6 missing .: 1785/1797

tabulation: Freq. Value
1 1000
3 5000
1 7000
3 10000
2 12000
2 15000
1785 .

m8b_q102 2 m8b_q10

type: numeric (byte)
label: m8b_q10

range: [1,2] units: 1
unique values: 2 missing .: 1641/1797

tabulation: Freq. Numeric Label
60 1 yes
96 2 no
1641 .

m8b_q112 2 m8b_q11

type: numeric (int)

range: [2,120] units: 1
unique values: 15 missing .: 1737/1797

tabulation: Freq. Value
1 2
1 8
5 10
6 15
7 20
1 25
12 30
7 40
1 45
1 50
10 60
1 65
2 80
2 90
3 120
1737 .

m8b_q122 2 m8b_q12

type: numeric (byte)
label: m8b_q12

range: [1,5] units: 1
unique values: 5 missing .: 1737/1797

tabulation:	Freq.	Numeric	Label
	14	1	state
	27	2	local govt.
	5	3	family
	13	4	other private
	1	5	private
	1737	.	

m8b_q132 2 m8b_q13

type: numeric (byte)

range: [1,12] units: 1
unique values: 9 missing .: 1737/1797

tabulation:	Freq.	Value
	11	1
	12	2
	2	3
	4	4
	4	5
	7	6
	6	7
	3	8
	11	12
	1737	.

m8b_q142 2 m8b_q14

type: numeric (byte)
label: m8b_q14

range: [1,2] units: 1
unique values: 2 missing .: 1737/1797

tabulation:	Freq.	Numeric	Label
	11	1	yes
	49	2	no
	1737	.	

m8b_q152 2 m8b_q15

type: numeric (long)

range: [1500,50000] units: 100
unique values: 8 missing .: 1786/1797

tabulation:	Freq.	Value
	1	1500
	1	2000
	2	5000
	3	10000

```

1 12000
1 15000
1 20000
1 50000
1786 .

```

```
-----
m8b_q1033 m8b_q10
-----
```

```

      type: numeric (byte)
      label: m8b_q10

      range: [1,2]
unique values: 2
                        units: 1
                        missing .: 1641/1797

      tabulation: Freq.  Numeric  Label
                   110      1     yes
                   46      2     no
                   1641     .

```

```
-----
m8b_q1133 m8b_q11
-----
```

```

      type: numeric (int)

      range: [5,300]
unique values: 18
                        units: 1
                        missing .: 1687/1797

      tabulation: Freq.  Value
                   1     5
                   2    15
                   7    20
                   3    25
                   9    30
                   3    40
                   3    45
                   2    50
                  37    60
                   2    65
                   2    70
                   4    80
                  12    90
                  14   120
                   2   150
                   3   180
                   2   240
                   2   300
                  1687 .

```

```
-----
m8b_q1233 m8b_q12
-----
```

```

      type: numeric (byte)
      label: m8b_q12

      range: [1,5]
unique values: 5
                        units: 1
                        missing .: 1687/1797

      tabulation: Freq.  Numeric  Label

```

```

          56      1 state
          46      2 local govt.
           6      3 family
           1      4 other private
           1      5 private
        1687      .

```

m8b_q1333 m8b_q13

```

          type: numeric (byte)
          range: [1,12]                units: 1
unique values: 9                      missing .: 1687/1797

```

```

tabulation: Freq. Value
            14  1
            35  2
            21  3
            14  4
             3  5
            10  6
             1  7
             2  8
            10 12
        1687  .

```

m8b_q1433 m8b_q14

```

          type: numeric (byte)
          label: m8b_q14
          range: [1,2]                units: 1
unique values: 2                      missing .: 1687/1797

```

```

tabulation: Freq.  Numeric  Label
            30      1  yes
            80      2  no
        1687      .

```

m8b_q1533 m8b_q15

```

          type: numeric (int)
          range: [300,14000]          units: 10
unique values: 8                      missing .: 1767/1797

```

```

tabulation: Freq. Value
            6  300
            7  500
             1  560
             4  600
             7  800
             3 1000
             1 5000
             1 14000
        1767  .

```

 * **8 SUBJECTIVE** *

 m10a_q00 respondent's panel id

type: numeric (byte)
 range: [1,7] units: 1
 unique values: 7 missing .: 0/1797

tabulation: Freq. Value

	1102	1
	613	2
	58	3
	17	4
	5	5
	1	6
	1	7

 m10a_q01 satisfied with current financial situation

type: numeric (byte)
 label: m10a_q01
 range: [1,8] units: 1
 unique values: 6 missing .: 0/1797

tabulation: Freq. Numeric Label

	18	1	fully satisfied
	268	2	rather satisfied
	914	3	less than satisfied
	586	4	not at all satisfied
	10	7	don't know
	1	8	refuse to answer

 m10a_q02 perception of change

type: numeric (byte)
 label: m10a_q02
 range: [1,7] units: 1
 unique values: 6 missing .: 0/1797

tabulation: Freq. Numeric Label

	10	1	improved a lot
	338	2	somewhat improved
	1042	3	remained the same
	275	4	somewhat deteriorated
	128	5	deteriorated a lot
	4	7	don't know

 m10a_q03 perception of future situation

```

-----
                type: numeric (byte)
                label: m10a_q03

                range: [1,7]                                units: 1
unique values: 6                                           missing .: 0/1797

```

```

tabulation: Freq.  Numeric  Label
              4          1  improved a lot
              374        2  somewhat improved
              980        3  remained the same
              111        4  somewhat deteriorated
               69        5  deteriorated a lot
              259        7  don't know

```

```

-----
m10a_q04                                           family food consumption perception
-----

```

```

                type: numeric (byte)
                label: m10a_q04

                range: [1,7]                                units: 1
unique values: 6                                           missing .: 0/1797

```

```

tabulation: Freq.  Numeric  Label
              9          1  improved a lot
             327        2  somewhat improved
            1171        3  remained the same
             186        4  somewhat deteriorated
              81        5  deteriorated a lot
              23        7  don't know

```

```

-----
m10a_q05                                           perception of level of food
-----

```

```

                type: numeric (byte)
                label: m10a_q05

                range: [1,8]                                units: 1
unique values: 5                                           missing .: 0/1797

```

```

tabulation: Freq.  Numeric  Label
              70          1  more than adecquate
            1049        2  just adequate
             638        3  less than adequate
               39        7  don't know
                1        8  refuse to answer

```

```

-----
m10a_q06                                           step of poverty
-----

```

```

                type: numeric (byte)

                range: [1,10]                               units: 1
unique values: 10                                           missing .: 0/1797

```

```

tabulation: Freq.  Value

```

```

76 1
185 2
330 3
489 4
373 5
212 6
93 7
29 8
9 9
1 10

```

```

-----
m10a_q07a                                could your household afford to have friends around:
-----

```

```

      type: numeric (byte)
      label: m10a_q7a

      range: [1,2]                                units: 1
unique values: 2                                missing .: 0/1797

      tabulation: Freq.   Numeric   Label
                  1452         1   yes
                  345         2   no

```

```

-----
m10a_q07b                                household afford weeks holidays
-----

```

```

      type: numeric (byte)
      label: m10a_q7b

      range: [1,7]                                units: 1
unique values: 3                                missing .: 0/1797

      tabulation: Freq.   Numeric   Label
                  310         1   yes
                  1483        2   no
                   4          7   don't know

```

```

-----
m10a_q07c                                household afford replace furniture
-----

```

```

      type: numeric (byte)
      label: m10a_q7c

      range: [1,7]                                units: 1
unique values: 3                                missing .: 0/1797

      tabulation: Freq.   Numeric   Label
                  115         1   yes
                  1678        2   no
                   4          7   don't know

```

```

-----
m10a_q07d                                household afford new clothes
-----

```

```

      type: numeric (byte)
      label: m10a_q7d

```

range: [1,7] units: 1
unique values: 3 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	349	1	yes
	1444	2	no
	4	7	don't know

m10a_q07e household afford to eat meat

type: numeric (byte)
label: m10a_q7e

range: [1,7] units: 1
unique values: 3 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	446	1	yes
	1347	2	no
	4	7	don't know

m10a_q07f household afford to keep house warm

type: numeric (byte)
label: m10a_q7f

range: [1,7] units: 1
unique values: 3 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	909	1	yes
	886	2	no
	2	7	don't know

m10a_q08a problems paying for electricity

type: numeric (byte)
label: m10a_q8a

range: [1,9] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	393	1	yes
	1324	2	no
	25	7	don't know
	2	8	refuse to answer
	53	9	not applicable

m10a_q08b problems paying mortgage

type: numeric (byte)

label: m10a_q8b
 range: [1,9] units: 1
 unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	91	1	yes
	314	2	no
	819	7	don't know
	3	8	refuse to answer
	570	9	not applicable

 m10a_q08c problems paying rent

type: numeric (byte)
 label: m10a_q8c
 range: [1,9] units: 1
 unique values: 4 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	66	1	yes
	294	2	no
	842	7	don't know
	595	9	not applicable

 m10a_q08d problems paying loans

type: numeric (byte)
 label: m10a_q8d
 range: [1,9] units: 1
 unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	143	1	yes
	281	2	no
	800	7	don't know
	2	8	refuse to answer
	571	9	not applicable

 m10a_q09 faced any shocks in last 12 months

type: numeric (byte)
 label: m10a_q09
 range: [1,9] units: 1
 unique values: 7 missing .: 1/1797

tabulation:	Freq.	Numeric	Label
	38	1	loss of income - earning household member
	11	2	dwelling seriously damaged
	1	3	significant loss of money or property

```

18      4 loss of crops
245     7 dont know
4       8 refuse to answer
1479    9 not applicable
1       .

```

```

*****
*           9  SOCIAL CAPITAL           *
*****

```

```

-----
m10b_q01                                     number of groups belong
-----

```

```

type: numeric (byte)
range: [0,4]                                units: 1
unique values: 5                            missing .: 0/1797

```

```

tabulation: Freq. Value
             936  0
             602  1
             171  2
              85  3
               3  4

```

```

-----
m10b_q02a                                     most important group: most
-----

```

```

type: string (str1)
unique values: 24                            missing "": 936/1797

```

```

tabulation: Freq. Value
             936  ""
               5  "0"
               1  "2"
               1  "3"
               2  "5"
               1  "6"
              68  "A"
              26  "B"
              25  "C"
              51  "D"
              63  "E"
             104  "F"
              54  "G"
              65  "H"
              12  "I"
               6  "J"
               3  "K"
               7  "L"
               1  "M"
              12  "N"
              10  "O"
              14  "P"
              14  "Q"
              32  "R"

```

284 "S"

m10b_q02b most important group: second

type: string (str1)
unique values: 21 missing "": 1524/1797

tabulation:	Freq.	Value
	1524	" "
	7	". "
	4	"0"
	11	"A"
	44	"B"
	3	"C"
	2	"D"
	17	"E"
	22	"F"
	8	"G"
	36	"H"
	8	"I"
	1	"J"
	8	"K"
	6	"L"
	1	"M"
	12	"N"
	14	"O"
	4	"P"
	1	"Q"
	8	"R"
	56	"S"

m10b_q02c most important group: third

type: string (str1)
unique values: 20 missing "": 1705/1797

tabulation:	Freq.	Value
	1705	" "
	1	". "
	1	"0"
	5	"A"
	5	"B"
	2	"C"
	4	"D"
	3	"E"
	15	"F"
	4	"G"
	11	"H"
	2	"I"
	3	"J"
	6	"L"
	1	"M"
	1	"N"
	10	"O"
	3	"P"

1 "Q"
1 "R"
13 "S"

m10b_q03A members same religion

type: numeric (byte)
label: m10b_q03

range: [1,2] units: 1
unique values: 2 missing .: 936/1797

tabulation:	Freq.	Numeric	Label
	252	1	yes
	609	2	no
	936	.	

m10b_q03B members same gender

type: numeric (byte)
label: m10b_q03

range: [1,2] units: 1
unique values: 2 missing .: 936/1797

tabulation:	Freq.	Numeric	Label
	259	1	yes
	602	2	no
	936	.	

m10b_q03C members same ethnic

type: numeric (byte)
label: m10b_q03

range: [1,2] units: 1
unique values: 2 missing .: 936/1797

tabulation:	Freq.	Numeric	Label
	437	1	yes
	424	2	no
	936	.	

m10b_q04A member same occupation

type: numeric (byte)
label: m10b_q04

range: [1,2] units: 1
unique values: 2 missing .: 936/1797

tabulation:	Freq.	Numeric	Label
	165	1	yes

696 2 no
936 .

m10b_q04B member same education

type: numeric (byte)
label: m10b_q04
range: [1,2] units: 1
unique values: 2 missing .: 936/1797

tabulation:	Freq.	Numeric	Label
	154	1	yes
	707	2	no
	936	.	

m10b_q05 group interact outside community

type: numeric (byte)
label: m10b_q05
range: [1,3] units: 1
unique values: 3 missing .: 936/1797

tabulation:	Freq.	Numeric	Label
	446	1	no,
	365	2	yes, occasionally
	50	3	yes, frequently
	936	.	

m10b_q06 how many close friends

type: numeric (byte)
range: [0,20] units: 1
unique values: 14 missing .: 1/1797

tabulation:	Freq.	Value
	233	0
	457	1
	597	2
	299	3
	110	4
	58	5
	18	6
	8	7
	2	8
	7	10
	2	12
	1	15
	1	17
	3	20
	1	.

m10b_q07

could you borrow money

type: numeric (byte)
label: m10b_q07
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	780	1	definitely
	504	2	probably
	304	3	unsure
	99	4	probably not
	110	5	definitely not

m10b_q08

people can be trusted

type: numeric (byte)
label: m10b_q08
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	347	1	people can be trusted
	1450	2	you can't be too careful

m10b_q09A

people willing to help

type: numeric (byte)
label: m10b_q09
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	224	1	agree strongly
	657	2	agree somewhat
	550	3	neither agree or disagree
	258	4	disagree somewhat
	108	5	disagree strongly

m10b_q09B

people take advantage of you

type: numeric (byte)
label: m10b_q09
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	82	1	agree strongly
	277	2	agree somewhat
	560	3	neither agree or disagree

468 4 disagree somewhat
410 5 disagree strongly

m10b_q10A trust local government

type: numeric (byte)
label: m10b_q10
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	19	1	to a very great extent
	130	2	to a great extent
	518	3	neither great nor small extent
	710	4	to a small extent
	420	5	to a very small extent

m10b_q10B trust central government

type: numeric (byte)
label: m10b_q10
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	31	1	to a very great extent
	110	2	to a great extent
	437	3	neither great nor small extent
	698	4	to a small extent
	521	5	to a very small extent

m10b_q11A contribute time

type: numeric (byte)
label: m10b_q11
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	1214	1	will not contribute time
	583	2	will contribute time

m10b_q11B contribute money

type: numeric (byte)
label: m10b_q_h
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

```

tabulation: Freq.   Numeric  Label
             370     1   will not contribute money
             1427    2   will contribute money

```

```

-----
m10b_q12                                     participate communal activity
-----

```

```

      type: numeric (byte)
      label: m10b_q12

      range: [1,2]                units: 1
unique values: 2                  missing .: 0/1797

```

```

tabulation: Freq.   Numeric  Label
             173     1   yes
             1624    2   no

```

```

-----
m10b_q13                                     how many times?
-----

```

```

      type: numeric (byte)

      range: [1,30]              units: 1
unique values: 10               missing .: 1624/1797

```

```

tabulation: Freq.  Value
             73    1
             69    2
             18    3
              1    4
              2    5
              2    6
              4   10
              1   12
              1   15
              2   30
            1624  .

```

```

-----
m10b_q14                                     cooperate to solve community problem
-----

```

```

      type: numeric (byte)
      label: m10b_q14

      range: [1,5]                units: 1
unique values: 5                  missing .: 0/1797

```

```

tabulation: Freq.   Numeric  Label
             337     1   very likely
             552     2   somewhat likely
             255     3   neither likely nor unlikely
             378     4   somewhat unlikely
             275     5   very unlikely

```

```

-----
m10b_q15                                     number phone calls last month
-----

```

```

type: numeric (int)
range: [0,400] units: 1
unique values: 61 missing .: 0/1797

mean: 17.059
std. dev: 35.6369

percentiles: 10% 25% 50% 75% 90%
              0 3 7 15 35

```

m10b_q16a source information first

```

type: numeric (byte)
label: m10b_q16

range: [1,12] units: 1
unique values: 11 missing .: 0/1797

tabulation: Freq. Numeric Label
            243      1 relatives, friends and neighbors
             3       2 community bulletin boards
            17       3 community or local newspapers
            80       4 national newspaper
            45       5 radio
           1396      6 television
             3       7 groups or associations
             2       8 business or work associates
             2       9 community leaders
             5      10 an agent of the government
             1      12 internet

```

m10b_q16b source information second

```

type: numeric (byte)
label: m10b_q16

range: [1,12] units: 1
unique values: 12 missing .: 239/1797

tabulation: Freq. Numeric Label
            453      1 relatives, friends and neighbors
            16       2 community bulletin boards
            32       3 community or local newspapers
           337      4 national newspaper
           431      5 radio
           248      6 television
            16       7 groups or associations
             6       8 business or work associates
             7       9 community leaders
             7      10 an agent of the government
             2      11 ngos
             3      12 internet
           239      .

```

m10b_q16c source information third

```

-----
      type: numeric (byte)
      label: m10b_q16

      range: [1,12]
      unique values: 12

      units: 1
      missing .: 583/1797

```

```

tabulation: Freq.   Numeric  Label
             359      1  relatives, friends and neighbors
             5        2  community bulletin boards
             41       3  community or local newspapers
            392       4  national newspaper
            227       5  radio
             80       6  television
             29       7  groups or associations
             23       8  business or work associates
             23       9  community leaders
             18      10  an agent of the government
              2      11  ngos
             15      12  internet
            583       .

```

```

-----
m10b_q17                                     differences divide your village
-----

```

```

      type: numeric (byte)
      label: m10b_q17

      range: [1,5]
      unique values: 5

      units: 1
      missing .: 0/1797

```

```

tabulation: Freq.   Numeric  Label
             70      1  to a very great extent
            195      2  to a great extent
            493      3  neither great nor small extent
            531      4  to a small extent
            508      5  to a very small extent

```

```

-----
m10b_q18                                     differences cause problems
-----

```

```

      type: numeric (byte)
      label: m10b_q18

      range: [1,2]
      unique values: 2

      units: 1
      missing .: 0/1797

```

```

tabulation: Freq.   Numeric  Label
             332      1  yes
            1465      2  no

```

```

-----
m10b_q19a                                     which difference cause problem first
-----

```

```

      type: numeric (byte)
      label: m10b_q19

```

```

range: [1,11] units: 1
unique values: 11 missing .: 1465/1797

```

tabulation:	Freq.	Numeric	Label
	64	1	differences in education
	31	2	differences in landholding
	118	3	differences in wealth/material possessions
	17	4	differences social status
	2	5	differences between men and women
	8	6	differences between younger and older generations
	13	7	differences between long term and recent residents
	75	8	differences in political party affiliations
	1	9	differences in religious beliefs
	2	10	differences in ethnic or linguistic background
	1	11	other
	1465	.	

m10b_q19b which difference cause problem second

```

type: numeric (byte)
label: m10b_q19

```

```

range: [1,10] units: 1
unique values: 10 missing .: 1476/1797

```

tabulation:	Freq.	Numeric	Label
	48	1	differences in education
	24	2	differences in landholding
	42	3	differences in wealth/material possessions
	45	4	differences social status
	3	5	differences between men and women
	32	6	differences between younger and older generations
	62	7	differences between long term and recent residents
	51	8	differences in political party affiliations
	12	9	differences in religious beliefs
	2	10	differences in ethnic or linguistic background
	1476	.	

m10b_q20 problems led to violence

```

type: numeric (byte)
label: m10b_q20

```

```

range: [1,2] units: 1
unique values: 2 missing .: 1465/1797

```


366 2 no
839 .

m10b_q22C these people were different social status

type: numeric (byte)
label: m10b_q22
range: [1,2] units: 1
unique values: 2 missing .: 839/1797

tabulation:	Freq.	Numeric	Label
	524	1	yes
	434	2	no
	839	.	

m10b_q22D different religious group

type: numeric (byte)
label: m10b_q22
range: [1,2] units: 1
unique values: 2 missing .: 839/1797

tabulation:	Freq.	Numeric	Label
	467	1	yes
	491	2	no
	839	.	

m10b_q23 how safe feel at home

type: numeric (byte)
label: m10b_q23
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	567	1	very safe
	763	2	somewhat safe
	268	3	neither safe nor unsafe
	169	4	somewhat unsafe
	30	5	very unsafe

m10b_q24 how happy

type: numeric (byte)
label: m10b_q24
range: [1,5] units: 1
unique values: 5 missing .: 0/1797

```

tabulation:  Freq.  Numeric  Label
              85      1  very happy
              587     2  somewhat happy
              564     3  neither happy nor unhappy
              294     4  somewhat unhappy
              267     5  very unhappy

```

m10b_q25 scale of rights

```

      type: numeric (byte)
      label: m10b_q25

      range: [1,5]                units: 1
unique values: 5                  missing .: 0/1797

```

```

tabulation:  Freq.  Numeric  Label
              319     1  no rights, totally powerless
              520     2  very few rights, almost
                    powerless
              764     3  some rights, somewhat powerless
              164     4  most rights, mostly powerful
              30      5  all rights, very powerfull

```

m10b_q26 how often got together to petition authorities

```

      type: numeric (byte)
      label: m10b_q26

      range: [1,4]                units: 1
unique values: 4                  missing .: 0/1797

```

```

tabulation:  Freq.  Numeric  Label
              1512     1  never
              192      2  once
              84       3  a few times (less or equal to 5)
              9        4  many times (more than 5)

```

m10b_q27 vote last election?

```

      type: numeric (byte)
      label: m10b_q27

      range: [1,2]                units: 1
unique values: 2                  missing .: 0/1797

```

```

tabulation:  Freq.  Numeric  Label
              1535     1  yes
              262      2  no

```

 * **10 SOCIAL ASSISTANCE** *

 m12_q011 1 m12_q01

type: numeric (byte)
 label: m12_q01

 range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	200	1	yes
	1597	2	no

 m12_q021 1 m12_q02

type: numeric (byte)

 range: [.,.] units: .
 unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Value
	1797	.

 m12_q031 1 m12_q03

type: numeric (byte)

 range: [.,.] units: .
 unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Value
	1797	.

 m12_q04a1 1 m12_q04a

type: numeric (byte)

 range: [1,12] units: 1
 unique values: 12 missing .: 1598/1797

tabulation:	Freq.	Value
	65	1
	9	2
	18	3
	11	4
	16	5
	12	6
	26	7

```

16 8
8 9
13 10
3 11
2 12
1598 .

```

```

-----
m12_q04b1                                     1 m12_q04b
-----

```

```

type: numeric (int)
range: [1989,2004]           units: 1
unique values: 15           missing .: 1597/1797

```

```

tabulation: Freq. Value
             1 1989
             5 1991
             6 1992
            19 1993
            15 1994
            14 1995
            20 1996
            18 1997
            16 1998
             8 1999
            24 2000
            15 2001
            12 2002
            16 2003
            11 2004
            1597 .

```

```

-----
m12_q051                                     1 m12_q05
-----

```

```

type: numeric (int)
label: m12_q05, but 45 nonmissing values are not labeled
range: [1,8500]           units: 1
unique values: 45           missing .: 1597/1797

```

```

examples: .
          .
          .
          .

```

```

-----
m12_q061                                     1 m12_q06
-----

```

```

type: numeric (byte)
range: [1,12]           units: 1
unique values: 3           missing .: 1597/1797

```

```

tabulation: Freq. Value
             197 1
              2 2

```

1 12
1597 .

m12_q071 1 m12_q07

type: numeric (byte)
label: m12_q07

range: [1,2] units: 1
unique values: 2 missing .: 1597/1797

tabulation:	Freq.	Numeric	Label
	6	1	yes
	194	2	no
	1597	.	

m12_q081 1 m12_q08

type: numeric (int)
label: m12_q08, but 3 nonmissing values are not labeled

range: [6600,12000] units: 100
unique values: 3 missing .: 1791/1797

tabulation:	Freq.	Numeric	Label
	4	6600	
	1	9600	
	1	12000	
	1791	.	

m12_q091 1 m12_q09

type: numeric (byte)
label: m12_q09

range: [1,2] units: 1
unique values: 2 missing .: 1791/1797

tabulation:	Freq.	Numeric	Label
	5	1	1-3 months
	1	2	4-6 months
	1791	.	

m12_q101 1 m12_q10

type: numeric (byte)
label: m12_q10

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q1111 m12_q11

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q12a11 m12_q12a

type: numeric (byte)
label: m12_q12a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q12b11 m12_q12b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q1311 m12_q13

type: numeric (byte)
label: m12_q13
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q1411 m12_q14

type: numeric (byte)
label: m12_q14
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

```

tabulation: Freq.  Numeric  Label
             1797      .

-----
m12_q151                                         1 m12_q15
-----

      type: numeric (byte)
      label: m12_q15

      range: [.,.]
unique values: 0                                units: .
missing      : 1797/1797

      tabulation: Freq.  Numeric  Label
                  1797      .

-----
m12_q161                                         1 m12_q16
-----

      type: numeric (byte)
      label: m12_q16

      range: [.,.]
unique values: 0                                units: .
missing      : 1797/1797

      tabulation: Freq.  Numeric  Label
                  1797      .

-----
m12_q171                                         1 m12_q17
-----

      type: numeric (byte)
      label: m12_q17

      range: [.,.]
unique values: 0                                units: .
missing      : 1797/1797

      tabulation: Freq.  Numeric  Label
                  1797      .

-----
m12_q181                                         1 m12_q18
-----

      type: numeric (byte)
      label: m12_q18

      range: [.,.]
unique values: 0                                units: .
missing      : 1797/1797

      tabulation: Freq.  Numeric  Label
                  1797      .

-----
m12_q191                                         1 m12_q19
-----

      type: numeric (byte)

```

range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q20a1 1 m12_q20a

type: numeric (byte)
label: m12_q20a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q20b1 1 m12_q20b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q211 1 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q221 1 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q012 2 m12_q01

type: numeric (byte)

label: m12_q01
 range: [1,2] units: 1
 unique values: 2 missing .: 0/1797

tabulation:	Freq.	Numeric	Label
	480	1	yes
	1317	2	no

 m12_q022 2 m12_q02

type: numeric (byte)
 range: [1,3] units: 1
 unique values: 3 missing .: 1317/1797

tabulation:	Freq.	Value
	310	1
	168	2
	2	3
	1317	.

 m12_q032 2 m12_q03

type: numeric (byte)
 range: [1,6] units: 1
 unique values: 6 missing .: 1317/1797

tabulation:	Freq.	Value
	370	1
	44	2
	35	3
	19	4
	9	5
	3	6
	1317	.

 m12_q04a2 2 m12_q04a

type: numeric (byte)
 range: [1,12] units: 1
 unique values: 12 missing .: 1320/1797

tabulation:	Freq.	Value
	51	1
	48	2
	47	3
	43	4
	47	5
	41	6
	44	7
	47	8
	35	9

39 10
14 11
21 12
1320 .

m12_q04b22 m12_q04b

type: numeric (int)
range: [1960,2004] units: 1
unique values: 37 missing .: 1317/1797
mean: 1992.26
std. dev: 7.45325
percentiles: 10% 25% 50% 75% 90%
1982 1988 1993 1998 2001

m12_q0522 m12_q05

type: numeric (long)
label: m12_q05, but 101 nonmissing values are not labeled
range: [1900,72000] units: 1
unique values: 101 missing .: 1317/1797
examples: 8300
. . .

m12_q0622 m12_q06

type: numeric (byte)
range: [1,12] units: 1
unique values: 3 missing .: 1317/1797
tabulation: Freq. Value
474 1
4 2
2 12
1317 .

m12_q0722 m12_q07

type: numeric (byte)
label: m12_q07
range: [2,2] units: 1
unique values: 1 missing .: 1317/1797
tabulation: Freq. Numeric Label

480 2 no
1317 .

m12_q082 2 m12_q08

type: numeric (byte)
label: m12_q08
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q092 2 m12_q09

type: numeric (byte)
label: m12_q09
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q102 2 m12_q10

type: numeric (byte)
label: m12_q10
range: [1,2] units: 1
unique values: 2 missing .: 1317/1797
tabulation: Freq. Numeric Label
168 1 yes
312 2 no
1317 .

m12_q112 2 m12_q11

type: numeric (byte)
range: [1,7] units: 1
unique values: 7 missing .: 1629/1797
tabulation: Freq. Value
2 1
149 2
5 3
7 4
3 5
1 6

1 7
1629 .

m12_q12a22 m12_q12a

type: numeric (byte)
label: m12_q12a, but 12 nonmissing values are not labeled
range: [1,12] units: 1
unique values: 12 missing .: 1630/1797

tabulation:	Freq.	Numeric	Label
	21	1	
	18	2	
	21	3	
	15	4	
	20	5	
	10	6	
	9	7	
	15	8	
	8	9	
	8	10	
	6	11	
	16	12	
	1630	.	

m12_q12b22 m12_q12b

type: numeric (int)
range: [1978,2004] units: 1
unique values: 24 missing .: 1629/1797

tabulation:	Freq.	Value
	1	1978
	1	1980
	3	1982
	1	1983
	8	1985
	2	1986
	3	1987
	6	1988
	5	1989
	9	1990
	15	1991
	12	1992
	18	1993
	7	1994
	7	1995
	10	1996
	12	1997
	7	1998
	9	1999
	6	2000
	14	2001
	3	2002

7 2003
2 2004
1629 .

m12_q1322 m12_q13

type: numeric (int)
label: m12_q13, but 48 nonmissing values are not labeled

range: [1,13000] units: 1
unique values: 48 missing .: 1629/1797

examples: .
. .
. .
. .

m12_q142.2 m12_q14

type: numeric (byte)
label: m12_q14, but 2 nonmissing values are not labeled

range: [1,2] units: 1
unique values: 2 missing .: 1629/1797

tabulation: Freq. Numeric Label
 166 1
 2 2
 1629 .

m12_q1522 m12_q15

type: numeric (byte)
label: m12_q15

range: [2,2] units: 1
unique values: 1 missing .: 1629/1797

tabulation: Freq. Numeric Label
 168 2 no
 1629 .

m12_q1622 m12_q16

type: numeric (byte)
label: m12_q16

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
 1797 .

range: [2000,2003] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Value
1 2000
1 2003
1795 .

m12_q212 2 m12_q21

type: numeric (int)
label: m12_q21, but 2 nonmissing values are not labeled

range: [5500,10000] units: 100
unique values: 2 missing .: 1795/1797

tabulation: Freq. Numeric Label
1 5500
1 10000
1795 .

m12_q222 2 m12_q22

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1795/1797

tabulation: Freq. Value
2 1
1795 .

m12_q013 3 m12_q01

type: numeric (byte)
label: m12_q01

range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
314 1 yes
1483 2 no

m12_q023 3 m12_q02

type: numeric (byte)

range: [1,2] units: 1
unique values: 2 missing .: 1483/1797

tabulation: Freq. Value

218 1
96 2
1483 .

m12_q033 3 m12_q03

type: numeric (byte)
range: [1,10] units: 1
unique values: 7 missing .: 1483/1797

tabulation: Freq. Value
161 1
76 2
34 3
25 4
10 5
7 6
1 10
1483 .

m12_q04a3 3 m12_q04a

type: numeric (byte)
range: [1,12] units: 1
unique values: 12 missing .: 1484/1797

tabulation: Freq. Value
45 1
33 2
32 3
26 4
35 5
33 6
22 7
20 8
19 9
25 10
8 11
15 12
1484 .

m12_q04b3 3 m12_q04b

type: numeric (int)
range: [1970,2004] units: 1
unique values: 31 missing .: 1483/1797

tabulation: Freq. Value
2 1970
1 1972
1 1973
1 1976

```

3 1977
1 1978
2 1979
10 1980
5 1981
4 1982
5 1983
11 1985
8 1986
8 1987
8 1988
15 1989
20 1990
20 1991
21 1992
12 1993
15 1994
16 1995
15 1996
15 1997
20 1998
20 1999
16 2000
15 2001
16 2002
6 2003
2 2004
1483 .

```

```
-----
m12_q0533 m12_q05
-----
```

```

      type: numeric (long)
      label: m12_q05, but 61 nonmissing values are not labeled

      range: [1000,76000]           units: 1
unique values: 61                   missing .: 1483/1797

      examples: .
                .
                .
                .

```

```
-----
m12_q0633 m12_q06
-----
```

```

      type: numeric (byte)

      range: [1,2]                   units: 1
unique values: 2                     missing .: 1483/1797

      tabulation: Freq. Value
                  310 1
                   4 2
                  1483 .

```

```
-----
m12_q0733 m12_q07
-----
```

type: numeric (byte)
label: m12_q07

range: [2,2] units: 1
unique values: 1 missing .: 1483/1797

tabulation:	Freq.	Numeric	Label
	314	2	no
	1483	.	

m12_q083 3 m12_q08

type: numeric (byte)
label: m12_q08

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q093 3 m12_q09

type: numeric (byte)
label: m12_q09

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q103 3 m12_q10

type: numeric (byte)
label: m12_q10

range: [1,2] units: 1
unique values: 2 missing .: 1483/1797

tabulation:	Freq.	Numeric	Label
	94	1	yes
	220	2	no
	1483	.	

m12_q113 3 m12_q11

type: numeric (byte)

range: [1,5] units: 1
unique values: 5 missing .: 1703/1797

```

tabulation:  Freq.  Value
              3      1
              83     2
              2      3
              3      4
              3      5
            1703     .

```

```

-----
m12_q12a3                                     3 m12_q12a
-----

```

```

      type:  numeric (byte)
      label:  m12_q12a, but 12 nonmissing values are not labeled

      range:  [1,12]                                units:  1
unique values: 12                                missing .: 1703/1797

```

```

tabulation:  Freq.  Numeric  Label
              10      1
              7       2
              13      3
              12      4
              9       5
              11      6
              7       7
              3       8
              5       9
              9      10
              3      11
              5      12
            1703     .

```

```

-----
m12_q12b3                                     3 m12_q12b
-----

```

```

      type:  numeric (int)

      range:  [1975,2003]                            units:  1
unique values: 23                                missing .: 1703/1797

```

```

tabulation:  Freq.  Value
              1     1975
              1     1981
              2     1983
              2     1984
              4     1985
              2     1986
              3     1987
              1     1988
              7     1989
              3     1990
              6     1991
              4     1992
              4     1993
              5     1994
              4     1995
              6     1996
              9     1997

```

```

3 1998
4 1999
11 2000
5 2001
3 2002
4 2003
1703 .

```

```
-----
m12_q1333 m12_q13
-----
```

```

type: numeric (int)
label: m12_q13, but 30 nonmissing values are not labeled

range: [1,7200]           units: 1
unique values: 30         missing .: 1703/1797

```

```

tabulation: Freq.   Numeric   Label
            2         1
            1        1400
            2        1500
            1        1600
            1        1700
            1        1730
            2        1800
            1        1950
            1        1970
           11        2000
            1        2150
            5        2200
            6        2300
            2        2400
            1        2410
            6        2500
            2        2600
           22        2700
            5        2800
            7        3000
            1        3200
            2        3300
            4        3500
            1        4000
            1        5800
            1        6000
            1        6050
            1        6200
            1        7000
            1        7200
1703          .

```

```
-----
m12_q1433 m12_q14
-----
```

```

type: numeric (byte)
label: m12_q14, but 2 nonmissing values are not labeled

range: [1,2]           units: 1
unique values: 2       missing .: 1703/1797

```

```

tabulation: Freq.  Numeric  Label
             92      1
             2       2
            1703     .

```

```

m12_q1533 m12_q15

```

```

      type: numeric (byte)
      label: m12_q15

      range: [2,2]                units: 1
unique values: 1                  missing .: 1703/1797

```

```

tabulation: Freq.  Numeric  Label
             94      2      no
            1703     .

```

```

m12_q1633 m12_q16

```

```

      type: numeric (byte)
      label: m12_q16

      range: [.,.]                units: .
unique values: 0                  missing .: 1797/1797

```

```

tabulation: Freq.  Numeric  Label
            1797     .

```

```

m12_q1733 m12_q17

```

```

      type: numeric (byte)
      label: m12_q17

      range: [.,.]                units: .
unique values: 0                  missing .: 1797/1797

```

```

tabulation: Freq.  Numeric  Label
            1797     .

```

```

m12_q1833 m12_q18

```

```

      type: numeric (byte)
      label: m12_q18

      range: [2,2]                units: 1
unique values: 1                  missing .: 1703/1797

```

```

tabulation: Freq.  Numeric  Label
             94      2      no
            1703     .

```

m12_q193 3 m12_q19

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q20a3 3 m12_q20a

type: numeric (byte)
label: m12_q20a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q20b3 3 m12_q20b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q213 3 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q223 3 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q0144 m12_q01

type: numeric (byte)
label: m12_q01

range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
6 1 yes
1791 2 no

m12_q0244 m12_q02

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1791/1797

tabulation: Freq. Value
6 1
1791 .

m12_q0344 m12_q03

type: numeric (byte)

range: [1,2] units: 1
unique values: 2 missing .: 1791/1797

tabulation: Freq. Value
5 1
1 2
1791 .

m12_q04a44 m12_q04a

type: numeric (byte)

range: [2,11] units: 1
unique values: 6 missing .: 1791/1797

tabulation: Freq. Value
1 2
1 7
1 8
1 9
1 10
1 11
1791 .

m12_q04b44 m12_q04b

```

-----
                type: numeric (int)
                range: [1986,2004]                units: 1
unique values: 5                                missing .: 1791/1797

    tabulation: Freq.  Value
                  1  1986
                  1  1996
                  1  2002
                  2  2003
                  1  2004
                1791  .
-----

```

```

-----
m12_q054                                             4 m12_q05
-----

```

```

                type: numeric (int)
                label: m12_q05, but 6 nonmissing values are not labeled
                range: [2400,13000]                units: 100
unique values: 6                                missing .: 1791/1797

    tabulation: Freq.  Numeric  Label
                  1     2400
                  1     3300
                  1     4400
                  1     4700
                  1     6400
                  1    13000
                1791  .
-----

```

```

-----
m12_q064                                             4 m12_q06
-----

```

```

                type: numeric (byte)
                range: [1,1]                        units: 1
unique values: 1                                missing .: 1791/1797

    tabulation: Freq.  Value
                  6     1
                1791  .
-----

```

```

-----
m12_q074                                             4 m12_q07
-----

```

```

                type: numeric (byte)
                label: m12_q07
                range: [2,2]                        units: 1
unique values: 1                                missing .: 1791/1797

    tabulation: Freq.  Numeric  Label
                  6         2  no
                1791  .
-----

```

m12_q084 4 m12_q08

type: numeric (byte)
label: m12_q08
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q094 4 m12_q09

type: numeric (byte)
label: m12_q09
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q104 4 m12_q10

type: numeric (byte)
label: m12_q10
range: [2,2] units: 1
unique values: 1 missing .: 1791/1797
tabulation: Freq. Numeric Label
6 2 no
1791 .

m12_q114 4 m12_q11

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q12a4 4 m12_q12a

type: numeric (byte)
label: m12_q12a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q12b4 4 m12_q12b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q134 4 m12_q13

type: numeric (byte)
label: m12_q13
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q144 4 m12_q14

type: numeric (byte)
label: m12_q14
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q154 4 m12_q15

type: numeric (byte)
label: m12_q15
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q164 4 m12_q16

type: numeric (byte)
label: m12_q16

```

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

-----
m12_q174                                           4 m12_q17
-----

    type: numeric (byte)
    label: m12_q17

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

-----
m12_q184                                           4 m12_q18
-----

    type: numeric (byte)
    label: m12_q18

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

-----
m12_q194                                           4 m12_q19
-----

    type: numeric (byte)

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Value
                1797      .

-----
m12_q20a4                                           4 m12_q20a
-----

    type: numeric (byte)
    label: m12_q20a

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

-----
m12_q20b4                                           4 m12_q20b
-----

```

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1797/1797

tabulation: Freq. Value
             1797 .

```

m12_q214 4 m12_q21

```

type: numeric (byte)
label: m12_q21
range: [.,.]
unique values: 0
units: .
missing : 1797/1797

tabulation: Freq. Numeric Label
             1797 .

```

m12_q224 4 m12_q22

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing : 1797/1797

tabulation: Freq. Value
             1797 .

```

m12_q015 5 m12_q01

```

type: numeric (byte)
label: m12_q01
range: [1,2]
unique values: 2
units: 1
missing : 0/1797

tabulation: Freq. Numeric Label
             104      1 yes
             1693     2 no

```

m12_q025 5 m12_q02

```

type: numeric (byte)
range: [1,2]
unique values: 2
units: 1
missing : 1693/1797

tabulation: Freq. Value
             96  1
             8  2
            1693 .

```

m12_q0355 m12_q03

type: numeric (byte)

range: [1,7] units: 1
unique values: 7 missing .: 1693/1797

tabulation: Freq. Value

42	1
24	2
29	3
5	4
2	5
1	6
1	7
1693	.

m12_q04a55 m12_q04a

type: numeric (byte)

range: [1,12] units: 1
unique values: 12 missing .: 1693/1797

tabulation: Freq. Value

16	1
7	2
16	3
11	4
14	5
8	6
8	7
4	8
5	9
6	10
7	11
2	12
1693	.

m12_q04b55 m12_q04b

type: numeric (int)

range: [1958,2004] units: 1
unique values: 28 missing .: 1693/1797

tabulation: Freq. Value

1	1958
1	1970
1	1975
1	1976
2	1978
1	1979
1	1980

```

2 1981
1 1982
1 1984
3 1985
1 1988
4 1989
5 1990
5 1991
4 1992
3 1993
5 1994
7 1995
4 1996
6 1997
4 1998
8 1999
7 2000
7 2001
8 2002
9 2003
2 2004
1693 .

```

```
-----
m12_q0555 m12_q05
-----
```

```

      type: numeric (long)
      label: m12_q05, but 40 nonmissing values are not labeled

      range: [2000,45000]           units: 10
unique values: 40                   missing .: 1693/1797

      examples: .
               .
               .
               .

```

```
-----
m12_q0655 m12_q06
-----
```

```

      type: numeric (byte)

      range: [1,2]                   units: 1
unique values: 2                     missing .: 1693/1797

      tabulation: Freq. Value
                  103  1
                   1  2
                  1693 .

```

```
-----
m12_q0755 m12_q07
-----
```

```

      type: numeric (byte)
      label: m12_q07

```

range: [2,2] units: 1
unique values: 1 missing .: 1693/1797

tabulation:	Freq.	Numeric	Label
	104	2	no
	1693	.	

m12_q085 5 m12_q08

type: numeric (byte)
label: m12_q08

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q095 5 m12_q09

type: numeric (byte)
label: m12_q09

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q105 5 m12_q10

type: numeric (byte)
label: m12_q10

range: [1,2] units: 1
unique values: 2 missing .: 1693/1797

tabulation:	Freq.	Numeric	Label
	8	1	yes
	96	2	no
	1693	.	

m12_q115 5 m12_q11

type: numeric (byte)

range: [2,5] units: 1
unique values: 4 missing .: 1789/1797

tabulation:	Freq.	Value
	2	2
	1	3
	4	4

1 5
1789 .

m12_q12a55 m12_q12a

type: numeric (byte)
label: m12_q12a, but 5 nonmissing values are not labeled

range: [1,12] units: 1
unique values: 5 missing .: 1789/1797

tabulation:	Freq.	Numeric	Label
	2	1	
	2	3	
	2	5	
	1	10	
	1	12	
	1789	.	

m12_q12b55 m12_q12b

type: numeric (int)

range: [1977,2002] units: 1
unique values: 5 missing .: 1789/1797

tabulation:	Freq.	Value
	1	1977
	1	1990
	3	1995
	1	1998
	2	2002
	1789	.

m12_q1355 m12_q13

type: numeric (int)
label: m12_q13, but 7 nonmissing values are not labeled

range: [2000,9600] units: 10
unique values: 7 missing .: 1789/1797

tabulation:	Freq.	Numeric	Label
	1	2000	
	1	5000	
	2	6000	
	1	6200	
	1	6400	
	1	8160	
	1	9600	
	1789	.	

m12_q1455 m12_q14

```

type: numeric (byte)
label: m12_q14, but 1 nonmissing value is not labeled

range: [1,1] units: 1
unique values: 1 missing .: 1789/1797

```

```

tabulation: Freq. Numeric Label
             8         1
             1789      .

```

```

m12_q1555 m12_q15

```

```

type: numeric (byte)
label: m12_q15

range: [2,2] units: 1
unique values: 1 missing .: 1789/1797

```

```

tabulation: Freq. Numeric Label
             8         2 no
             1789      .

```

```

m12_q1655 m12_q16

```

```

type: numeric (byte)
label: m12_q16

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

```

```

tabulation: Freq. Numeric Label
             1797      .

```

```

m12_q1755 m12_q17

```

```

type: numeric (byte)
label: m12_q17

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

```

```

tabulation: Freq. Numeric Label
             1797      .

```

```

m12_q1855 m12_q18

```

```

type: numeric (byte)
label: m12_q18

range: [2,2] units: 1
unique values: 1 missing .: 1789/1797

```

```
tabulation: Freq. Numeric Label
             8       2 no
             1789      .
```

m12_q1955 m12_q19

```
type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .: 1797/1797

tabulation: Freq. Value
             1797 .
```

m12_q20a55 m12_q20a

```
type: numeric (byte)
label: m12_q20a
range: [.,.]          units: .
unique values: 0      missing .: 1797/1797

tabulation: Freq. Numeric Label
             1797      .
```

m12_q20b55 m12_q20b

```
type: numeric (byte)
range: [.,.]          units: .
unique values: 0      missing .: 1797/1797

tabulation: Freq. Value
             1797 .
```

m12_q2155 m12_q21

```
type: numeric (byte)
label: m12_q21
range: [.,.]          units: .
unique values: 0      missing .: 1797/1797

tabulation: Freq. Numeric Label
             1797      .
```

m12_q2255 m12_q22

```
type: numeric (byte)
range: [.,.]          units: .
```

unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q016 6 m12_q01

type: numeric (byte)
label: m12_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
3 1 yes
1794 2 no

m12_q026 6 m12_q02

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1794/1797

tabulation: Freq. Value
3 1
1794 .

m12_q036 6 m12_q03

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1794/1797

tabulation: Freq. Value
3 1
1794 .

m12_q04a6 6 m12_q04a

type: numeric (byte)
range: [6,10] units: 1
unique values: 2 missing .: 1794/1797

tabulation: Freq. Value
2 6
1 10
1794 .

m12_q04b6 6 m12_q04b

```

-----
                type: numeric (int)
                range: [1982,1998]                units: 1
unique values: 3                                missing .: 1794/1797

    tabulation: Freq. Value
                  1 1982
                  1 1983
                  1 1998
                1794 .

```

```

-----
m12_q056                                             6 m12_q05
-----

```

```

                type: numeric (int)
                label: m12_q05, but 2 nonmissing values are not labeled

                range: [2300,9000]                units: 100
unique values: 2                                missing .: 1794/1797

    tabulation: Freq.   Numeric Label
                  2     2300
                  1     9000
                1794     .

```

```

-----
m12_q066                                             6 m12_q06
-----

```

```

                type: numeric (byte)

                range: [1,1]                      units: 1
unique values: 1                                missing .: 1794/1797

    tabulation: Freq. Value
                  3 1
                1794 .

```

```

-----
m12_q076                                             6 m12_q07
-----

```

```

                type: numeric (byte)
                label: m12_q07

                range: [2,2]                      units: 1
unique values: 1                                missing .: 1794/1797

    tabulation: Freq.   Numeric Label
                  3         2 no
                1794     .

```

```

-----
m12_q086                                             6 m12_q08
-----

```

```

                type: numeric (byte)
                label: m12_q08

```

```

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

```

m12_q0966 m12_q09

```

        type: numeric (byte)
label: m12_q09

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

```

m12_q1066 m12_q10

```

        type: numeric (byte)
label: m12_q10

        range: [2,2]
unique values: 1
        units: 1
missing ..: 1794/1797

    tabulation: Freq.  Numeric  Label
                3      2  no
                1794      .

```

m12_q1166 m12_q11

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

    tabulation: Freq.  Value
                1797      .

```

m12_q12a66 m12_q12a

```

        type: numeric (byte)
label: m12_q12a

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

```

m12_q12b66 m12_q12b

```

-----
                type: numeric (byte)
                range: [.,.]
unique values: 0                                units: .
                                                missing .: 1797/1797

                tabulation: Freq. Value
                             1797 .
-----

m12_q136                                             6 m12_q13
-----

                type: numeric (byte)
                label: m12_q13

                range: [.,.]
unique values: 0                                units: .
                                                missing .: 1797/1797

                tabulation: Freq. Numeric Label
                             1797 .
-----

m12_q146                                             6 m12_q14
-----

                type: numeric (byte)
                label: m12_q14

                range: [.,.]
unique values: 0                                units: .
                                                missing .: 1797/1797

                tabulation: Freq. Numeric Label
                             1797 .
-----

m12_q156                                             6 m12_q15
-----

                type: numeric (byte)
                label: m12_q15

                range: [.,.]
unique values: 0                                units: .
                                                missing .: 1797/1797

                tabulation: Freq. Numeric Label
                             1797 .
-----

m12_q166                                             6 m12_q16
-----

                type: numeric (byte)
                label: m12_q16

                range: [.,.]
unique values: 0                                units: .
                                                missing .: 1797/1797

                tabulation: Freq. Numeric Label
                             1797 .
-----

```

m12_q1766 m12_q17

type: numeric (byte)
label: m12_q17

range: [..]
unique values: 0

units: .
missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1866 m12_q18

type: numeric (byte)
label: m12_q18

range: [..]
unique values: 0

units: .
missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1966 m12_q19

type: numeric (byte)

range: [..]
unique values: 0

units: .
missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q20a66 m12_q20a

type: numeric (byte)
label: m12_q20a

range: [..]
unique values: 0

units: .
missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q20b66 m12_q20b

type: numeric (byte)

range: [..]
unique values: 0

units: .
missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q2166 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q2266 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q0177 m12_q01

type: numeric (byte)
label: m12_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
53 1 yes
1744 2 no

m12_q0277 m12_q02

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1744/1797

tabulation: Freq. Value
53 1
1744 .

m12_q0377 m12_q03

type: numeric (byte)

range: [1,6] units: 1
unique values: 6 missing .: 1744/1797

tabulation: Freq. Value
21 1
9 2
15 3
4 4
3 5
1 6
1744 .

m12_q04a7

7 m12_q04a

type: numeric (byte)

range: [1,12] units: 1
unique values: 12 missing .: 1744/1797

tabulation: Freq. Value
7 1
3 2
4 3
5 4
7 5
4 6
4 7
7 8
2 9
7 10
1 11
2 12
1744 .

m12_q04b7

7 m12_q04b

type: numeric (int)

range: [1973,2004] units: 1
unique values: 22 missing .: 1744/1797

tabulation: Freq. Value
1 1973
1 1974
1 1977
1 1978
2 1979
2 1980
1 1987
2 1989
1 1990
1 1991
2 1992
1 1993
1 1994
2 1995

```

1 1996
5 1997
5 1999
5 2000
1 2001
6 2002
7 2003
4 2004
1744 .

```

m12_q057

7 m12_q05

```

type: numeric (int)
label: m12_q05, but 28 nonmissing values are not labeled

range: [1500,7500]           units: 10
unique values: 28           missing .: 1744/1797

```

```

tabulation: Freq.  Numeric  Label
1          1500
1          1700
1          1900
1          2000
1          2440
4          3000
1          3500
1          3600
1          3700
2          3800
1          3900
5          4000
3          4200
2          4400
2          4500
2          4700
1          4900
9          5000
1          5100
2          5200
1          5300
1          5400
2          5500
1          5600
1          5800
3          6000
1          6500
1          7500
1744      .

```

m12_q067

7 m12_q06

```

type: numeric (byte)

range: [1,2]           units: 1
unique values: 2       missing .: 1744/1797

```

```

tabulation: Freq.  Value

```

52 1
1 2
1744 .

m12_q077 7 m12_q07

type: numeric (byte)
label: m12_q07

range: [2,2] units: 1
unique values: 1 missing .: 1744/1797

tabulation:	Freq.	Numeric	Label
	53	2	no
	1744	.	

m12_q087 7 m12_q08

type: numeric (byte)
label: m12_q08

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q097 7 m12_q09

type: numeric (byte)
label: m12_q09

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q107 7 m12_q10

type: numeric (byte)
label: m12_q10

range: [2,2] units: 1
unique values: 1 missing .: 1744/1797

tabulation:	Freq.	Numeric	Label
	53	2	no
	1744	.	

m12_q117 7 m12_q11

```

        type: numeric (byte)
        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Value
                    1797 .

```

```
-----
m12_q12a7
-----
```

```

        type: numeric (byte)
        label: m12_q12a

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label
                    1797 .

```

```
-----
m12_q12b7
-----
```

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Value
                    1797 .

```

```
-----
m12_q137
-----
```

```

        type: numeric (byte)
        label: m12_q13

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label
                    1797 .

```

```
-----
m12_q147
-----
```

```

        type: numeric (byte)
        label: m12_q14

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label
                    1797 .

```

```

m12_q157                                                    7 m12_q15
-----
      type: numeric (byte)
      label: m12_q15

      range: [.,.]
unique values: 0                                           units: .
missing      :: 1797/1797

      tabulation: Freq.   Numeric   Label
                  1797           .

-----
m12_q167                                                    7 m12_q16
-----
      type: numeric (byte)
      label: m12_q16

      range: [.,.]
unique values: 0                                           units: .
missing      :: 1797/1797

      tabulation: Freq.   Numeric   Label
                  1797           .

-----
m12_q177                                                    7 m12_q17
-----
      type: numeric (byte)
      label: m12_q17

      range: [.,.]
unique values: 0                                           units: .
missing      :: 1797/1797

      tabulation: Freq.   Numeric   Label
                  1797           .

-----
m12_q187                                                    7 m12_q18
-----
      type: numeric (byte)
      label: m12_q18

      range: [.,.]
unique values: 0                                           units: .
missing      :: 1797/1797

      tabulation: Freq.   Numeric   Label
                  1797           .

-----
m12_q197                                                    7 m12_q19
-----
      type: numeric (byte)

      range: [.,.]
unique values: 0                                           units: .
missing      :: 1797/1797

      tabulation: Freq.   Value

```

1797 .

m12_q20a7 7 m12_q20a

type: numeric (byte)
label: m12_q20a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q20b7 7 m12_q20b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q217 7 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q227 7 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q018 8 m12_q01

type: numeric (byte)
label: m12_q01
range: [1,2] units: 1

range: [1992,2004] units: 1
unique values: 6 missing .: 1785/1797

tabulation: Freq. Value
1 1992
1 1999
1 2000
1 2002
2 2003
6 2004
1785 .

m12_q058 8 m12_q05

type: numeric (int)
label: m12_q05, but 11 nonmissing values are not labeled

range: [2750,9000] units: 10
unique values: 11 missing .: 1785/1797

tabulation: Freq. Numeric Label
1 2750
1 4000
1 4700
1 5100
1 5300
1 5400
1 5900
1 6200
1 7500
2 8000
1 9000
1785 .

m12_q068 8 m12_q06

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1785/1797

tabulation: Freq. Value
12 1
1785 .

m12_q078 8 m12_q07

type: numeric (byte)
label: m12_q07

range: [2,2] units: 1
unique values: 1 missing .: 1785/1797

tabulation: Freq. Numeric Label
12 2 no

```

1785 .
-----
m12_q088                                     8 m12_q08
-----
      type: numeric (byte)
      label: m12_q08

      range: [.,.]                          units: .
unique values: 0                            missing .: 1797/1797

      tabulation: Freq.  Numeric  Label
                   1797      .

-----
m12_q098                                     8 m12_q09
-----
      type: numeric (byte)
      label: m12_q09

      range: [.,.]                          units: .
unique values: 0                            missing .: 1797/1797

      tabulation: Freq.  Numeric  Label
                   1797      .

-----
m12_q108                                     8 m12_q10
-----
      type: numeric (byte)
      label: m12_q10

      range: [1,2]                          units: 1
unique values: 2                            missing .: 1785/1797

      tabulation: Freq.  Numeric  Label
                   1      1  yes
                   11     2  no
                   1785   .

-----
m12_q118                                     8 m12_q11
-----
      type: numeric (byte)

      range: [2,2]                          units: 1
unique values: 1                            missing .: 1796/1797

      tabulation: Freq.  Value
                   1      2
                   1796  .

-----
m12_q12a8                                    8 m12_q12a
-----
      type: numeric (byte)

```

```

label: m12_q12a, but 1 nonmissing value is not labeled
range: [5,5] units: 1
unique values: 1 missing .: 1796/1797

tabulation: Freq. Numeric Label
              1      5
              1796 .

```

m12_q12b8 8 m12_q12b

```

type: numeric (int)
range: [2003,2003] units: 1
unique values: 1 missing .: 1796/1797

tabulation: Freq. Value
              1 2003
              1796 .

```

m12_q138 8 m12_q13

```

type: numeric (int)
label: m12_q13, but 1 nonmissing value is not labeled
range: [5300,5300] units: 100
unique values: 1 missing .: 1796/1797

tabulation: Freq. Numeric Label
              1      5300
              1796 .

```

m12_q148 8 m12_q14

```

type: numeric (byte)
label: m12_q14, but 1 nonmissing value is not labeled
range: [1,1] units: 1
unique values: 1 missing .: 1796/1797

tabulation: Freq. Numeric Label
              1      1
              1796 .

```

m12_q158 8 m12_q15

```

type: numeric (byte)
label: m12_q15
range: [2,2] units: 1
unique values: 1 missing .: 1796/1797

tabulation: Freq. Numeric Label

```

1 2 no
1796 .

m12_q168 8 m12_q16

type: numeric (byte)
label: m12_q16
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q178 8 m12_q17

type: numeric (byte)
label: m12_q17
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q188 8 m12_q18

type: numeric (byte)
label: m12_q18
range: [2,2] units: 1
unique values: 1 missing .: 1796/1797
tabulation: Freq. Numeric Label
1 2 no
1796 .

m12_q198 8 m12_q19

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q20a8 8 m12_q20a

type: numeric (byte)
label: m12_q20a

```

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                    1797     .

```

```

m12_q20b8
-----
                                8 m12_q20b
-----

```

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Value
                    1797     .

```

```

m12_q218
-----
                                8 m12_q21
-----

```

```

        type: numeric (byte)
        label: m12_q21

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                    1797     .

```

```

m12_q228
-----
                                8 m12_q22
-----

```

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Value
                    1797     .

```

```

m12_q019
-----
                                9 m12_q01
-----

```

```

        type: numeric (byte)
        label: m12_q01

        range: [1,2]
unique values: 2
        units: 1
        missing .: 0/1797

        tabulation: Freq.   Numeric   Label
                    25       1         yes
                    1772    2         no

```

m12_q029 9 m12_q02

type: numeric (byte)

range: [1,2] units: 1
unique values: 2 missing .: 1772/1797

tabulation: Freq. Value

24	1
1	2
1772	.

m12_q039 9 m12_q03

type: numeric (byte)

range: [1,4] units: 1
unique values: 4 missing .: 1772/1797

tabulation: Freq. Value

17	1
2	2
1	3
5	4
1772	.

m12_q04a9 9 m12_q04a

type: numeric (byte)

range: [1,12] units: 1
unique values: 12 missing .: 1772/1797

tabulation: Freq. Value

3	1
1	2
4	3
2	4
3	5
1	6
4	7
2	8
1	9
1	10
2	11
1	12
1772	.

m12_q04b9 9 m12_q04b

type: numeric (int)

range: [1983,2003] units: 1
unique values: 16 missing .: 1772/1797

```

tabulation:  Freq.  Value
              1  1983
              1  1985
              2  1986
              1  1987
              1  1988
              2  1991
              1  1992
              2  1993
              4  1994
              1  1995
              2  1996
              1  1998
              1  1999
              2  2000
              1  2002
              2  2003
1772      .

```

```

m12_q0599 m12_q05

```

```

      type:  numeric (int)
      label:  m12_q05, but 13 nonmissing values are not labeled

      range:  [1000,7200]
unique values: 13
                        units:  1
                        missing .: 1772/1797

```

```

tabulation:  Freq.  Numeric  Label
              2     1000
              1     1800
              1     1900
              9     2000
              1     2061
              1     2400
              2     2500
              1     2600
              3     2700
              1     3100
              1     3400
              1     4800
              1     7200
1772      .

```

```

m12_q0699 m12_q06

```

```

      type:  numeric (byte)

      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 1772/1797

```

```

tabulation:  Freq.  Value
              25     1
1772      .

```

```

m12_q0799 m12_q07

```

```

-----
                type: numeric (byte)
                label: m12_q07

                range: [2,2]                                units: 1
unique values: 1                                           missing .: 1772/1797

                tabulation: Freq.   Numeric   Label
                             25         2   no
                             1772        .

```

```

-----
m12_q089                                               9 m12_q08
-----

```

```

                type: numeric (byte)
                label: m12_q08

                range: [.,.]                                units: .
unique values: 0                                           missing .: 1797/1797

                tabulation: Freq.   Numeric   Label
                             1797        .

```

```

-----
m12_q099                                               9 m12_q09
-----

```

```

                type: numeric (byte)
                label: m12_q09

                range: [.,.]                                units: .
unique values: 0                                           missing .: 1797/1797

                tabulation: Freq.   Numeric   Label
                             1797        .

```

```

-----
m12_q109                                               9 m12_q10
-----

```

```

                type: numeric (byte)
                label: m12_q10

                range: [2,2]                                units: 1
unique values: 1                                           missing .: 1772/1797

                tabulation: Freq.   Numeric   Label
                             25         2   no
                             1772        .

```

```

-----
m12_q119                                               9 m12_q11
-----

```

```

                type: numeric (byte)

                range: [.,.]                                units: .
unique values: 0                                           missing .: 1797/1797

```

tabulation: Freq. Value
1797 .

m12_q12a9 9 m12_q12a

type: numeric (byte)
label: m12_q12a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q12b9 9 m12_q12b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q139 9 m12_q13

type: numeric (byte)
label: m12_q13
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q149 9 m12_q14

type: numeric (byte)
label: m12_q14
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q159 9 m12_q15

type: numeric (byte)
label: m12_q15

range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q169 9 m12_q16

type: numeric (byte)
label: m12_q16
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q179 9 m12_q17

type: numeric (byte)
label: m12_q17
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q189 9 m12_q18

type: numeric (byte)
label: m12_q18
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q199 9 m12_q19

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q20a9 9 m12_q20a

```

        type: numeric (byte)
        label: m12_q20a

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797     .

-----
m12_q20b9                                             9 m12_q20b
-----

        type: numeric (byte)

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Value
                   1797     .

-----
m12_q219                                             9 m12_q21
-----

        type: numeric (byte)
        label: m12_q21

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797     .

-----
m12_q229                                             9 m12_q22
-----

        type: numeric (byte)

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Value
                   1797     .

-----
m12_q0110                                           10 m12_q01
-----

        type: numeric (byte)
        label: m12_q01

        range: [1,2]
        unique values: 2
        units: 1
        missing .: 0/1797

        tabulation: Freq.   Numeric   Label
                   12       1   yes
                   1785     2   no

```

m12_q0210 10 m12_q02

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1785/1797

tabulation: Freq. Value
 12 1
 1785 .

m12_q0310 10 m12_q03

type: numeric (byte)
range: [2,4] units: 1
unique values: 2 missing .: 1785/1797

tabulation: Freq. Value
 8 2
 4 4
 1785 .

m12_q04a10 10 m12_q04a

type: numeric (byte)
range: [1,12] units: 1
unique values: 6 missing .: 1785/1797

tabulation: Freq. Value
 2 1
 3 2
 1 3
 3 5
 1 9
 2 12
 1785 .

m12_q04b10 10 m12_q04b

type: numeric (int)
range: [2003,2004] units: 1
unique values: 2 missing .: 1785/1797

tabulation: Freq. Value
 7 2003
 5 2004
 1785 .

m12_q0510 10 m12_q05

```

type: numeric (int)
label: m12_q05, but 8 nonmissing values are not labeled

range: [1200,23800]          units: 100
unique values: 8             missing .: 1785/1797

```

```

tabulation: Freq.  Numeric  Label
             1      1200
             2      3000
             3      3500
             1      5000
             1      9800
             2     12000
             1     21000
             1     23800
1785          .

```

```
-----
m12_q0610                                     10 m12_q06
-----
```

```

type: numeric (byte)

range: [1,6]          units: 1
unique values: 4       missing .: 1785/1797

```

```

tabulation: Freq.  Value
             9      1
             1      2
             1      4
             1      6
1785          .

```

```
-----
m12_q0710                                     10 m12_q07
-----
```

```

type: numeric (byte)
label: m12_q07

range: [1,2]          units: 1
unique values: 2       missing .: 1785/1797

```

```

tabulation: Freq.  Numeric  Label
             3      1      yes
             9      2      no
1785          .

```

```
-----
m12_q0810                                     10 m12_q08
-----
```

```

type: numeric (int)
label: m12_q08, but 3 nonmissing values are not labeled

range: [7000,13400]    units: 100
unique values: 3       missing .: 1794/1797

```

```

tabulation: Freq.  Numeric  Label
             1      7000

```

1 10000
1 13400
1794 .

m12_q0910 10 m12_q09

type: numeric (byte)
label: m12_q09

range: [1,2] units: 1
unique values: 2 missing .: 1794/1797

tabulation:	Freq.	Numeric	Label
	2	1	1-3 months
	1	2	4-6 months
	1794	.	

m12_q1010 10 m12_q10

type: numeric (byte)
label: m12_q10

range: [2,2] units: 1
unique values: 1 missing .: 1785/1797

tabulation:	Freq.	Numeric	Label
	12	2	no
	1785	.	

m12_q1110 10 m12_q11

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Value
	1797	.

m12_q12a10 10 m12_q12a

type: numeric (byte)
label: m12_q12a

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q12b10 10 m12_q12b

```

        type: numeric (byte)
        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Value
                    1797 .

```

```
-----
m12_q1310
-----
```

```

        type: numeric (byte)
        label: m12_q13

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label
                    1797 .

```

```
-----
m12_q1410
-----
```

```

        type: numeric (byte)
        label: m12_q14

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label
                    1797 .

```

```
-----
m12_q1510
-----
```

```

        type: numeric (byte)
        label: m12_q15

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label
                    1797 .

```

```
-----
m12_q1610
-----
```

```

        type: numeric (byte)
        label: m12_q16

        range: [.,.]
unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq. Numeric Label

```

1797 .

m12_q1710 10 m12_q17

type: numeric (byte)
label: m12_q17
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q1810 10 m12_q18

type: numeric (byte)
label: m12_q18
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q1910 10 m12_q19

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q20a10 10 m12_q20a

type: numeric (byte)
label: m12_q20a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q20b10 10 m12_q20b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q2110 10 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q2210 10 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q0111 11 m12_q01

type: numeric (byte)
label: m12_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
6 1 yes
1791 2 no

m12_q0211 11 m12_q02

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1791/1797

tabulation: Freq. Value
6 1
1791 .

m12_q0311 11 m12_q03

type: numeric (byte)

range: [1,5] units: 1
unique values: 4 missing .: 1791/1797

tabulation: Freq. Value
1 1
2 2
1 4
2 5
1791 .

m12_q04a11 11 m12_q04a

type: numeric (byte)

range: [1,5] units: 1
unique values: 4 missing .: 1791/1797

tabulation: Freq. Value
1 1
1 2
1 4
3 5
1791 .

m12_q04b11 11 m12_q04b

type: numeric (int)

range: [1991,2002] units: 1
unique values: 6 missing .: 1791/1797

tabulation: Freq. Value
1 1991
1 1993
1 1994
1 1995
1 2000
1 2002
1791 .

m12_q0511 11 m12_q05

type: numeric (int)
label: m12_q05, but 5 nonmissing values are not labeled

range: [2800,10000] units: 100
unique values: 5 missing .: 1791/1797

tabulation: Freq. Numeric Label
1 2800
1 5000
2 6000
1 6500
1 10000

1791 .

m12_q0611 11 m12_q06

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1791/1797
tabulation: Freq. Value
 6 1
 1791 .

m12_q0711 11 m12_q07

type: numeric (byte)
label: m12_q07
range: [1,2] units: 1
unique values: 2 missing .: 1791/1797
tabulation: Freq. Numeric Label
 1 1 yes
 5 2 no
 1791 .

m12_q0811 11 m12_q08

type: numeric (int)
label: m12_q08, but 1 nonmissing value is not labeled
range: [10000,10000] units: 10000
unique values: 1 missing .: 1796/1797
tabulation: Freq. Numeric Label
 1 10000
 1796 .

m12_q0911 11 m12_q09

type: numeric (byte)
label: m12_q09
range: [1,1] units: 1
unique values: 1 missing .: 1796/1797
tabulation: Freq. Numeric Label
 1 1 1-3 months
 1796 .

m12_q1011 11 m12_q10

```

        type: numeric (byte)
        label: m12_q10

        range: [2,2]
        unique values: 1
        units: 1
        missing .: 1791/1797

        tabulation: Freq.   Numeric   Label
                    6         2   no
                    1791      .

-----
m12_q1111                                     11 m12_q11
-----

        type: numeric (byte)

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Value
                    1797   .

-----
m12_q12a11                                   11 m12_q12a
-----

        type: numeric (byte)
        label: m12_q12a

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                    1797      .

-----
m12_q12b11                                   11 m12_q12b
-----

        type: numeric (byte)

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Value
                    1797   .

-----
m12_q1311                                     11 m12_q13
-----

        type: numeric (byte)
        label: m12_q13

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                    1797      .

```

m12_q1411 11 m12_q14

type: numeric (byte)
label: m12_q14

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1511 11 m12_q15

type: numeric (byte)
label: m12_q15

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1611 11 m12_q16

type: numeric (byte)
label: m12_q16

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1711 11 m12_q17

type: numeric (byte)
label: m12_q17

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1811 11 m12_q18

type: numeric (byte)
label: m12_q18

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1911 11 m12_q19

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q20a11 11 m12_q20a

type: numeric (byte)
label: m12_q20a
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q20b11 11 m12_q20b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q2111 11 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q2211 11 m12_q22

type: numeric (byte)
range: [.,.] units: .

unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q0112 12 m12_q01

type: numeric (byte)
label: m12_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Numeric Label
2 1 yes
1795 2 no

m12_q0212 12 m12_q02

type: numeric (byte)
range: [2,2] units: 1
unique values: 1 missing .: 1795/1797

tabulation: Freq. Value
2 2
1795 .

m12_q0312 12 m12_q03

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Value
1 1
1 2
1795 .

m12_q04a12 12 m12_q04a

type: numeric (byte)
range: [1,12] units: 1
unique values: 2 missing .: 1795/1797

tabulation: Freq. Value
1 1
1 12
1795 .

m12_q04b12 12 m12_q04b

type: numeric (int)
range: [1987,2003] units: 1
unique values: 2 missing .: 1795/1797
tabulation: Freq. Value
 1 1987
 1 2003
 1795 .

m12_q0512 12 m12_q05

type: numeric (int)
label: m12_q05, but 2 nonmissing values are not labeled
range: [5200,6400] units: 100
unique values: 2 missing .: 1795/1797
tabulation: Freq. Numeric Label
 1 5200
 1 6400
 1795 .

m12_q0612 12 m12_q06

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1795/1797
tabulation: Freq. Value
 2 1
 1795 .

m12_q0712 12 m12_q07

type: numeric (byte)
label: m12_q07
range: [2,2] units: 1
unique values: 1 missing .: 1795/1797
tabulation: Freq. Numeric Label
 2 2 no
 1795 .

m12_q0812 12 m12_q08

type: numeric (byte)
label: m12_q08

```

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

-----
m12_q0912                                           12 m12_q09
-----

    type: numeric (byte)
    label: m12_q09

                range: [.,.]                units: .
unique values: 0                missing .: 1797/1797

    tabulation: Freq.  Numeric  Label
                1797      .

-----
m12_q1012                                           12 m12_q10
-----

    type: numeric (byte)
    label: m12_q10

                range: [1,2]                units: 1
unique values: 2                missing .: 1795/1797

    tabulation: Freq.  Numeric  Label
                1       1       yes
                1       2       no
                1795      .

-----
m12_q1112                                           12 m12_q11
-----

    type: numeric (byte)

                range: [2,2]                units: 1
unique values: 1                missing .: 1796/1797

    tabulation: Freq.  Value
                1       2
                1796  .

-----
m12_q12a12                                           12 m12_q12a
-----

    type: numeric (byte)
    label: m12_q12a, but 1 nonmissing value is not labeled

                range: [1,1]                units: 1
unique values: 1                missing .: 1796/1797

    tabulation: Freq.  Numeric  Label
                1       1
                1796  .

```

m12_q12b12 12 m12_q12b

type: numeric (int)
range: [2004,2004] units: 1
unique values: 1 missing .: 1796/1797
tabulation: Freq. Value
 1 2004
 1796 .

m12_q1312 12 m12_q13

type: numeric (int)
label: m12_q13, but 1 nonmissing value is not labeled
range: [5200,5200] units: 100
unique values: 1 missing .: 1796/1797
tabulation: Freq. Numeric Label
 1 5200
 1796 .

m12_q1412 12 m12_q14

type: numeric (byte)
label: m12_q14, but 1 nonmissing value is not labeled
range: [1,1] units: 1
unique values: 1 missing .: 1796/1797
tabulation: Freq. Numeric Label
 1 1
 1796 .

m12_q1512 12 m12_q15

type: numeric (byte)
label: m12_q15
range: [2,2] units: 1
unique values: 1 missing .: 1796/1797
tabulation: Freq. Numeric Label
 1 2 no
 1796 .

m12_q1612 12 m12_q16

type: numeric (byte)

```

        label: m12_q16
        range: [.,.]
unique values: 0
        units: .
        missing : 1797/1797

        tabulation: Freq.  Numeric  Label
                   1797      .

-----
m12_q1712
-----
        type: numeric (byte)
        label: m12_q17
        range: [.,.]
unique values: 0
        units: .
        missing : 1797/1797

        tabulation: Freq.  Numeric  Label
                   1797      .

-----
m12_q1812
-----
        type: numeric (byte)
        label: m12_q18
        range: [2,2]
unique values: 1
        units: 1
        missing : 1796/1797

        tabulation: Freq.  Numeric  Label
                   1       2       no
                   1796      .

-----
m12_q1912
-----
        type: numeric (byte)
        range: [.,.]
unique values: 0
        units: .
        missing : 1797/1797

        tabulation: Freq.  Value
                   1797  .

-----
m12_q20a12
-----
        type: numeric (byte)
        label: m12_q20a
        range: [.,.]
unique values: 0
        units: .
        missing : 1797/1797

        tabulation: Freq.  Numeric  Label
                   1797      .

```

m12_q20b1212 m12_q20b

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q211212 m12_q21

type: numeric (byte)
label: m12_q21
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Numeric Label
1797 .

m12_q221212 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

m12_q011313 m12_q01

type: numeric (byte)
label: m12_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Numeric Label
8 1 yes
1789 2 no

m12_q021313 m12_q02

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1789/1797
tabulation: Freq. Value

8 1
1789 .

m12_q0313 13 m12_q03

type: numeric (byte)
range: [1,3] units: 1
unique values: 3 missing .: 1789/1797
tabulation: Freq. Value
3 1
3 2
2 3
1789 .

m12_q04a13 13 m12_q04a

type: numeric (byte)
range: [5,12] units: 1
unique values: 5 missing .: 1789/1797
tabulation: Freq. Value
2 5
2 6
1 8
2 9
1 12
1789 .

m12_q04b13 13 m12_q04b

type: numeric (int)
range: [1990,2003] units: 1
unique values: 7 missing .: 1789/1797
tabulation: Freq. Value
1 1990
1 1994
1 1997
1 1998
2 2001
1 2002
1 2003
1789 .

m12_q0513 13 m12_q05

type: numeric (int)
label: m12_q05, but 8 nonmissing values are not labeled

range: [4000,26000] units: 100
unique values: 8 missing .: 1789/1797

tabulation:	Freq.	Numeric	Label
	1	4000	
	1	4500	
	1	7000	
	1	10000	
	1	11200	
	1	12700	
	1	13000	
	1	26000	
	1789	.	

m12_q0613 13 m12_q06

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1789/1797

tabulation:	Freq.	Value
	8	1
	1789	.

m12_q0713 13 m12_q07

type: numeric (byte)
label: m12_q07
range: [2,2] units: 1
unique values: 1 missing .: 1789/1797

tabulation:	Freq.	Numeric	Label
	8	2	no
	1789	.	

m12_q0813 13 m12_q08

type: numeric (byte)
label: m12_q08
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation:	Freq.	Numeric	Label
	1797	.	

m12_q0913 13 m12_q09

type: numeric (byte)
label: m12_q09

```

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

        tabulation: Freq.   Numeric   Label
                    1797       .

```

```

m12_q1013
-----

```

```

        type: numeric (byte)
        label: m12_q10

        range: [2,2]
unique values: 1
        units: 1
missing ..: 1789/1797

        tabulation: Freq.   Numeric   Label
                    8       2   no
                    1789       .

```

```

m12_q1113
-----

```

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

        tabulation: Freq.   Value
                    1797   .

```

```

m12_q12a13
-----

```

```

        type: numeric (byte)
        label: m12_q12a

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

        tabulation: Freq.   Numeric   Label
                    1797       .

```

```

m12_q12b13
-----

```

```

        type: numeric (byte)

        range: [.,.]
unique values: 0
        units: .
missing ..: 1797/1797

        tabulation: Freq.   Value
                    1797   .

```

```

m12_q1313
-----

```

```

        type: numeric (byte)
        label: m12_q13

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797       .

-----
m12_q1413                                           13 m12_q14
-----

        type: numeric (byte)
        label: m12_q14

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797       .

-----
m12_q1513                                           13 m12_q15
-----

        type: numeric (byte)
        label: m12_q15

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797       .

-----
m12_q1613                                           13 m12_q16
-----

        type: numeric (byte)
        label: m12_q16

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797       .

-----
m12_q1713                                           13 m12_q17
-----

        type: numeric (byte)
        label: m12_q17

        range: [.,.]
        unique values: 0
        units: .
        missing .: 1797/1797

        tabulation: Freq.   Numeric   Label
                   1797       .

```

m12_q1813 13 m12_q18

type: numeric (byte)
label: m12_q18

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q1913 13 m12_q19

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q20a13 13 m12_q20a

type: numeric (byte)
label: m12_q20a

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label
1797 .

m12_q20b13 13 m12_q20b

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Value
1797 .

m12_q2113 13 m12_q21

type: numeric (byte)
label: m12_q21

range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Numeric Label

1797 .

m12_q2213 13 m12_q22

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797
tabulation: Freq. Value
1797 .

* **11 REMITTANCES AND OTHER INCOME** *

m13_q01 received any remittance in last 12 months

type: numeric (byte)
label: m13_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Numeric Label
457 1 yes
1340 2 no

m13_q021 1 m13_q02

type: string (str11)
unique values: 329 missing "": 1340/1797
examples: ""
""
""
"BESNIK"
warning: variable has embedded blanks

m13_q031 1 m13_q03

type: numeric (byte)
label: m13_q03
range: [2,13] units: 1
unique values: 9 missing .: 1340/1797
tabulation: Freq. Numeric Label
45 2 spouse/partner

```

321      3 child/adopted child
5        4 grandchild
7        5 niece/nephew
2        6 father/mother
44       7 sister/brother
27       9 brother/sister-in-law
4        12 other relative
2        13 not related
1340     .

```

```
-----
m13_q04a1                                     1 m13_q04a
-----
```

```

type: string (str15)
unique values: 7                               missing "": 1340/1797

```

```

tabulation: Freq. Value
1340      ""
7         "GJERMANI"
182      "GREQI"
171      "ITALI"
3         "KANADA"
25       "SHBA"
14       "SHQIPERI"
55       "TE TJERA NE EUR"

```

```
warning: variable has embedded blanks
```

```
-----
m13_q04b1                                     1 m13_q04b
-----
```

```

type: numeric (byte)
label: m13_q04b
range: [80,86]                               units: 1
unique values: 7                             missing .: 1340/1797

```

```

tabulation: Freq. Numeric Label
14         80 albania
182        81 greece
171        82 italy
7          83 germany
55         84 other in europe
25         85 usa
3          86 canada
1340      .

```

```
-----
m13_q051                                     1 m13_q05
-----
```

```

type: numeric (long)
label: m13_q05, but 66 nonmissing values are not labeled

```

```

range: [0,900000]                             units: 10
unique values: 66                             missing .: 1340/1797

```

```
examples: 120000
```

.
.
.
.

m13_q022 2 m13_q02

type: string (str10)
unique values: 108 missing "": 1671/1797
examples: ""
""
""
""
warning: variable has embedded blanks

m13_q032 2 m13_q03

type: numeric (byte)
label: m13_q03
range: [2,9] units: 1
unique values: 6 missing .: 1671/1797
tabulation: Freq. Numeric Label
2 2 spouse/partner
103 3 child/adopted child
2 4 grandchild
2 5 niece/nephew
12 7 sister/brother
5 9 brother/sister-in-law
1671 .

m13_q04a2 2 m13_q04a

type: string (str15)
unique values: 7 missing "": 1671/1797
tabulation: Freq. Value
1671 ""
1 "GJERMANI"
55 "GREQI"
50 "ITALI"
3 "KANADA"
5 "SHBA"
1 "SHQIPERI"
11 "TE TJERA NE EUR"
warning: variable has embedded blanks

m13_q04b2 2 m13_q04b

```

type: numeric (byte)
label: m13_q04b

range: [80,86]
unique values: 7

units: 1
missing .: 1671/1797

```

```

tabulation: Freq.   Numeric   Label
              1         80   albania
              55         81   greece
              50         82   italy
               1         83   germany
              11         84   other in europe
               5         85   usa
               3         86   canada
            1671         .

```

```

m13_q0522 m13_q05

```

```

type: numeric (long)
label: m13_q05, but 29 nonmissing values are not labeled

range: [0,400000]
unique values: 29

units: 10
missing .: 1671/1797

```

```

tabulation: Freq.   Numeric   Label
              2         0
              2       1000
              6       5000
              1       6000
              1       6300
              1       8820
             11      10000
              1      11000
              8      13000
              5      15000
              1      15120
             15      20000
              1      25000
              1      28000
             11      30000
              9      40000
             18      50000
              1      65000
              6      70000
              1      80000
             10     100000
              1     120000
              1     125000
              1     126000
              1     130000
              1     150000
              1     156000
              7     200000
              1     400000
            1671         .

```

```

m13_q0233 m13_q02

```

```

-----
type: string (str9)
unique values: 32 missing "": 1765/1797

```

```

tabulation: Freq. Value
1765 " "
1 "ADRIANA"
1 "AGIM"
1 "AGRONI"
1 "ALBAN"
1 "ALBINA"
1 "ALKETI"
1 "ALMA"
1 "ARISTIR"
1 "ARJANI"
1 "ARMIR"
1 "ASTRIT"
1 "BESNIK"
1 "DRITAN"
1 "ENGJELLIU"
1 "ESMERALDA"
1 "GRIGOR"
1 "HAJDAR"
1 "IRINI"
1 "ISA"
1 "KUDRET"
1 "LEFTERI"
1 "LULI"
1 "MANUSHAQE"
1 "MELAQIZE"
1 "MILTO"
1 "MOZA"
1 "NDUE"
1 "PETRAQ"
1 "SHKELQIM"
1 "SHQIPJA"
1 "VASIL"
1 "VIRONI"

```

```

-----
m13_q033 3 m13_q03
-----

```

```

type: numeric (byte)
label: m13_q03
range: [3,12] units: 1
unique values: 5 missing .: 1765/1797

```

```

tabulation: Freq. Numeric Label
28 3 child/adopted child
1 7 sister/brother
1 8 son/daughter in law
1 9 brother/sister-in-law
1 12 other relative
1765 .

```

```

-----
m13_q04a3 3 m13_q04a
-----

```

```

-----
type: string (str15)
unique values: 5 missing "": 1765/1797

tabulation: Freq. Value
             1765 ""
             1 "GJERMANI"
             13 "GREQI"
             14 "ITALI"

             1 "SHBA"
             3 "TE TJERA NE EUR"

warning: variable has embedded blanks
-----

```

```

-----
m13_q04b3                                     3 m13_q04b
-----

```

```

type: numeric (byte)
label: m13_q04b

range: [81,85] units: 1
unique values: 5 missing .: 1765/1797

tabulation: Freq. Numeric Label
             13      81 greece
             14      82 italy
             1       83 germany
             3       84 other in europe
             1       85 usa
             1765      .
-----

```

```

-----
m13_q053                                     3 m13_q05
-----

```

```

type: numeric (long)
label: m13_q05, but 16 nonmissing values are not labeled

range: [1890,200000] units: 10
unique values: 16 missing .: 1765/1797

tabulation: Freq. Numeric Label
             1      1890
             1      2500
             1      3000
             3      5000
             6     10000
             1     15000
             1     15120
             5     20000
             1     24000
             1     25000
             4     30000
             1     40000
             3     50000
             1    100000
             1    120000
-----

```

1 200000
1765 .

m13_q024 4 m13_q02

type: string (str9)
unique values: 8 missing "": 1789/1797
tabulation: Freq. Value
1789 ""
1 "ATHINA"
1 "AVNIU"
1 "BUKUROSHI"
1 "DTIMITRAQ"
1 "ELMIRA"
1 "ENKELEDA"
1 "PAPULI"
1 "YLVI"

m13_q034 4 m13_q03

type: numeric (byte)
label: m13_q03
range: [3,7] units: 1
unique values: 2 missing .: 1789/1797
tabulation: Freq. Numeric Label
7 3 child/adopted child
1 7 sister/brother
1789 .

m13_q04a4 4 m13_q04a

type: string (str5)
unique values: 2 missing "": 1789/1797
tabulation: Freq. Value
1789 ""
5 "GREQI"
3 "ITALI"

m13_q04b4 4 m13_q04b

type: numeric (byte)
label: m13_q04b
range: [81,82] units: 1
unique values: 2 missing .: 1789/1797
tabulation: Freq. Numeric Label

```

      5      81 greece
      3      82 italy
1789      .

```

```
-----
m13_q0544 m13_q05
-----
```

```

      type: numeric (long)
      label: m13_q05, but 6 nonmissing values are not labeled

      range: [2500,250000]           units: 100
unique values: 6                     missing .: 1789/1797

```

```

tabulation: Freq.  Numeric  Label
             1      2500
             2      5000
             1     15000
             2     20000
             1     24000
             1     25000
1789        .

```

```
-----
m13_q0255 m13_q02
-----
```

```

      type: string (str8)

unique values: 2                     missing "": 1795/1797

```

```

tabulation: Freq.  Value
             1795  ""
             1    "ANTIGONI"
             1    "ELSA"

```

```
-----
m13_q0355 m13_q03
-----
```

```

      type: numeric (byte)
      label: m13_q03

      range: [3,7]                   units: 1
unique values: 2                     missing .: 1795/1797

```

```

tabulation: Freq.  Numeric  Label
             1      3  child/adopted child
             1      7  sister/brother
1795        .

```

```
-----
m13_q04a55 m13_q04a
-----
```

```

      type: string (str5)

unique values: 2                     missing "": 1795/1797

```

```

tabulation: Freq.  Value
             1795  ""

```

1 "GREQI"
1 "ITALI"

m13_q04b55 m13_q04b

type: numeric (byte)
label: m13_q04b

range: [81,82] units: 1
unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	81	greece
	1	82	italy
	1795	.	

m13_q0555 m13_q05

type: numeric (int)
label: m13_q05, but 2 nonmissing values are not labeled

range: [7000,20000] units: 1000
unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	7000	
	1	20000	
	1795	.	

m13_q0266 m13_q02

type: string (str6)

unique values: 2 missing "": 1795/1797

tabulation:	Freq.	Value
	1795	" "
	1	"MARIKA"
	1	"SHAQE"

m13_q0366 m13_q03

type: numeric (byte)
label: m13_q03

range: [3,7] units: 1
unique values: 2 missing .: 1795/1797

tabulation:	Freq.	Numeric	Label
	1	3	child/adopted child
	1	7	sister/brother
	1795	.	

m13_q04a6 6 m13_q04a

type: string (str5)
unique values: 2 missing "": 1795/1797
tabulation: Freq. Value
1795 ""
1 "GREQI"
1 "ITALI"

m13_q04b6 6 m13_q04b

type: numeric (byte)
label: m13_q04b
range: [81,82] units: 1
unique values: 2 missing .: 1795/1797
tabulation: Freq. Numeric Label
1 81 greece
1 82 italy
1795 .

m13_q056 6 m13_q05

type: numeric (int)
label: m13_q05, but 2 nonmissing values are not labeled
range: [10000,20000] units: 10000
unique values: 2 missing .: 1795/1797
tabulation: Freq. Numeric Label
1 10000
1 20000
1795 .

m13_q061 1 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
21 1
1776 2

m13_q071 1 m13_q07

type: numeric (long)

range: [1700,60000] units: 100
unique values: 15 missing .: 1776/1797

tabulation: Freq. Value
1 1700
1 2500
1 3000
3 4000
3 5000
1 6500
1 7200
1 8000
1 8400
1 9000
1 10000
1 12000
1 16000
3 20000
1 60000
1776 .

m13_q062 2 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

tabulation: Freq. Value
18 1
1779 2

m13_q072 2 m13_q07

type: numeric (long)
range: [6000,480000] units: 1000
unique values: 14 missing .: 1779/1797

tabulation: Freq. Value
1 6000
1 16000
1 22000
2 50000
1 70000
1 100000
2 180000
1 200000
1 220000
2 240000
1 294000
2 300000
1 360000
1 480000
1779 .

m13_q063 3 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
13 1
1784 2

m13_q073 3 m13_q07

type: numeric (long)
range: [10000,700000] units: 1000
unique values: 11 missing .: 1784/1797
tabulation: Freq. Value
2 10000
1 15000
1 20000
1 35000
2 40000
1 60000
1 72000
1 80000
1 120000
1 250000
1 700000
1784 .

m13_q064 4 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
1 1
1796 2

m13_q074 4 m13_q07

type: numeric (long)
range: [250000,250000] units: 10000
unique values: 1 missing .: 1796/1797
tabulation: Freq. Value
1 250000

1796 .

m13_q0655 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
 6 1
 1791 2

m13_q0755 m13_q07

type: numeric (long)
range: [160000,500000] units: 10000
unique values: 6 missing .: 1791/1797
tabulation: Freq. Value
 1 160000
 1 200000
 1 250000
 1 400000
 1 460000
 1 500000
 1791 .

m13_q0666 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
 3 1
 1794 2

m13_q0766 m13_q07

type: numeric (long)
range: [160000,300000] units: 10000
unique values: 3 missing .: 1794/1797
tabulation: Freq. Value
 1 160000
 1 200000
 1 300000
 1794 .

m13_q067 7 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
 1 1
 1796 2

m13_q077 7 m13_q07

type: numeric (long)
range: [350000,350000] units: 10000
unique values: 1 missing .: 1796/1797
tabulation: Freq. Value
 1 350000
 1796 .

m13_q068 8 m13_q06

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/1797
tabulation: Freq. Value
 8 1
 1789 2

m13_q078 8 m13_q07

type: numeric (long)
range: [600,300000] units: 100
unique values: 8 missing .: 1789/1797
tabulation: Freq. Value
 1 600
 1 6000
 1 10000
 1 12000
 1 30000
 1 200000
 1 250000
 1 300000
 1789 .

```

m13_q069                                     9 m13_q06
-----
      type: numeric (byte)
      range: [2,2]                               units: 1
unique values: 1                               missing .: 0/1797

      tabulation: Freq. Value
                   1797  2
-----

m13_q079                                     9 m13_q07
-----
      type: numeric (byte)
      range: [.,.]                               units: .
unique values: 0                               missing .: 1797/1797

      tabulation: Freq. Value
                   1797  .
-----

m13_q0610                                    10 m13_q06
-----
      type: numeric (byte)
      range: [1,2]                               units: 1
unique values: 2                               missing .: 0/1797

      tabulation: Freq. Value
                   2    1
                   1795 2
-----

m13_q0710                                    10 m13_q07
-----
      type: numeric (int)
      range: [5000,30000]                       units: 1000
unique values: 2                               missing .: 1795/1797

      tabulation: Freq. Value
                   1    5000
                   1    30000
                   1795  .
-----

m13_q0611                                    11 m13_q06
-----
      type: numeric (byte)
      range: [1,2]                               units: 1
unique values: 2                               missing .: 0/1797

      tabulation: Freq. Value
                   13    1

```

1784 2

m13_q0711 11 m13_q07

type: numeric (long)
range: [5000,500000] units: 1000
unique values: 8 missing .: 1784/1797

tabulation: Freq. Value
1 5000
2 6000
3 10000
3 20000
1 24000
1 110000
1 200000
1 500000
1784 .

m13_q0612 12 m13_q06

type: numeric (byte)
range: [2,2] units: 1
unique values: 1 missing .: 0/1797

tabulation: Freq. Value
1797 2

m13_q0712 12 m13_q07

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1797/1797

tabulation: Freq. Value
1797 .

* **12 INTERVIEW OUTCOME** *

m11_q01 interview conducted at household

type: numeric (byte)
label: m11_q01
range: [1,2] units: 1
unique values: 2 missing .: 0/1797

```

tabulation:  Freq.  Numeric  Label
              1796      1      yes
              1         2      no

```

m11_q02 interview outcome

```

      type: numeric (byte)
      label: m11_q02

      range: [1,3]                units: 1
unique values: 3                  missing .: 1/1797

```

```

tabulation:  Freq.  Numeric  Label
              590      1      every member of the household
              1204     2      interviewed
              2         3      some members interviewed and
              1         .      some members proxied
                               some members interviewed or
                               proxied and some mebers refuesd

```

m11_q04 plans to move in the next 12 months

```

      type: numeric (byte)
      label: m11_q04

      range: [1,2]                units: 1
unique values: 2                  missing .: 1/1797

```

```

tabulation:  Freq.  Numeric  Label
              69      1      yes
              1727     2      no
              1         .

```

m11_q05 reason for not being interviewed

```

      type: numeric (byte)
      label: m11_q05

      range: [8,8]                units: 1
unique values: 1                  missing .: 1796/1797

```

```

tabulation:  Freq.  Numeric  Label
              1         8      household temporarily out of
              1796     .      scope

```